

**Project Name:** Chestnut Hill Realty - Residen  
1 ASHEVILLE DR.  
CHESTNUT HILL, MA USA

**Architect:**

**Engineer:**

**Customer:**

**Job Type:** Lump Sum

**Estimator:**

**Creation Date:** 10/30/2019

**Last Modified:** 12/23/2019

**Status:** Incomplete

**Escalation:** No

## Cover Page Comments:

DRAWING DATES: 10/11/2019

DRAWING NUMBERS: FULL SET OF ARCHITECTURAL, CIVIL, MEP, STRUCTURAL & SPECS 033000

### INCLUDES:

\*\*\* BUILDING #1  
- FOUNDATION WALLS  
- SONOTUBE  
- SLAB ON GRADE  
- THICKNESS SLAB

\*\*\* BUILDING #2  
- FOUNDATION WALLS  
- SONOTUBE  
- SLAB ON GRADE  
- THICKNESS SLAB

\*\*\* BUILDING #3  
- FOUNDATION WALLS  
- SONOTUBE  
- SLAB ON GRADE  
- THICKNESS SLAB

\*\*\* BUILDING #4  
- FOUNDATION WALLS  
- SONOTUBE  
- SLAB ON GRADE  
- THICKNESS SLAB

\*\*\* BUILDING #5  
- FOUNDATION WALLS  
- SONOTUBE  
- SLAB ON GRADE  
- THICKNESS SLAB

\*\*\* BUILDING #6  
- FOUNDATION WALLS  
- SONOTUBE  
- SLAB ON GRADE  
- THICKNESS SLAB

\*\*\* BUILDING #7  
- FOUNDATION WALLS  
- SONOTUBE  
- SLAB ON GRADE  
- THICKNESS SLAB

\*\*\* BUILDING #8  
- FOUNDATION WALLS  
- SONOTUBE  
- SLAB ON GRADE  
- THICKNESS SLAB

\*\*\* BUILDING #9  
- FOUNDATION WALLS  
- SONOTUBE  
- SLAB ON GRADE  
- THICKNESS SLAB

\*\*\* BUILDING #10  
- FOUNDATION WALLS  
- SONOTUBE  
- SLAB ON GRADE

**REG191030K - Chestnut Hill Realty - Residen**

- THICKNESS SLAB

\*\*\* BUILDING #11  
 - FOUNDATION WALLS  
 - SONOTUBE  
 - SLAB ON GRADE  
 - THICKNESS SLAB

\*\*\* BUILDING #12  
 - SPREAD FOOTINGS  
 - FOUNDATION WALLS  
 - AREAWAY SHAFT  
 - ELEVATOR SHAFT  
 - STAIRS SHAFT  
 - MASONRY  
 - COLUMN ENCASEMENT  
 - 5" SOG  
 - SLAB ON DECK

\*\*\* SITE WORKS  
 - RETAINING WALLS  
 - CONCRETE STAIRS  
 - DUMPSTER PAD  
 - RAMP

EXCLUDES: TAXES, CJD, SMOOTH BARS, ADDED BARS NOT SHOWN, ACCESSORIES U.N.O, ACCESSORIES WITH PLATES, ADDITIONAL EPOXY COATED REABAR AT PARKING LEVEL 1, CONCRETE PAVEMENT (FIBERMESH), SECTION 8/S4.01 (N.E.I), LIGHT POLES (PRECAST), CONCRETE PAD FOR BIKES (N.E.I), ENTRY SIGNAGE (N.E.I), TRANSFORMER PADS (N.E.I), CONSTRUCTION JOINTS AT SLAB ON GRADE (N.E.I) DUCT BANKS (UNREINFORCED), PIERS (N.E.I)

## QUALIFY:

- MESH LAP 1.5 SQ  
 - ALL CONCRETE CAST AGAINST GRADE ESTIMATED TO BE BRICK SUPPORTED.  
 - SOG SHOWN ON SECTION 3/S4.01 ON 1-11 BUILDINGS ESTIMATED TO BE REINFORCED W/ 6X6-W2.9XW2.9 WWF.  
 - DUE CONTRADICTION BETWEEN NOTE E AT STEEL REINFORCEMENT ON SPECS, PAGE 121 & TYPICAL SLAB ON GRADE SHOWN ON SHEET S2.02, SOG ESTIMATED TO BE BRICK SUPPORTED.  
 - DUE CONTRADICTION BETWEEN BOTTOM BARS AT HAUNCHED ON 1-11 BUILDINGS, SHOWN ON SECTION 2/S4.01 & 4/S4.01 BOTTOM BARS ESTIMATED TO BE 3#5.  
 - ALL PERIMETER FOUNDATION WALLS AT BUILDING 12 ESTIMATED PER SECTION 3/S4.01.  
 - BOTTOM OF FOOTING AT PERIMETER FOUNDATION WALL AT BUILDING 12 ESTIMATED TO BE 4' BELOW SLAB ON GRADE.  
 - DWLS TO DECK SHOWN ON SECTION 3/S4.01 ESTIMATED TO BE #4@12".  
 - INTERIOR CMU FOOTING AT BUILDING 12 ESTIMATED PER SECTION 4/S4.01.  
 - AREWAY SHAFT FOUNDATION SHOWN ON SHEET S1.00A ESTIMATED TO BE 12'8"X18'5".  
 - ALL AREWAY SHAFT FOUNDATION ESTIMATED TO BE REINFORCED W/ #9@12" T&B TRANS, #10@12" O.C. BOTTOM & #9@12" O.C. TOP.  
 - DUE CONTRADICTION BETWEEN ARCHITECTURAL & STRUCTURAL DRAWINGS AREWAYS ESTIMATED TO BE LOCATED WHERE SHOWN ON SHEETS A1.11A & A1.11B.  
 - ADDITIONAL REINFORCEMENT AT SLAB ON DECK, SHOWN ON SECTION 5/S5.01 ONLY ESTIMATED WHERE PLAN SHOWED WEST-CENTER-EAST CORR.-2 ON LEVEL 2.  
 - ADDITIONAL REINFORCEMENT AT SOD SHOWN ON SECTION 6/S5.01 ESTIMATED TO BE LOCATED AT ALL LEVEL 1 FRAMING PLAN PART B SHEET S1.01B.  
 - ALL RETAINING WALLS BOTTOM OF FOOTING ESTIMATED TO BE -4' BELOW EXTERIOR FINISHED GRADE ELEVATION.  
 - DUMPSTER PAD ESTIMATED TO BE REINFORCED W/ 6X6-W2.9XW2.9 WWF.

INTERNAL USE:

**Segment Summary**

| Segment                   | Rebar Wgt    | Plain Wgt | Misc. Wgt | Total (Lbs)  | Costing   |
|---------------------------|--------------|-----------|-----------|--------------|-----------|
| <b>Included Segments:</b> |              |           |           |              |           |
| <b>BUILDING #1</b>        | <b>2,627</b> | <b>0</b>  | <b>0</b>  | <b>2,627</b> | <b>No</b> |
| FOUNDATION WALLS          | 2,006        | 0         | 0         | 2,006        | No        |
| SONOTUBE                  | 81           | 0         | 0         | 81           | No        |
| SLAB ON GRADE             | 122          | 0         | 0         | 122          | No        |
| THICKNESS SLAB            | 418          | 0         | 0         | 418          | No        |
| <b>BUILDING #2</b>        | <b>2,959</b> | <b>0</b>  | <b>0</b>  | <b>2,959</b> | <b>No</b> |
| FOUNDATION WALLS          | 2,116        | 0         | 0         | 2,116        | No        |
| SONOTUBE                  | 54           | 0         | 0         | 54           | No        |
| SLAB ON GRADE             | 112          | 0         | 0         | 112          | No        |
| THICKNESS SLAB            | 677          | 0         | 0         | 677          | No        |

## REG191030K - Chestnut Hill Realty - Residen

| Segment             | Rebar Wgt    | Plain Wgt | Misc. Wgt | Total (Lbs)  | Costing   |
|---------------------|--------------|-----------|-----------|--------------|-----------|
| <b>BUILDING #3</b>  | <b>2,620</b> | <b>0</b>  | <b>0</b>  | <b>2,620</b> | <b>No</b> |
| FOUNDATION WALLS    | 1,903        | 0         | 0         | 1,903        | No        |
| SONOTUBE            | 54           | 0         | 0         | 54           | No        |
| SLAB ON GRADE       | 122          | 0         | 0         | 122          | No        |
| THICKNESS SLAB      | 541          | 0         | 0         | 541          | No        |
| <b>BUILDING #4</b>  | <b>5,354</b> | <b>0</b>  | <b>0</b>  | <b>5,354</b> | <b>No</b> |
| FOUNDATION WALLS    | 3,901        | 0         | 0         | 3,901        | No        |
| SONOTUBE            | 94           | 0         | 0         | 94           | No        |
| SLAB ON GRADE       | 210          | 0         | 0         | 210          | No        |
| THICKNESS SLAB      | 1,149        | 0         | 0         | 1,149        | No        |
| <b>BUILDING #5</b>  | <b>2,959</b> | <b>0</b>  | <b>0</b>  | <b>2,959</b> | <b>No</b> |
| FOUNDATION WALLS    | 2,116        | 0         | 0         | 2,116        | No        |
| SONOTUBE            | 54           | 0         | 0         | 54           | No        |
| SLAB ON GRADE       | 112          | 0         | 0         | 112          | No        |
| THICKNESS SLAB      | 677          | 0         | 0         | 677          | No        |
| <b>BUILDING #6</b>  | <b>2,959</b> | <b>0</b>  | <b>0</b>  | <b>2,959</b> | <b>No</b> |
| FOUNDATION WALLS    | 2,116        | 0         | 0         | 2,116        | No        |
| SONOTUBE            | 54           | 0         | 0         | 54           | No        |
| SLAB ON GRADE       | 112          | 0         | 0         | 112          | No        |
| THICKNESS SLAB      | 677          | 0         | 0         | 677          | No        |
| <b>BUILDING #7</b>  | <b>2,959</b> | <b>0</b>  | <b>0</b>  | <b>2,959</b> | <b>No</b> |
| FOUNDATION WALLS    | 2,116        | 0         | 0         | 2,116        | No        |
| SONOTUBE            | 54           | 0         | 0         | 54           | No        |
| SLAB ON GRADE       | 112          | 0         | 0         | 112          | No        |
| THICKNESS SLAB      | 677          | 0         | 0         | 677          | No        |
| <b>BUILDING #8</b>  | <b>2,959</b> | <b>0</b>  | <b>0</b>  | <b>2,959</b> | <b>No</b> |
| FOUNDATION WALLS    | 2,116        | 0         | 0         | 2,116        | No        |
| SONOTUBE            | 54           | 0         | 0         | 54           | No        |
| SLAB ON GRADE       | 112          | 0         | 0         | 112          | No        |
| THICKNESS SLAB      | 677          | 0         | 0         | 677          | No        |
| <b>BUILDING #9</b>  | <b>2,959</b> | <b>0</b>  | <b>0</b>  | <b>2,959</b> | <b>No</b> |
| FOUNDATION WALLS    | 2,116        | 0         | 0         | 2,116        | No        |
| SONOTUBE            | 54           | 0         | 0         | 54           | No        |
| SLAB ON GRADE       | 112          | 0         | 0         | 112          | No        |
| THICKNESS SLAB      | 677          | 0         | 0         | 677          | No        |
| <b>BUILDING #10</b> | <b>2,959</b> | <b>0</b>  | <b>0</b>  | <b>2,959</b> | <b>No</b> |
| FOUNDATION WALLS    | 2,116        | 0         | 0         | 2,116        | No        |
| SONOTUBE            | 54           | 0         | 0         | 54           | No        |
| SLAB ON GRADE       | 112          | 0         | 0         | 112          | No        |
| THICKNESS SLAB      | 677          | 0         | 0         | 677          | No        |
| <b>BUILDING #11</b> | <b>2,873</b> | <b>0</b>  | <b>0</b>  | <b>2,873</b> | <b>No</b> |
| FOUNDATION WALLS    | 2,108        | 0         | 0         | 2,108        | No        |
| SONOTUBE            | 81           | 0         | 0         | 81           | No        |
| SLAB ON GRADE       | 118          | 0         | 0         | 118          | No        |
| THICKNESS SLAB      | 566          | 0         | 0         | 566          | No        |

**REG191030K - Chestnut Hill Realty - Residen**

| Segment             | Rebar Wgt      | Plain Wgt | Misc. Wgt | Total (Lbs)    | Costing   |
|---------------------|----------------|-----------|-----------|----------------|-----------|
| <b>BUILDING #12</b> | <b>317,622</b> | <b>0</b>  | <b>0</b>  | <b>317,622</b> | <b>No</b> |
| SPREAD FOOTINGS     | 21,611         | 0         | 0         | 21,611         | No        |
| FOUNDATION WALLS    | 104,038        | 0         | 0         | 104,038        | No        |
| AREAWAY SHAFT       | 60,549         | 0         | 0         | 60,549         | No        |
| ELEVATOR SHAFT      | 23,848         | 0         | 0         | 23,848         | No        |
| STAIRS SHAFT        | 32,059         | 0         | 0         | 32,059         | No        |
| MASONRY             | 13,978         | 0         | 0         | 13,978         | No        |
| COLUMN ENCASEMENT   | 0              | 0         | 0         | 0              | No        |
| 5" SOG              | 0              | 0         | 0         | 0              | No        |
| SLAB ON DECK        | 61,539         | 0         | 0         | 61,539         | No        |
| <b>SITE WORKS</b>   | <b>88,193</b>  | <b>0</b>  | <b>0</b>  | <b>88,193</b>  | <b>No</b> |
| RETAINING WALLS     | 87,257         | 0         | 0         | 87,257         | No        |
| CONCRETE STAIRS     | 377            | 0         | 0         | 377            | No        |
| DUMPSTER PAD        | 482            | 0         | 0         | 482            | No        |
| RAMP                | 77             | 0         | 0         | 77             | No        |

## REG191030K - Chestnut Hill Realty - Residen

## Estimate Defaults

|  |                                      |
|--|--------------------------------------|
| <b>Size Unit:</b> Imperial   | <b>Building Code:</b> ACI 1983       |
| <b>Length Unit:</b> Feet - Inches                                    | <b>Concrete Strength:</b> 4000       |
| <b>Weight Unit:</b> Pounds   | <b>Lap Table:</b> ACI 12.2.2 CLASS B |
| <b>Soft Hooks:</b> No  | <b>Estimating Lap:</b> LD            |
| <b>Seismic Hooks:</b> No   | <b>Steel Manufactured In:</b> ANY    |
|  | <b>Tie Clearance:</b> 0-012          |
|  | <b>Spiral Clearance:</b> 0-03        |
|  | <b>Spacing Tolerance:</b> 0-00       |
| <b>Rebar Coating:</b> Black  | <b>Rebar Grade:</b> 60               |
| <b>Plain Coating:</b> Black  | <b>Plain Grade:</b> 60               |
| <b>Number of lap lengths to extend a stock bar before lapping:</b> 1 |                                      |

## Background

| <b>Locations</b>                        |                     |
|---|---------------------|
| <b>Estimating:</b> SDQ - Santo Domingo  | <b>Estimator:</b>   |
| <b>Detailing:</b> SDQ - Santo Domingo   | <b>Detailer:</b>    |
| <b>Fabricating:</b> SDQ - Santo Domingo | <b>Salesperson:</b> |
| <b>Sales:</b> SDQ - Santo Domingo       |                     |
| <b>Det:</b> SDQ - Santo Domingo         |                     |

## The Following Formulas Were Used:

DM STND  $2 * \text{SQR} (L1 ** 2 + (L1 / 4) ** 2) + 1.5 + .84 + 1.5$

**REG191030K - Chestnut Hill Realty - Residen**

| Line | Mat | Func | Placing | Grd | Qty | Span | Spcg | Mult | Size | Cls | L1 | L2 | L3 | L4 | L5 | Lap | Stock | Lbs | Notes |
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|

Segment: BUILDING #1

Sub-Segment: FOUNDATION WALLS

|    |    |  |        |    |     |  |    |          |       |      |      |      |      |  |  |   |    |       |       |                        |  |
|----|----|--|--------|----|-----|--|----|----------|-------|------|------|------|------|--|--|---|----|-------|-------|------------------------|--|
| 1  | MT |  |        |    |     |  |    |          |       |      |      |      |      |  |  |   |    |       |       |                        |  |
| 2  | MT |  |        |    |     |  |    |          |       |      |      |      |      |  |  |   |    |       |       |                        |  |
| 3  | GM | Chestnut Hill Realty - Residen                     |        |    |     |  |    |          | 1.006 |      |      |      |      |  |  |   |    |       |       |                        |  |
| 4  | MT |  |        |    |     |  |    |          |       |      |      |      |      |  |  |   |    |       |       |                        |  |
| 5  | MT |  |        |    |     |  |    |          |       |      |      |      |      |  |  |   |    |       |       |                        |  |
| 6  | MT |  |        |    |     |  |    |          |       |      |      |      |      |  |  |   |    |       |       |                        |  |
| 7  | GI | Segment: BUILDING #1 Sub-Segment: FOUNDATION WALLS |        |    |     |  |    |          |       |      |      |      |      |  |  |   |    |       |       |                        |  |
| 8  | MT |  |        |    |     |  |    |          |       |      |      |      |      |  |  |   |    |       |       |                        |  |
| 9  | MT |  |        |    |     |  |    |          |       |      |      |      |      |  |  |   |    |       |       |                        |  |
| 10 | MT | S1.01  |        |    |     |  |    |          |       |      |      |      |      |  |  |   |    |       |       |                        |  |
| 11 | MT |  |        |    |     |  |    |          |       |      |      |      |      |  |  |   |    |       |       |                        |  |
| 12 | MT | 1/S4.01  |        |    |     |  |    |          |       |      |      |      |      |  |  |   |    |       |       |                        |  |
| 13 | DG | G001   | TOP    |    |     |  |    | 0        |       |      |      |      |      |  |  |   |    |       |       |                        |  |
| 14 | DG | G002   | BOF    |    |     |  |    | -4.66    |       |      |      |      |      |  |  |   |    |       |       |                        |  |
| 15 | DG | G003   | FTG HT |    |     |  |    | 1        |       |      |      |      |      |  |  |   |    |       |       |                        |  |
| 16 | DG | G004   | HT     |    |     |  |    | G1-G2-G3 |       |      |      |      |      |  |  |   |    |       |       |                        |  |
| 17 | DG | G005   | LONG   |    |     |  |    | 240      |       |      |      |      |      |  |  |   |    |       |       |                        |  |
| 18 | TR | LS   |        | 60 | 3   |  |    |          | 13/4  | S    | G5   |      |      |  |  | 1 | LD | 30-00 | 517   | CONT AT FTG            |  |
| 19 | TR | LS   |        | 60 | 2X2 |  |    |          | 16/5  | S    | G5   |      |      |  |  | 1 | LD | 30-00 | 1,094 | CONT AT WALL.          |  |
| 20 | TR | BF   |        | 60 | 2X2 |  |    | 12       | 16/5  | H    | LD   | LD   |      |  |  |   |    |       | 260   | CB                     |  |
| 21 | TR | BF   |        | 60 | 1   |  |    | 12       | 13/4  | H    | S90  | G3   | G4   |  |  |   |    |       | 43    | DWLS TO WALL AT CORNER |  |
| 22 | MT | TYP DETAILS AT S2.02                               |        |    |     |  |    |          |       |      |      |      |      |  |  |   |    |       |       |                        |  |
| 23 | MT | OPENNING TO PLAFORM                                |        |    |     |  |    |          |       |      |      |      |      |  |  |   |    |       |       |                        |  |
| 24 | DG | G005   | LONG   |    |     |  |    | 22       |       |      |      |      |      |  |  |   |    |       |       |                        |  |
| 25 | TR | BF   |        | 60 |     |  | G5 | 1-00     |       | 13/4 | H    | 3-00 | 0-06 |  |  |   |    |       | 54    | DWLS TO SLAB           |  |
| 26 | TR | BF   |        | 60 | 7   |  |    |          | 13/4  | H    | 3-00 | 0-06 |      |  |  |   |    |       | 16    | DWLS TO SLAB           |  |
| 27 | MT | OPENNING   |        |    |     |  |    |          |       |      |      |      |      |  |  |   |    |       |       |                        |  |
| 28 | DG | G005   | LONG   |    |     |  |    | 6        |       |      |      |      |      |  |  |   |    |       |       |                        |  |
| 29 | TR | BF   |        | 60 |     |  | G5 | 1-00     |       | 13/4 | H    | 3-00 | 0-06 |  |  |   |    |       | 16    | DWLS TO SLAB           |  |
| 30 | TR | BF   |        | 60 | 2   |  |    |          | 13/4  | H    | 3-00 | 0-06 |      |  |  |   |    |       | 5     | DWLS TO SLAB           |  |
| 31 | MT |  |        |    |     |  |    |          |       |      |      |      |      |  |  |   |    |       |       |                        |  |
| 32 | MT |  |        |    |     |  |    |          |       |      |      |      |      |  |  |   |    |       |       |                        |  |
| 33 | MT |  |        |    |     |  |    |          |       |      |      |      |      |  |  |   |    |       |       |                        |  |

**Total for Segment: BUILDING #1, Sub-Segment: FOUNDATION WALLS**

**\*\*\*\* Rebar Weight Summary (Lbs) \*\*\*\***

| Size | Total | Straight | HEAVY | LIGHT | Stock Wgt |
|------|-------|----------|-------|-------|-----------|
|------|-------|----------|-------|-------|-----------|

**\*\* Grade 60, Black \*\***

|      |              |              |            |          |              |
|------|--------------|--------------|------------|----------|--------------|
| 13/4 | 652          | 518          | 134        | 0        | 484          |
| 16/5 | 1,354        | 1,094        | 260        | 0        | 1,007        |
|      | <u>2,006</u> | <u>1,612</u> | <u>394</u> | <u>0</u> | <u>1,491</u> |

**REG191030K - Chestnut Hill Realty - Residen**

| Line                  | Mat | Func                                       | Placing | Grd | Qty | Span | Spcg | Mult | Size | Cls | L1   | L2   | L3 | L4 | L5 | Lap | Stock | Lbs | Notes        |
|-----------------------|-----|--|---------|-----|-----|------|------|------|------|-----|------|------|----|----|----|-----|-------|-----|--------------|
| Segment: BUILDING #1  |     |  |         |     |     |      |      |      |      |     |      |      |    |    |    |     |       |     |              |
| Sub-Segment: SONOTUBE |     |  |         |     |     |      |      |      |      |     |      |      |    |    |    |     |       |     |              |
| 34                    | GI  | Segment: BUILDING #1 Sub-Segment: SONOTUBE |         |     |     |      |      |      |      |     |      |      |    |    |    |     |       |     |              |
| 35                    | MT  |  |         |     |     |      |      |      |      |     |      |      |    |    |    |     |       |     |              |
| 36                    | MT  | S1.01                                      |         |     |     |      |      |      |      |     |      |      |    |    |    |     |       |     |              |
| 37                    | MT  | 3/S4.01                                    |         |     |     |      |      |      |      |     |      |      |    |    |    |     |       |     |              |
| 38                    | TR  | BF   |         | 60  | 2   |      |      | 12   | 13/4 | H   | 2-06 | 2-06 |    |    |    |     |       | 81  | DWLS TO SLAB |
| 39                    | MT  |  |         |     |     |      |      |      |      |     |      |      |    |    |    |     |       |     |              |
| 40                    | MT  |  |         |     |     |      |      |      |      |     |      |      |    |    |    |     |       |     |              |
| 41                    | MT  |  |         |     |     |      |      |      |      |     |      |      |    |    |    |     |       |     |              |
| 42                    | MT  |  |         |     |     |      |      |      |      |     |      |      |    |    |    |     |       |     |              |

**Total for Segment: BUILDING #1, Sub-Segment: SONOTUBE**

\*\*\*\* Rebar Weight Summary (Lbs) \*\*\*\*

| Size                  | Total     | Straight | HEAVY     | LIGHT    | Stock Wgt |
|-----------------------|-----------|----------|-----------|----------|-----------|
| ** Grade 60, Black ** |           |          |           |          |           |
| 13/4                  | 81        | 0        | 81        | 0        | 0         |
|                       | <u>81</u> | <u>0</u> | <u>81</u> | <u>0</u> | <u>0</u>  |

**REG191030K - Chestnut Hill Realty - Residen**

| Line | Mat | Func | Placing | Grd | Qty | Span | Spcg | Mult | Size | Cls | L1 | L2 | L3 | L4 | L5 | Lap | Stock | Lbs | Notes |
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|

Segment: BUILDING #1

Sub-Segment: SLAB ON GRADE

|    |    |   |  |      |      |   |    |      |          |      |   |      |      |  |  |  |         |    |                      |
|----|----|---|--|------|------|---|----|------|----------|------|---|------|------|--|--|--|---------|----|----------------------|
| 43 | GI | Segment: BUILDING #1 Sub-Segment: SLAB ON GRADE |  |      |      |   |    |      |          |      |   |      |      |  |  |  |         |    |                      |
| 44 | MT |   |  |      |      |   |    |      |          |      |   |      |      |  |  |  |         |    |                      |
| 45 | MT | S1.01   |  |      |      |   |    |      |          |      |   |      |      |  |  |  |         |    |                      |
| 46 | MT |   |  |      |      |   |    |      |          |      |   |      |      |  |  |  |         |    |                      |
| 47 | MT | 3/S4.01   |  |      |      |   |    |      |          |      |   |      |      |  |  |  |         |    |                      |
| 48 | TI | SqFt  |  |      | 322  |   |    |      | MS665X10 |      |   |      |      |  |  |  | 20.000% | 0  | 6X6-W2.9XW2.9        |
| 49 | TI | lf  |  |      | 93   |   |    |      | 5.5"CHCU |      |   |      |      |  |  |  | 10.000% | 0  | 5.5" CHCU            |
| 50 | MT |   |  |      |      |   |    |      |          |      |   |      |      |  |  |  |         |    |                      |
| 51 | MT | AT OPENING - 3/S4.01                            |  |      |      |   |    |      |          |      |   |      |      |  |  |  |         |    |                      |
| 52 | DG | G005  |  | LONG |      |   |    | 22   |          |      |   |      |      |  |  |  |         |    |                      |
| 53 | TR | BF  |  |      | 60   |   | G5 | 1-00 |          | 13/4 | S | 5-00 |      |  |  |  |         | 77 | DWLS SLAB-SLAB       |
| 54 | TR | BF  |  |      | 60   | 7 |    |      |          | 13/4 | S | 5-00 |      |  |  |  |         | 24 | DWLS SLAB-SLAB       |
| 55 | MT |   |  |      |      |   |    |      |          |      |   |      |      |  |  |  |         |    |                      |
| 56 | MT | OPENING AT DOORWAY                              |  |      |      |   |    |      |          |      |   |      |      |  |  |  |         |    |                      |
| 57 | MT | S2.02   |  |      |      |   |    |      |          |      |   |      |      |  |  |  |         |    |                      |
| 58 | DG | G005  |  | LONG |      |   |    | 6    |          |      |   |      |      |  |  |  |         |    |                      |
| 59 | TR | BF  |  |      | 60   |   | G5 | 1-00 |          | 13/4 | S | 3-00 | 0-06 |  |  |  |         | 16 | DWLS AT DOORWAY      |
| 60 | TR | BF  |  |      | 60   | 2 |    |      |          | 13/4 | S | 3-00 | 0-06 |  |  |  |         | 5  | DWLS AT DOORWAY      |
| 61 | MT |   |  |      |      |   |    |      |          |      |   |      |      |  |  |  |         |    |                      |
| 62 | MT |   |  |      |      |   |    |      |          |      |   |      |      |  |  |  |         |    |                      |
| 63 | MT | WWF AT 4" SOG                                   |  |      |      |   |    |      |          |      |   |      |      |  |  |  |         |    |                      |
| 64 | TI | SqFt  |  |      | 2835 |   |    |      | MS665X10 |      |   |      |      |  |  |  | 20.000% | 0  | 4" SOG 6X6-W2.9XW2.9 |
| 65 | MT |   |  |      |      |   |    |      |          |      |   |      |      |  |  |  |         |    |                      |
| 66 | MT |   |  |      |      |   |    |      |          |      |   |      |      |  |  |  |         |    |                      |
| 67 | MT |   |  |      |      |   |    |      |          |      |   |      |      |  |  |  |         |    |                      |

**Total for Segment: BUILDING #1, Sub-Segment: SLAB ON GRADE**

**\*\*\*\* Rebar Weight Summary (Lbs) \*\*\*\***

| Size | Total | Straight | HEAVY | LIGHT | Stock Wgt |
|------|-------|----------|-------|-------|-----------|
|------|-------|----------|-------|-------|-----------|

**\*\* Grade 60, Black \*\***

|      |            |            |          |          |          |
|------|------------|------------|----------|----------|----------|
| 13/4 | 122        | 122        | 0        | 0        | 0        |
|      | <u>122</u> | <u>122</u> | <u>0</u> | <u>0</u> | <u>0</u> |

**\*\*\*\* Miscellaneous Item Summary \*\*\*\***

**\*\* Undefined Item Class - 'MESH SHEETS' \*\***

|             |                                     |                |   |                 |                |             |      |       |       |
|-------------|-------------------------------------|----------------|---|-----------------|----------------|-------------|------|-------|-------|
| MS665X10    | 6X6 6/6 5X10 SHEETS PLAIN           | 3,811.130 SqFt | = | 77.000 Sheets @ | 0.000 / Sheets | = \$        | 0.00 | 0 Lbs |       |
|             |                                     |                |   |                 |                | Subtotal    | = \$ | 0.00  | 0 Lbs |
| Supports LF |                                     |                |   |                 |                |             |      |       |       |
| 5.5"CHCU    | 5 1/2" CONT. HIGH CHAIR UPPER PLAIN | 102.914 lf     | = | 103.000 lf @    | 0.000 / lf     | = \$        | 0.00 | 0 Lbs |       |
|             |                                     |                |   |                 |                | Subtotal    | = \$ | 0.00  | 0 Lbs |
|             |                                     |                |   |                 |                | Grand Total | = \$ | 0.00  | 0 Lbs |



**REG191030K - Chestnut Hill Realty - Residen**

| Line                        | Mat | Func   | Placing | Grd | Qty | Span | Spcg | Mult | Size | Cls | L1 | L2 | L3 | L4 | L5 | Lap | Stock | Lbs | Notes       |  |
|-----------------------------|-----|--|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------------|--|
| Segment: BUILDING #1        |     |  |         |     |     |      |      |      |      |     |    |    |    |    |    |     |       |     |             |  |
| Sub-Segment: THICKNESS SLAB |     |  |         |     |     |      |      |      |      |     |    |    |    |    |    |     |       |     |             |  |
| 68                          | GI  | Segment: BUILDING #1 Sub-Segment: THICKNESS SLAB |         |     |     |      |      |      |      |     |    |    |    |    |    |     |       |     |             |  |
| 69                          | MT  |  |         |     |     |      |      |      |      |     |    |    |    |    |    |     |       |     |             |  |
| 70                          | MT  |  |         |     |     |      |      |      |      |     |    |    |    |    |    |     |       |     |             |  |
| 71                          | MT  | S1.01  |         |     |     |      |      |      |      |     |    |    |    |    |    |     |       |     |             |  |
| 72                          | MT  |  |         |     |     |      |      |      |      |     |    |    |    |    |    |     |       |     |             |  |
| 73                          | MT  | 4/S4.01  |         |     |     |      |      |      |      |     |    |    |    |    |    |     |       |     |             |  |
| 74                          | DG  | G005   | LONG    |     |     |      | 195  |      |      |     |    |    |    |    |    |     |       |     |             |  |
| 75                          | TR  | LS   |         | 60  | 3   |      |      |      | 13/4 | S   | G5 |    |    |    | 1  | LD  | 30-00 | 418 | CONT AT BOT |  |
| 76                          | MT  |  |         |     |     |      |      |      |      |     |    |    |    |    |    |     |       |     |             |  |
| 77                          | MT  |  |         |     |     |      |      |      |      |     |    |    |    |    |    |     |       |     |             |  |
| 78                          | MT  |  |         |     |     |      |      |      |      |     |    |    |    |    |    |     |       |     |             |  |

**Total for Segment: BUILDING #1, Sub-Segment: THICKNESS SLAB**

**\*\*\*\* Rebar Weight Summary (Lbs) \*\*\*\***

| Size                  | Total      | Straight   | HEAVY    | LIGHT    | Stock Wgt  |
|-----------------------|------------|------------|----------|----------|------------|
| ** Grade 60, Black ** |            |            |          |          |            |
| 13/4                  | 418        | 418        | 0        | 0        | 363        |
|                       | <u>418</u> | <u>418</u> | <u>0</u> | <u>0</u> | <u>363</u> |

Total for Segment: BUILDING #1

\*\*\*\* Rebar Weight Summary (Lbs) \*\*\*\*

| Size | Total | Straight | HEAVY | LIGHT | Stock Wgt |
|------|-------|----------|-------|-------|-----------|
|------|-------|----------|-------|-------|-----------|

\*\* Grade 60, Black \*\*

|      |              |              |            |          |              |
|------|--------------|--------------|------------|----------|--------------|
| 13/4 | 1,273        | 1,058        | 215        | 0        | 847          |
| 16/5 | 1,354        | 1,094        | 260        | 0        | 1,007        |
|      | <u>2,627</u> | <u>2,152</u> | <u>475</u> | <u>0</u> | <u>1,854</u> |

\*\*\*\* Miscellaneous Item Summary \*\*\*\*

\*\* Undefined Item Class - 'MESH SHEETS' \*\*

|                    |                                     |                |   |                 |                |      |      |       |
|--------------------|-------------------------------------|----------------|---|-----------------|----------------|------|------|-------|
| MS665X10           | 6X6 6/6 5X10 SHEETS PLAIN           | 3,811.130 SqFt | = | 77.000 Sheets @ | 0.000 / Sheets | = \$ | 0.00 | 0 Lbs |
| <b>Subtotal</b>    |                                     |                |   |                 |                | = \$ | 0.00 | 0 Lbs |
| <b>Supports LF</b> |                                     |                |   |                 |                |      |      |       |
| 5.5"CHCU           | 5 1/2" CONT. HIGH CHAIR UPPER PLAIN | 102.914 lf     | = | 103.000 lf @    | 0.000 / lf     | = \$ | 0.00 | 0 Lbs |
| <b>Subtotal</b>    |                                     |                |   |                 |                | = \$ | 0.00 | 0 Lbs |
| <b>Grand Total</b> |                                     |                |   |                 |                | = \$ | 0.00 | 0 Lbs |

**REG191030K - Chestnut Hill Realty - Residen**

| Line | Mat | Func | Placing | Grd | Qty | Span | Spcg | Mult | Size | Cls | L1 | L2 | L3 | L4 | L5 | Lap | Stock | Lbs | Notes |
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|

Segment: BUILDING #2

Sub-Segment: FOUNDATION WALLS

|     |    |  |        |    |     |          |      |    |      |   |      |      |    |  |  |   |    |       |       |               |                        |
|-----|----|--|--------|----|-----|----------|------|----|------|---|------|------|----|--|--|---|----|-------|-------|---------------|------------------------|
| 79  | GI | Segment: BUILDING #2 Sub-Segment: FOUNDATION WALLS |        |    |     |          |      |    |      |   |      |      |    |  |  |   |    |       |       |               |                        |
| 80  | MT |  |        |    |     |          |      |    |      |   |      |      |    |  |  |   |    |       |       |               |                        |
| 81  | MT | S1.01  |        |    |     |          |      |    |      |   |      |      |    |  |  |   |    |       |       |               |                        |
| 82  | MT |  |        |    |     |          |      |    |      |   |      |      |    |  |  |   |    |       |       |               |                        |
| 83  | MT | 1/S4.01  |        |    |     |          |      |    |      |   |      |      |    |  |  |   |    |       |       |               |                        |
| 84  | DG | G001   | TOP    |    |     | 0        |      |    |      |   |      |      |    |  |  |   |    |       |       |               |                        |
| 85  | DG | G002   | BOF    |    |     | -4.66    |      |    |      |   |      |      |    |  |  |   |    |       |       |               |                        |
| 86  | DG | G003   | FTG HT |    |     | 1        |      |    |      |   |      |      |    |  |  |   |    |       |       |               |                        |
| 87  | DG | G004   | HT     |    |     | G1-G2-G3 |      |    |      |   |      |      |    |  |  |   |    |       |       |               |                        |
| 88  | DG | G005   | LONG   |    |     | 241      |      |    |      |   |      |      |    |  |  |   |    |       |       |               |                        |
| 89  | TR | LS   |        | 60 | 3   |          |      |    | 13/4 | S | G5   |      |    |  |  | 1 | LD | 30-00 | 519   | CONT AT FTG   |                        |
| 90  | TR | LS   |        | 60 | 2X2 |          |      |    | 16/5 | S | G5   |      |    |  |  | 1 | LD | 30-00 | 1,098 | CONT AT WALL. |                        |
| 91  | TR | BF   |        | 60 | 2X2 |          |      | 16 | 16/5 | H | LD   | LD   |    |  |  |   |    |       |       | 347           | CB                     |
| 92  | TR | BF   |        | 60 | 1   |          |      | 16 | 13/4 | H | S90  | G3   | G4 |  |  |   |    |       |       | 57            | DWLS TO WALL AT CORNER |
| 93  | MT | TYP DETAILS AT S2.02                               |        |    |     |          |      |    |      |   |      |      |    |  |  |   |    |       |       |               |                        |
| 94  | MT | OPENNING TO PLAFORM                                |        |    |     |          |      |    |      |   |      |      |    |  |  |   |    |       |       |               |                        |
| 95  | DG | G005   | LONG   |    |     | 13       |      |    |      |   |      |      |    |  |  |   |    |       |       |               |                        |
| 96  | TR | BF   |        | 60 |     | G5       | 1-00 |    | 13/4 | H | 3-00 | 0-06 |    |  |  |   |    |       |       | 33            | DWLS TO SLAB           |
| 97  | TR | BF   |        | 60 | 4   |          |      |    | 13/4 | H | 3-00 | 0-06 |    |  |  |   |    |       |       | 9             | DWLS TO SLAB           |
| 98  | MT | OPENNING   |        |    |     |          |      |    |      |   |      |      |    |  |  |   |    |       |       |               |                        |
| 99  | DG | G005   | LONG   |    |     | 16       |      |    |      |   |      |      |    |  |  |   |    |       |       |               |                        |
| 100 | TR | BF   |        | 60 |     | G5       | 1-00 |    | 13/4 | H | 3-00 | 0-06 |    |  |  |   |    |       |       | 40            | DWLS TO SLAB           |
| 101 | TR | BF   |        | 60 | 5   |          |      |    | 13/4 | H | 3-00 | 0-06 |    |  |  |   |    |       |       | 12            | DWLS TO SLAB           |
| 102 | MT |  |        |    |     |          |      |    |      |   |      |      |    |  |  |   |    |       |       |               |                        |
| 103 | MT |  |        |    |     |          |      |    |      |   |      |      |    |  |  |   |    |       |       |               |                        |
| 104 | MT |  |        |    |     |          |      |    |      |   |      |      |    |  |  |   |    |       |       |               |                        |

**Total for Segment: BUILDING #2, Sub-Segment: FOUNDATION WALLS**

**\*\*\*\* Rebar Weight Summary (Lbs) \*\*\*\***

| Size | Total | Straight | HEAVY | LIGHT | Stock Wgt |
|------|-------|----------|-------|-------|-----------|
|------|-------|----------|-------|-------|-----------|

**\*\* Grade 60, Black \*\***

|      |              |              |            |          |              |
|------|--------------|--------------|------------|----------|--------------|
| 13/4 | 671          | 520          | 151        | 0        | 484          |
| 16/5 | 1,445        | 1,098        | 347        | 0        | 1,007        |
|      | <u>2,116</u> | <u>1,618</u> | <u>498</u> | <u>0</u> | <u>1,491</u> |

**REG191030K - Chestnut Hill Realty - Residen**

| Line                  | Mat | Func                                       | Placing | Grd | Qty | Span | Spcg | Mult | Size | Cls | L1   | L2   | L3 | L4 | L5 | Lap | Stock | Lbs | Notes        |
|-----------------------|-----|--|---------|-----|-----|------|------|------|------|-----|------|------|----|----|----|-----|-------|-----|--------------|
| Segment: BUILDING #2  |     |  |         |     |     |      |      |      |      |     |      |      |    |    |    |     |       |     |              |
| Sub-Segment: SONOTUBE |     |  |         |     |     |      |      |      |      |     |      |      |    |    |    |     |       |     |              |
| 105                   | GI  | Segment: BUILDING #2 Sub-Segment: SONOTUBE |         |     |     |      |      |      |      |     |      |      |    |    |    |     |       |     |              |
| 106                   | MT  |  |         |     |     |      |      |      |      |     |      |      |    |    |    |     |       |     |              |
| 107                   | MT  | S1.01                                      |         |     |     |      |      |      |      |     |      |      |    |    |    |     |       |     |              |
| 108                   | MT  | 3/S4.01                                    |         |     |     |      |      |      |      |     |      |      |    |    |    |     |       |     |              |
| 109                   | TR  | BF   |         | 60  | 2   |      |      | 8    | 13/4 | H   | 2-06 | 2-06 |    |    |    |     |       | 54  | DWLS TO SLAB |
| 110                   | MT  |  |         |     |     |      |      |      |      |     |      |      |    |    |    |     |       |     |              |
| 111                   | MT  |  |         |     |     |      |      |      |      |     |      |      |    |    |    |     |       |     |              |
| 112                   | MT  |  |         |     |     |      |      |      |      |     |      |      |    |    |    |     |       |     |              |

**Total for Segment: BUILDING #2, Sub-Segment: SONOTUBE**

**\*\*\*\* Rebar Weight Summary (Lbs) \*\*\*\***

| Size | Total     | Straight | HEAVY     | LIGHT    | Stock Wgt |
|------|-----------|----------|-----------|----------|-----------|
| 13/4 | 54        | 0        | 54        | 0        | 0         |
|      | <u>54</u> | <u>0</u> | <u>54</u> | <u>0</u> | <u>0</u>  |

**\*\* Grade 60, Black \*\***

**REG191030K - Chestnut Hill Realty - Residen**

| Line | Mat | Func | Placing | Grd | Qty | Span | Spcg | Mult | Size | Cls | L1 | L2 | L3 | L4 | L5 | Lap | Stock | Lbs | Notes |
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|

Segment: BUILDING #2

Sub-Segment: SLAB ON GRADE

|     |    |   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
|-----|----|---|--|------|------|----|------|----|----------|---|------|------|--|--|--|--|---------|----|----------------------|
| 113 | GI | Segment: BUILDING #2 Sub-Segment: SLAB ON GRADE |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 114 | MT |   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 115 | MT | S1.01   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 116 | MT |   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 117 | MT | 3/S4.01   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 118 | TI | SqFt  |  |      | 197  |    |      |    | MS665X10 |   |      |      |  |  |  |  | 20.000% | 0  | 6X6-W2.9XW2.9        |
| 119 | TI | lf  |  |      | 63   |    |      |    | 5.5"CHCU |   |      |      |  |  |  |  | 10.000% | 0  | 5.5" CHCU            |
| 120 | MT |   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 121 | MT | AT OPENING - 3/S4.01                            |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 122 | DG | G005  |  | LONG |      |    |      | 13 |          |   |      |      |  |  |  |  |         |    |                      |
| 123 | TR | BF  |  | 60   |      | G5 | 1-00 |    | 13/4     | S | 5-00 |      |  |  |  |  |         | 47 | DWLS SLAB-SLAB       |
| 124 | TR | BF  |  | 60   | 4    |    |      |    | 13/4     | S | 5-00 |      |  |  |  |  |         | 13 | DWLS SLAB-SLAB       |
| 125 | MT |   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 126 | MT | OPENING AT DOORWAY                              |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 127 | MT | S2.02   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 128 | DG | G005  |  | LONG |      |    |      | 16 |          |   |      |      |  |  |  |  |         |    |                      |
| 129 | TR | BF  |  | 60   |      | G5 | 1-00 |    | 13/4     | S | 3-00 | 0-06 |  |  |  |  |         | 40 | DWLS AT DOORWAY      |
| 130 | TR | BF  |  | 60   | 5    |    |      |    | 13/4     | S | 3-00 | 0-06 |  |  |  |  |         | 12 | DWLS AT DOORWAY      |
| 131 | MT |   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 132 | MT |   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 133 | MT | WWF AT 4" SOG                                   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 134 | TI | SqFt  |  |      | 2783 |    |      |    | MS665X10 |   |      |      |  |  |  |  | 20.000% | 0  | 4" SOG 6X6-W2.9XW2.9 |
| 135 | MT |   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 136 | MT |   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 137 | MT |   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |

**Total for Segment: BUILDING #2, Sub-Segment: SLAB ON GRADE**

**\*\*\*\* Rebar Weight Summary (Lbs) \*\*\*\***

| Size | Total | Straight | HEAVY | LIGHT | Stock Wgt |
|------|-------|----------|-------|-------|-----------|
|------|-------|----------|-------|-------|-----------|

**\*\* Grade 60, Black \*\***

|      |            |            |          |          |          |
|------|------------|------------|----------|----------|----------|
| 13/4 | 112        | 112        | 0        | 0        | 0        |
|      | <u>112</u> | <u>112</u> | <u>0</u> | <u>0</u> | <u>0</u> |

**\*\*\*\* Miscellaneous Item Summary \*\*\*\***

**\*\* Undefined Item Class - 'MESH SHEETS' \*\***

|                    |                                     |                |   |                 |                |      |      |       |
|--------------------|-------------------------------------|----------------|---|-----------------|----------------|------|------|-------|
| MS665X10           | 6X6 6/6 5X10 SHEETS PLAIN           | 3,597.456 SqFt | = | 73.000 Sheets @ | 0.000 / Sheets | = \$ | 0.00 | 0 Lbs |
| <b>Subtotal</b>    |                                     |                |   |                 |                | = \$ | 0.00 | 0 Lbs |
| <b>Supports LF</b> |                                     |                |   |                 |                |      |      |       |
| 5.5"CHCU           | 5 1/2" CONT. HIGH CHAIR UPPER PLAIN | 69.716 lf      | = | 70.000 lf @     | 0.000 / lf     | = \$ | 0.00 | 0 Lbs |
| <b>Subtotal</b>    |                                     |                |   |                 |                | = \$ | 0.00 | 0 Lbs |
| <b>Grand Total</b> |                                     |                |   |                 |                | = \$ | 0.00 | 0 Lbs |

**REG191030K - Chestnut Hill Realty - Residen**

| Line                        | Mat | Func   | Placing | Grd | Qty | Span | Spcg | Mult | Size | Cls | L1 | L2 | L3 | L4 | L5 | Lap | Stock | Lbs | Notes       |  |
|-----------------------------|-----|--|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------------|--|
| Segment: BUILDING #2        |     |  |         |     |     |      |      |      |      |     |    |    |    |    |    |     |       |     |             |  |
| Sub-Segment: THICKNESS SLAB |     |  |         |     |     |      |      |      |      |     |    |    |    |    |    |     |       |     |             |  |
| 138                         | GI  | Segment: BUILDING #2 Sub-Segment: THICKNESS SLAB |         |     |     |      |      |      |      |     |    |    |    |    |    |     |       |     |             |  |
| 139                         | MT  |  |         |     |     |      |      |      |      |     |    |    |    |    |    |     |       |     |             |  |
| 140                         | MT  |  |         |     |     |      |      |      |      |     |    |    |    |    |    |     |       |     |             |  |
| 141                         | MT  | S1.01  |         |     |     |      |      |      |      |     |    |    |    |    |    |     |       |     |             |  |
| 142                         | MT  |  |         |     |     |      |      |      |      |     |    |    |    |    |    |     |       |     |             |  |
| 143                         | MT  | 4/S4.01 & 5/S4.01                                |         |     |     |      |      |      |      |     |    |    |    |    |    |     |       |     |             |  |
| 144                         | DG  | G005   | LONG    |     |     |      | 197  |      |      |     |    |    |    |    |    |     |       |     |             |  |
| 145                         | TR  | LS   | 60      | 3   |     |      |      |      | 16/5 | S   | G5 |    |    |    | 1  | LD  | 30-00 | 677 | CONT AT BOT |  |
| 146                         | MT  |  |         |     |     |      |      |      |      |     |    |    |    |    |    |     |       |     |             |  |
| 147                         | MT  |  |         |     |     |      |      |      |      |     |    |    |    |    |    |     |       |     |             |  |
| 148                         | MT  |  |         |     |     |      |      |      |      |     |    |    |    |    |    |     |       |     |             |  |

**Total for Segment: BUILDING #2, Sub-Segment: THICKNESS SLAB**

**\*\*\*\* Rebar Weight Summary (Lbs) \*\*\*\***

| Size | Total      | Straight   | HEAVY    | LIGHT    | Stock Wgt  |
|------|------------|------------|----------|----------|------------|
| 16/5 | 677        | 677        | 0        | 0        | 661        |
|      | <u>677</u> | <u>677</u> | <u>0</u> | <u>0</u> | <u>661</u> |

**\*\* Grade 60, Black \*\***

Total for Segment: BUILDING #2

\*\*\*\* Rebar Weight Summary (Lbs) \*\*\*\*

| Size | Total        | Straight     | HEAVY      | LIGHT    | Stock Wgt    |
|------|--------------|--------------|------------|----------|--------------|
| 13/4 | 837          | 632          | 205        | 0        | 484          |
| 16/5 | 2,122        | 1,775        | 347        | 0        | 1,668        |
|      | <u>2,959</u> | <u>2,407</u> | <u>552</u> | <u>0</u> | <u>2,152</u> |

\*\* Grade 60, Black \*\*

\*\*\*\* Miscellaneous Item Summary \*\*\*\*

\*\* Undefined Item Class - 'MESH SHEETS' \*\*

|                    |                                     |                |   |                 |                |      |      |       |
|--------------------|-------------------------------------|----------------|---|-----------------|----------------|------|------|-------|
| MS665X10           | 6X6 6/6 5X10 SHEETS PLAIN           | 3,597.456 SqFt | = | 73.000 Sheets @ | 0.000 / Sheets | = \$ | 0.00 | 0 Lbs |
| <b>Subtotal</b>    |                                     |                |   |                 |                | = \$ | 0.00 | 0 Lbs |
| <b>Supports LF</b> |                                     |                |   |                 |                |      |      |       |
| 5.5"CHCU           | 5 1/2" CONT. HIGH CHAIR UPPER PLAIN | 69.716 lf      | = | 70.000 lf @     | 0.000 / lf     | = \$ | 0.00 | 0 Lbs |
| <b>Subtotal</b>    |                                     |                |   |                 |                | = \$ | 0.00 | 0 Lbs |
| <b>Grand Total</b> |                                     |                |   |                 |                | = \$ | 0.00 | 0 Lbs |

**REG191030K - Chestnut Hill Realty - Residen**

| Line                          | Mat | Func   | Placing | Grd | Qty | Span | Spcg | Mult | Size | Cls | L1   | L2   | L3   | L4 | L5 | Lap | Stock | Lbs   | Notes |               |                        |
|-------------------------------|-----|--|---------|-----|-----|------|------|------|------|-----|------|------|------|----|----|-----|-------|-------|-------|---------------|------------------------|
| Segment: BUILDING #3          |     |  |         |     |     |      |      |      |      |     |      |      |      |    |    |     |       |       |       |               |                        |
| Sub-Segment: FOUNDATION WALLS |     |  |         |     |     |      |      |      |      |     |      |      |      |    |    |     |       |       |       |               |                        |
| 149                           | GI  | Segment: BUILDING #3 Sub-Segment: FOUNDATION WALLS |         |     |     |      |      |      |      |     |      |      |      |    |    |     |       |       |       |               |                        |
| 150                           | MT  |  |         |     |     |      |      |      |      |     |      |      |      |    |    |     |       |       |       |               |                        |
| 151                           | MT  | S1.01  |         |     |     |      |      |      |      |     |      |      |      |    |    |     |       |       |       |               |                        |
| 152                           | MT  |  |         |     |     |      |      |      |      |     |      |      |      |    |    |     |       |       |       |               |                        |
| 153                           | MT  | 1/S4.01  |         |     |     |      |      |      |      |     |      |      |      |    |    |     |       |       |       |               |                        |
| 154                           | DG  | G001   | TOP     |     |     |      |      |      |      |     |      |      |      |    |    |     |       |       |       | 0             |                        |
| 155                           | DG  | G002   | BOF     |     |     |      |      |      |      |     |      |      |      |    |    |     |       |       |       | -4.66         |                        |
| 156                           | DG  | G003   | FTG HT  |     |     |      |      |      |      |     |      |      |      |    |    |     |       |       |       | 1             |                        |
| 157                           | DG  | G004   | HT      |     |     |      |      |      |      |     |      |      |      |    |    |     |       |       |       | G1-G2-G3      |                        |
| 158                           | DG  | G005   | LONG    |     |     |      |      |      |      |     |      |      |      |    |    |     |       |       |       | 232           |                        |
| 159                           | TR  | LS   |         | 60  | 3   |      |      |      | 13/4 | S   | G5   |      |      |    |    | 1   | LD    | 30-00 | 501   | CONT AT FTG   |                        |
| 160                           | TR  | LS   |         | 60  | 2X2 |      |      |      | 16/5 | S   | G5   |      |      |    |    | 1   | LD    | 30-00 | 1,060 | CONT AT WALL. |                        |
| 161                           | TR  | BF   |         | 60  | 2X2 |      |      | 8    | 16/5 | H   | LD   | LD   |      |    |    |     |       |       |       | 173           | CB                     |
| 162                           | TR  | BF   |         | 60  | 1   |      |      | 8    | 13/4 | H   | S90  | G3   | G4   |    |    |     |       |       |       | 29            | DWLS TO WALL AT CORNER |
| 163                           | TR  | BF   |         | 60  | 3   |      |      | 2    | 13/4 | H   | 1-00 | 3-00 | 1-00 |    |    |     |       |       |       | 20            | STEP                   |
| 164                           | TR  | BF   |         | 60  | 2   |      |      | 2    | 16/5 | H   | 1-00 | 5-00 | 1-00 |    |    |     |       |       |       | 29            | STEP AT WALL           |
| 165                           | MT  | TYP DETAILS AT S2.02                               |         |     |     |      |      |      |      |     |      |      |      |    |    |     |       |       |       |               |                        |
| 166                           | MT  | OPENNING TO PLAFORM                                |         |     |     |      |      |      |      |     |      |      |      |    |    |     |       |       |       |               |                        |
| 167                           | DG  | G005   | LONG    |     |     |      |      |      |      |     |      |      |      |    |    |     |       |       |       | 22            |                        |
| 168                           | TR  | BF   |         | 60  |     | G5   | 1-00 |      | 13/4 | H   | 3-00 | 0-06 |      |    |    |     |       |       |       | 54            | DWLS TO SLAB           |
| 169                           | TR  | BF   |         | 60  | 7   |      |      |      | 13/4 | H   | 3-00 | 0-06 |      |    |    |     |       |       |       | 16            | DWLS TO SLAB           |
| 170                           | MT  | OPENNING   |         |     |     |      |      |      |      |     |      |      |      |    |    |     |       |       |       |               |                        |
| 171                           | DG  | G005   | LONG    |     |     |      |      |      |      |     |      |      |      |    |    |     |       |       |       | 6             |                        |
| 172                           | TR  | BF   |         | 60  |     | G5   | 1-00 |      | 13/4 | H   | 3-00 | 0-06 |      |    |    |     |       |       |       | 16            | DWLS TO SLAB           |
| 173                           | TR  | BF   |         | 60  | 2   |      |      |      | 13/4 | H   | 3-00 | 0-06 |      |    |    |     |       |       |       | 5             | DWLS TO SLAB           |
| 174                           | MT  |  |         |     |     |      |      |      |      |     |      |      |      |    |    |     |       |       |       |               |                        |
| 175                           | MT  |  |         |     |     |      |      |      |      |     |      |      |      |    |    |     |       |       |       |               |                        |
| 176                           | MT  |  |         |     |     |      |      |      |      |     |      |      |      |    |    |     |       |       |       |               |                        |

**Total for Segment: BUILDING #3, Sub-Segment: FOUNDATION WALLS**

**\*\*\*\* Rebar Weight Summary (Lbs) \*\*\*\***

| Size | Total | Straight | HEAVY | LIGHT | Stock Wgt |
|------|-------|----------|-------|-------|-----------|
|------|-------|----------|-------|-------|-----------|

**\*\* Grade 60, Black \*\***

|      |              |              |            |          |              |
|------|--------------|--------------|------------|----------|--------------|
| 13/4 | 641          | 501          | 140        | 0        | 484          |
| 16/5 | 1,262        | 1,060        | 202        | 0        | 1,007        |
|      | <u>1,903</u> | <u>1,561</u> | <u>342</u> | <u>0</u> | <u>1,491</u> |



**REG191030K - Chestnut Hill Realty - Residen**

| Line | Mat | Func | Placing | Grd | Qty | Span | Spcg | Mult | Size | Cls | L1 | L2 | L3 | L4 | L5 | Lap | Stock | Lbs | Notes |
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|

Segment: BUILDING #3

Sub-Segment: SONOTUBE

|     |    |  |  |    |   |  |  |   |      |   |      |      |  |  |  |  |  |    |              |
|-----|----|--|--|----|---|--|--|---|------|---|------|------|--|--|--|--|--|----|--------------|
| 177 | GI | Segment: BUILDING #3 Sub-Segment: SONOTUBE |  |    |   |  |  |   |      |   |      |      |  |  |  |  |  |    |              |
| 178 | MT |  |  |    |   |  |  |   |      |   |      |      |  |  |  |  |  |    |              |
| 179 | MT | S1.01                                      |  |    |   |  |  |   |      |   |      |      |  |  |  |  |  |    |              |
| 180 | MT | 3/S4.01                                    |  |    |   |  |  |   |      |   |      |      |  |  |  |  |  |    |              |
| 181 | TR | BF   |  | 60 | 2 |  |  | 8 | 13/4 | H | 2-06 | 2-06 |  |  |  |  |  | 54 | DWLS TO SLAB |
| 182 | MT |  |  |    |   |  |  |   |      |   |      |      |  |  |  |  |  |    |              |
| 183 | MT |  |  |    |   |  |  |   |      |   |      |      |  |  |  |  |  |    |              |
| 184 | MT |  |  |    |   |  |  |   |      |   |      |      |  |  |  |  |  |    |              |

**Total for Segment: BUILDING #3, Sub-Segment: SONOTUBE**

**\*\*\*\* Rebar Weight Summary (Lbs) \*\*\*\***

| Size | Total     | Straight | HEAVY     | LIGHT    | Stock Wgt |
|------|-----------|----------|-----------|----------|-----------|
| 13/4 | 54        | 0        | 54        | 0        | 0         |
|      | <u>54</u> | <u>0</u> | <u>54</u> | <u>0</u> | <u>0</u>  |

**\*\* Grade 60, Black \*\***

**REG191030K - Chestnut Hill Realty - Residen**

| Line                       | Mat | Func  | Placing | Grd  | Qty  | Span | Spcg | Mult | Size     | Cls  | L1 | L2   | L3   | L4 | L5 | Lap | Stock   | Lbs | Notes                |
|----------------------------|-----|---|---------|------|------|------|------|------|----------|------|----|------|------|----|----|-----|---------|-----|----------------------|
| Segment: BUILDING #3       |     |   |         |      |      |      |      |      |          |      |    |      |      |    |    |     |         |     |                      |
| Sub-Segment: SLAB ON GRADE |     |   |         |      |      |      |      |      |          |      |    |      |      |    |    |     |         |     |                      |
| 185                        | GI  | Segment: BUILDING #3 Sub-Segment: SLAB ON GRADE |         |      |      |      |      |      |          |      |    |      |      |    |    |     |         |     |                      |
| 186                        | MT  |   |         |      |      |      |      |      |          |      |    |      |      |    |    |     |         |     |                      |
| 187                        | MT  | S1.01   |         |      |      |      |      |      |          |      |    |      |      |    |    |     |         |     |                      |
| 188                        | MT  |   |         |      |      |      |      |      |          |      |    |      |      |    |    |     |         |     |                      |
| 189                        | MT  | 3/S4.01   |         |      |      |      |      |      |          |      |    |      |      |    |    |     |         |     |                      |
| 190                        | TI  | SqFt  |         |      | 222  |      |      |      | MS665X10 |      |    |      |      |    |    |     | 20.000% | 0   | 6X6-W2.9XW2.9        |
| 191                        | TI  | lf  |         |      | 60   |      |      |      | 5.5"CHCU |      |    |      |      |    |    |     | 10.000% | 0   | 5.5" CHCU            |
| 192                        | MT  |   |         |      |      |      |      |      |          |      |    |      |      |    |    |     |         |     |                      |
| 193                        | MT  | AT OPENING - 3/S4.01                            |         |      |      |      |      |      |          |      |    |      |      |    |    |     |         |     |                      |
| 194                        | DG  | G005  |         | LONG |      |      |      | 22   |          |      |    |      |      |    |    |     |         |     |                      |
| 195                        | TR  | BF  |         |      | 60   |      | G5   | 1-00 |          | 13/4 | S  | 5-00 |      |    |    |     |         | 77  | DWLS SLAB-SLAB       |
| 196                        | TR  | BF  |         |      | 60   | 7    |      |      |          | 13/4 | S  | 5-00 |      |    |    |     |         | 24  | DWLS SLAB-SLAB       |
| 197                        | MT  |   |         |      |      |      |      |      |          |      |    |      |      |    |    |     |         |     |                      |
| 198                        | MT  | OPENING AT DOORWAY                              |         |      |      |      |      |      |          |      |    |      |      |    |    |     |         |     |                      |
| 199                        | MT  | S2.02   |         |      |      |      |      |      |          |      |    |      |      |    |    |     |         |     |                      |
| 200                        | DG  | G005  |         | LONG |      |      |      | 6    |          |      |    |      |      |    |    |     |         |     |                      |
| 201                        | TR  | BF  |         |      | 60   |      | G5   | 1-00 |          | 13/4 | S  | 3-00 | 0-06 |    |    |     |         | 16  | DWLS AT DOORWAY      |
| 202                        | TR  | BF  |         |      | 60   | 2    |      |      |          | 13/4 | S  | 3-00 | 0-06 |    |    |     |         | 5   | DWLS AT DOORWAY      |
| 203                        | MT  |   |         |      |      |      |      |      |          |      |    |      |      |    |    |     |         |     |                      |
| 204                        | MT  |   |         |      |      |      |      |      |          |      |    |      |      |    |    |     |         |     |                      |
| 205                        | MT  | WWF AT 4" SOG                                   |         |      |      |      |      |      |          |      |    |      |      |    |    |     |         |     |                      |
| 206                        | TI  | SqFt  |         |      | 2750 |      |      |      | MS665X10 |      |    |      |      |    |    |     | 20.000% | 0   | 4" SOG 6X6-W2.9XW2.9 |
| 207                        | MT  |   |         |      |      |      |      |      |          |      |    |      |      |    |    |     |         |     |                      |
| 208                        | MT  |   |         |      |      |      |      |      |          |      |    |      |      |    |    |     |         |     |                      |
| 209                        | MT  |   |         |      |      |      |      |      |          |      |    |      |      |    |    |     |         |     |                      |

**Total for Segment: BUILDING #3, Sub-Segment: SLAB ON GRADE**

**\*\*\*\* Rebar Weight Summary (Lbs) \*\*\*\***

| Size | Total      | Straight   | HEAVY    | LIGHT    | Stock Wgt |
|------|------------|------------|----------|----------|-----------|
| 13/4 | 122        | 122        | 0        | 0        | 0         |
|      | <u>122</u> | <u>122</u> | <u>0</u> | <u>0</u> | <u>0</u>  |

**\*\* Grade 60, Black \*\***

**\*\*\*\* Miscellaneous Item Summary \*\*\*\***

**\*\* Undefined Item Class - 'MESH SHEETS' \*\***

|                    |                                     |                |   |                 |                |      |      |       |
|--------------------|-------------------------------------|----------------|---|-----------------|----------------|------|------|-------|
| MS665X10           | 6X6 6/6 5X10 SHEETS PLAIN           | 3,587.798 SqFt | = | 73.000 Sheets @ | 0.000 / Sheets | = \$ | 0.00 | 0 Lbs |
| <b>Subtotal</b>    |                                     |                |   |                 |                | = \$ | 0.00 | 0 Lbs |
| <b>Supports LF</b> |                                     |                |   |                 |                |      |      |       |
| 5.5"CHCU           | 5 1/2" CONT. HIGH CHAIR UPPER PLAIN | 66.396 lf      | = | 67.000 lf @     | 0.000 / lf     | = \$ | 0.00 | 0 Lbs |
| <b>Subtotal</b>    |                                     |                |   |                 |                | = \$ | 0.00 | 0 Lbs |
| <b>Grand Total</b> |                                     |                |   |                 |                | = \$ | 0.00 | 0 Lbs |

**REG191030K - Chestnut Hill Realty - Residen**

| Line | Mat | Func | Placing | Grd | Qty | Span | Spcg | Mult | Size | Cls | L1 | L2 | L3 | L4 | L5 | Lap | Stock | Lbs | Notes |
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|

Segment: BUILDING #3

Sub-Segment: THICKNESS SLAB

|     |    |  |      |   |  |  |  |  |      |   |    |  |  |  |   |    |       |     |             |  |  |  |  |
|-----|----|--|------|---|--|--|--|--|------|---|----|--|--|--|---|----|-------|-----|-------------|--|--|--|--|
| 210 | GI | Segment: BUILDING #3 Sub-Segment: THICKNESS SLAB |      |   |  |  |  |  |      |   |    |  |  |  |   |    |       |     |             |  |  |  |  |
| 211 | MT |  |      |   |  |  |  |  |      |   |    |  |  |  |   |    |       |     |             |  |  |  |  |
| 212 | MT |  |      |   |  |  |  |  |      |   |    |  |  |  |   |    |       |     |             |  |  |  |  |
| 213 | MT | S1.01  |      |   |  |  |  |  |      |   |    |  |  |  |   |    |       |     |             |  |  |  |  |
| 214 | MT |  |      |   |  |  |  |  |      |   |    |  |  |  |   |    |       |     |             |  |  |  |  |
| 215 | MT | 4/S4.01 & 5/S4.01                                |      |   |  |  |  |  |      |   |    |  |  |  |   |    |       |     |             |  |  |  |  |
| 216 | DG | G005   | LONG |   |  |  |  |  |      |   |    |  |  |  |   |    |       |     | 159         |  |  |  |  |
| 217 | TR | LS   | 60   | 3 |  |  |  |  | 16/5 | S | G5 |  |  |  | 1 | LD | 30-00 | 541 | CONT AT BOT |  |  |  |  |
| 218 | MT |  |      |   |  |  |  |  |      |   |    |  |  |  |   |    |       |     |             |  |  |  |  |
| 219 | MT |  |      |   |  |  |  |  |      |   |    |  |  |  |   |    |       |     |             |  |  |  |  |
| 220 | MT |  |      |   |  |  |  |  |      |   |    |  |  |  |   |    |       |     |             |  |  |  |  |

**Total for Segment: BUILDING #3, Sub-Segment: THICKNESS SLAB**

**\*\*\*\* Rebar Weight Summary (Lbs) \*\*\*\***

| Size | Total | Straight | HEAVY | LIGHT | Stock Wgt |
|------|-------|----------|-------|-------|-----------|
|------|-------|----------|-------|-------|-----------|

**\*\* Grade 60, Black \*\***

|      |            |            |          |          |            |
|------|------------|------------|----------|----------|------------|
| 16/5 | 541        | 541        | 0        | 0        | 472        |
|      | <u>541</u> | <u>541</u> | <u>0</u> | <u>0</u> | <u>472</u> |

Total for Segment: BUILDING #3

\*\*\*\* Rebar Weight Summary (Lbs) \*\*\*\*

| Size | Total | Straight | HEAVY | LIGHT | Stock Wgt |
|------|-------|----------|-------|-------|-----------|
|------|-------|----------|-------|-------|-----------|

\*\* Grade 60, Black \*\*

|      |              |              |            |          |              |
|------|--------------|--------------|------------|----------|--------------|
| 13/4 | 817          | 623          | 194        | 0        | 484          |
| 16/5 | 1,803        | 1,601        | 202        | 0        | 1,479        |
|      | <u>2,620</u> | <u>2,224</u> | <u>396</u> | <u>0</u> | <u>1,963</u> |

\*\*\*\* Miscellaneous Item Summary \*\*\*\*

\*\* Undefined Item Class - 'MESH SHEETS' \*\*

|                    |                                     |                |   |                 |                |      |      |       |       |
|--------------------|-------------------------------------|----------------|---|-----------------|----------------|------|------|-------|-------|
| MS665X10           | 6X6 6/6 5X10 SHEETS PLAIN           | 3,587.798 SqFt | = | 73.000 Sheets @ | 0.000 / Sheets | = \$ | 0.00 | 0 Lbs |       |
| <b>Subtotal</b>    |                                     |                |   |                 |                |      | = \$ | 0.00  | 0 Lbs |
| <b>Supports LF</b> |                                     |                |   |                 |                |      |      |       |       |
| 5.5"CHCU           | 5 1/2" CONT. HIGH CHAIR UPPER PLAIN | 66.396 lf      | = | 67.000 lf @     | 0.000 / lf     | = \$ | 0.00 | 0 Lbs |       |
| <b>Subtotal</b>    |                                     |                |   |                 |                |      | = \$ | 0.00  | 0 Lbs |
| <b>Grand Total</b> |                                     |                |   |                 |                |      | = \$ | 0.00  | 0 Lbs |

**REG191030K - Chestnut Hill Realty - Residen**

| Line | Mat | Func | Placing | Grd | Qty | Span | Spcg | Mult | Size | Cls | L1 | L2 | L3 | L4 | L5 | Lap | Stock | Lbs | Notes |
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|

Segment: BUILDING #4

Sub-Segment: FOUNDATION WALLS

|     |    |  |        |    |     |  |    |      |      |   |      |      |    |  |  |   |    |       |          |               |                        |
|-----|----|--|--------|----|-----|--|----|------|------|---|------|------|----|--|--|---|----|-------|----------|---------------|------------------------|
| 221 | GI | Segment: BUILDING #4 Sub-Segment: FOUNDATION WALLS |        |    |     |  |    |      |      |   |      |      |    |  |  |   |    |       |          |               |                        |
| 222 | MT |  |        |    |     |  |    |      |      |   |      |      |    |  |  |   |    |       |          |               |                        |
| 223 | MT | S1.01  |        |    |     |  |    |      |      |   |      |      |    |  |  |   |    |       |          |               |                        |
| 224 | MT |  |        |    |     |  |    |      |      |   |      |      |    |  |  |   |    |       |          |               |                        |
| 225 | MT | 1/S4.01  |        |    |     |  |    |      |      |   |      |      |    |  |  |   |    |       |          |               |                        |
| 226 | DG | G001   | TOP    |    |     |  |    |      |      |   |      |      |    |  |  |   |    |       | 0        |               |                        |
| 227 | DG | G002   | BOF    |    |     |  |    |      |      |   |      |      |    |  |  |   |    |       | -4.66    |               |                        |
| 228 | DG | G003   | FTG HT |    |     |  |    |      |      |   |      |      |    |  |  |   |    |       | 1        |               |                        |
| 229 | DG | G004   | HT     |    |     |  |    |      |      |   |      |      |    |  |  |   |    |       | G1-G2-G3 |               |                        |
| 230 | DG | G005   | LONG   |    |     |  |    |      |      |   |      |      |    |  |  |   |    |       | 448      |               |                        |
| 231 | TR | LS   |        | 60 | 3   |  |    |      | 13/4 | S | G5   |      |    |  |  | 1 | LD | 30-00 | 966      | CONT AT FTG   |                        |
| 232 | TR | LS   |        | 60 | 2X2 |  |    |      | 16/5 | S | G5   |      |    |  |  | 1 | LD | 30-00 | 2,054    | CONT AT WALL. |                        |
| 233 | TR | BF   |        | 60 | 2X2 |  |    | 28   | 16/5 | H | LD   | LD   |    |  |  |   |    |       |          | 607           | CB                     |
| 234 | TR | BF   |        | 60 | 1   |  |    | 28   | 13/4 | H | S90  | G3   | G4 |  |  |   |    |       |          | 100           | DWLS TO WALL AT CORNER |
| 235 | MT | TYP DETAILS AT S2.02                               |        |    |     |  |    |      |      |   |      |      |    |  |  |   |    |       |          |               |                        |
| 236 | MT | OPENNING TO PLAFORM                                |        |    |     |  |    |      |      |   |      |      |    |  |  |   |    |       |          |               |                        |
| 237 | DG | G005   | LONG   |    |     |  |    |      |      |   |      |      |    |  |  |   |    |       | 26       |               |                        |
| 238 | TR | BF   |        | 60 |     |  | G5 | 1-00 | 13/4 | H | 3-00 | 0-06 |    |  |  |   |    |       |          | 63            | DWLS TO SLAB           |
| 239 | TR | BF   |        | 60 | 8   |  |    |      | 13/4 | H | 3-00 | 0-06 |    |  |  |   |    |       |          | 19            | DWLS TO SLAB           |
| 240 | MT | OPENNING   |        |    |     |  |    |      |      |   |      |      |    |  |  |   |    |       |          |               |                        |
| 241 | DG | G005   | LONG   |    |     |  |    |      |      |   |      |      |    |  |  |   |    |       | 29       |               |                        |
| 242 | TR | BF   |        | 60 |     |  | G5 | 1-00 | 13/4 | H | 3-00 | 0-06 |    |  |  |   |    |       |          | 71            | DWLS TO SLAB           |
| 243 | TR | BF   |        | 60 | 9   |  |    |      | 13/4 | H | 3-00 | 0-06 |    |  |  |   |    |       |          | 21            | DWLS TO SLAB           |
| 244 | MT |  |        |    |     |  |    |      |      |   |      |      |    |  |  |   |    |       |          |               |                        |
| 245 | MT |  |        |    |     |  |    |      |      |   |      |      |    |  |  |   |    |       |          |               |                        |
| 246 | MT |  |        |    |     |  |    |      |      |   |      |      |    |  |  |   |    |       |          |               |                        |

**Total for Segment: BUILDING #4, Sub-Segment: FOUNDATION WALLS**

**\*\*\*\* Rebar Weight Summary (Lbs) \*\*\*\***

| Size | Total | Straight | HEAVY | LIGHT | Stock Wgt |
|------|-------|----------|-------|-------|-----------|
|------|-------|----------|-------|-------|-----------|

**\*\* Grade 60, Black \*\***

|      |              |              |            |          |              |
|------|--------------|--------------|------------|----------|--------------|
| 13/4 | 1,240        | 966          | 274        | 0        | 907          |
| 16/5 | 2,661        | 2,054        | 607        | 0        | 2,015        |
|      | <u>3,901</u> | <u>3,020</u> | <u>881</u> | <u>0</u> | <u>2,922</u> |

**REG191030K - Chestnut Hill Realty - Residen**

| Line | Mat | Func | Placing | Grd | Qty | Span | Spcg | Mult | Size | Cls | L1 | L2 | L3 | L4 | L5 | Lap | Stock | Lbs | Notes |
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|

Segment: BUILDING #4

Sub-Segment: SONOTUBE

|     |    |  |  |    |   |  |  |    |      |   |      |      |  |  |  |  |  |    |              |
|-----|----|--|--|----|---|--|--|----|------|---|------|------|--|--|--|--|--|----|--------------|
| 247 | GI | Segment: BUILDING #4 Sub-Segment: SONOTUBE |  |    |   |  |  |    |      |   |      |      |  |  |  |  |  |    |              |
| 248 | MT |  |  |    |   |  |  |    |      |   |      |      |  |  |  |  |  |    |              |
| 249 | MT | S1.01                                      |  |    |   |  |  |    |      |   |      |      |  |  |  |  |  |    |              |
| 250 | MT | 3/S4.01                                    |  |    |   |  |  |    |      |   |      |      |  |  |  |  |  |    |              |
| 251 | TR | BF   |  | 60 | 2 |  |  | 14 | 13/4 | H | 2-06 | 2-06 |  |  |  |  |  | 94 | DWLS TO SLAB |
| 252 | MT |  |  |    |   |  |  |    |      |   |      |      |  |  |  |  |  |    |              |
| 253 | MT |  |  |    |   |  |  |    |      |   |      |      |  |  |  |  |  |    |              |
| 254 | MT |  |  |    |   |  |  |    |      |   |      |      |  |  |  |  |  |    |              |

**Total for Segment: BUILDING #4, Sub-Segment: SONOTUBE**

**\*\*\*\* Rebar Weight Summary (Lbs) \*\*\*\***

| Size | Total     | Straight | HEAVY     | LIGHT    | Stock Wgt |
|------|-----------|----------|-----------|----------|-----------|
| 13/4 | 94        | 0        | 94        | 0        | 0         |
|      | <u>94</u> | <u>0</u> | <u>94</u> | <u>0</u> | <u>0</u>  |

**\*\* Grade 60, Black \*\***

**REG191030K - Chestnut Hill Realty - Residen**

| Line | Mat | Func | Placing | Grd | Qty | Span | Spcg | Mult | Size | Cls | L1 | L2 | L3 | L4 | L5 | Lap | Stock | Lbs | Notes |
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|

Segment: BUILDING #4

Sub-Segment: SLAB ON GRADE

|     |    |   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
|-----|----|---|--|------|------|----|------|----|----------|---|------|------|--|--|--|--|---------|----|----------------------|
| 255 | GI | Segment: BUILDING #4 Sub-Segment: SLAB ON GRADE |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 256 | MT |   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 257 | MT | S1.01   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 258 | MT |   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 259 | MT | 3/S4.01   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 260 | TI | SqFt  |  |      | 341  |    |      |    | MS665X10 |   |      |      |  |  |  |  | 20.000% | 0  | 6X6-W2.9XW2.9        |
| 261 | TI | lf  |  |      | 121  |    |      |    | 5.5"CHCU |   |      |      |  |  |  |  | 10.000% | 0  | 5.5" CHCU            |
| 262 | MT |   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 263 | MT | AT OPENING - 3/S4.01                            |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 264 | DG | G005  |  | LONG |      |    |      | 26 |          |   |      |      |  |  |  |  |         |    |                      |
| 265 | TR | BF  |  | 60   |      | G5 | 1-00 |    | 13/4     | S | 5-00 |      |  |  |  |  |         | 91 | DWLS SLAB-SLAB       |
| 266 | TR | BF  |  | 60   | 8    |    |      |    | 13/4     | S | 5-00 |      |  |  |  |  |         | 27 | DWLS SLAB-SLAB       |
| 267 | MT |   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 268 | MT | OPENING AT DOORWAY                              |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 269 | MT | S2.02   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 270 | DG | G005  |  | LONG |      |    |      | 29 |          |   |      |      |  |  |  |  |         |    |                      |
| 271 | TR | BF  |  | 60   |      | G5 | 1-00 |    | 13/4     | S | 3-00 | 0-06 |  |  |  |  |         | 71 | DWLS AT DOORWAY      |
| 272 | TR | BF  |  | 60   | 9    |    |      |    | 13/4     | S | 3-00 | 0-06 |  |  |  |  |         | 21 | DWLS AT DOORWAY      |
| 273 | MT |   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 274 | MT |   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 275 | MT | WWF AT 4" SOG                                   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 276 | TI | SqFt  |  |      | 5559 |    |      |    | MS665X10 |   |      |      |  |  |  |  | 20.000% | 0  | 4" SOG 6X6-W2.9XW2.9 |
| 277 | MT |   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 278 | MT |   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 279 | MT |   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |

**Total for Segment: BUILDING #4, Sub-Segment: SLAB ON GRADE**

**\*\*\*\* Rebar Weight Summary (Lbs) \*\*\*\***

| Size | Total | Straight | HEAVY | LIGHT | Stock Wgt |
|------|-------|----------|-------|-------|-----------|
| 13/4 | 210   | 210      | 0     | 0     | 0         |
|      | 210   | 210      | 0     | 0     | 0         |

**\*\* Grade 60, Black \*\***

**\*\*\*\* Miscellaneous Item Summary \*\*\*\***

**\*\* Undefined Item Class - 'MESH SHEETS' \*\***

|                    |                                     |                |   |                  |                |      |      |       |
|--------------------|-------------------------------------|----------------|---|------------------|----------------|------|------|-------|
| MS665X10           | 6X6 6/6 5X10 SHEETS PLAIN           | 7,122.480 SqFt | = | 144.000 Sheets @ | 0.000 / Sheets | = \$ | 0.00 | 0 Lbs |
|                    |                                     |                |   |                  |                | = \$ | 0.00 | 0 Lbs |
| <b>Subtotal</b>    |                                     |                |   |                  |                |      |      |       |
| <b>Supports LF</b> |                                     |                |   |                  |                |      |      |       |
| 5.5"CHCU           | 5 1/2" CONT. HIGH CHAIR UPPER PLAIN | 133.899 lf     | = | 134.000 lf @     | 0.000 / lf     | = \$ | 0.00 | 0 Lbs |
|                    |                                     |                |   |                  |                | = \$ | 0.00 | 0 Lbs |
| <b>Subtotal</b>    |                                     |                |   |                  |                |      |      |       |
|                    |                                     |                |   |                  |                | = \$ | 0.00 | 0 Lbs |
| <b>Grand Total</b> |                                     |                |   |                  |                |      |      |       |
|                    |                                     |                |   |                  |                | = \$ | 0.00 | 0 Lbs |

**REG191030K - Chestnut Hill Realty - Residen**

| Line | Mat | Func | Placing | Grd | Qty | Span | Spcg | Mult | Size | Cls | L1 | L2 | L3 | L4 | L5 | Lap | Stock | Lbs | Notes |
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|

Segment: BUILDING #4

Sub-Segment: THICKNESS SLAB

|     |    |  |      |   |  |  |  |  |      |   |    |  |  |  |   |    |       |       |             |  |  |  |
|-----|----|--|------|---|--|--|--|--|------|---|----|--|--|--|---|----|-------|-------|-------------|--|--|--|
| 280 | GI | Segment: BUILDING #4 Sub-Segment: THICKNESS SLAB |      |   |  |  |  |  |      |   |    |  |  |  |   |    |       |       |             |  |  |  |
| 281 | MT |  |      |   |  |  |  |  |      |   |    |  |  |  |   |    |       |       |             |  |  |  |
| 282 | MT |  |      |   |  |  |  |  |      |   |    |  |  |  |   |    |       |       |             |  |  |  |
| 283 | MT | S1.01  |      |   |  |  |  |  |      |   |    |  |  |  |   |    |       |       |             |  |  |  |
| 284 | MT |  |      |   |  |  |  |  |      |   |    |  |  |  |   |    |       |       |             |  |  |  |
| 285 | MT | 4/S4.01 & 5/S4.01                                |      |   |  |  |  |  |      |   |    |  |  |  |   |    |       |       |             |  |  |  |
| 286 | DG | G005   | LONG |   |  |  |  |  |      |   |    |  |  |  |   |    |       |       | 334         |  |  |  |
| 287 | TR | LS   | 60   | 3 |  |  |  |  | 16/5 | S | G5 |  |  |  | 1 | LD | 30-00 | 1,149 | CONT AT BOT |  |  |  |
| 288 | MT |  |      |   |  |  |  |  |      |   |    |  |  |  |   |    |       |       |             |  |  |  |
| 289 | MT |  |      |   |  |  |  |  |      |   |    |  |  |  |   |    |       |       |             |  |  |  |
| 290 | MT |  |      |   |  |  |  |  |      |   |    |  |  |  |   |    |       |       |             |  |  |  |

**Total for Segment: BUILDING #4, Sub-Segment: THICKNESS SLAB**

**\*\*\*\* Rebar Weight Summary (Lbs) \*\*\*\***

| Size | Total | Straight | HEAVY | LIGHT | Stock Wgt |
|------|-------|----------|-------|-------|-----------|
|------|-------|----------|-------|-------|-----------|

**\*\* Grade 60, Black \*\***

|      |              |              |          |          |              |
|------|--------------|--------------|----------|----------|--------------|
| 16/5 | 1,149        | 1,149        | 0        | 0        | 1,133        |
|      | <u>1,149</u> | <u>1,149</u> | <u>0</u> | <u>0</u> | <u>1,133</u> |



Total for Segment: BUILDING #4

\*\*\*\* Rebar Weight Summary (Lbs) \*\*\*\*

| Size | Total | Straight | HEAVY | LIGHT | Stock Wgt |
|------|-------|----------|-------|-------|-----------|
| 13/4 | 1,544 | 1,176    | 368   | 0     | 907       |
| 16/5 | 3,810 | 3,203    | 607   | 0     | 3,148     |
|      | 5,354 | 4,379    | 975   | 0     | 4,055     |

\*\* Grade 60, Black \*\*

\*\*\*\* Miscellaneous Item Summary \*\*\*\*

\*\* Undefined Item Class - 'MESH SHEETS' \*\*

|             |                                     |                |   |                  |                |      |      |       |
|-------------|-------------------------------------|----------------|---|------------------|----------------|------|------|-------|
| MS665X10    | 6X6 6/6 5X10 SHEETS PLAIN           | 7,122.480 SqFt | = | 144.000 Sheets @ | 0.000 / Sheets | = \$ | 0.00 | 0 Lbs |
| Subtotal    |                                     |                |   |                  |                | = \$ | 0.00 | 0 Lbs |
| Supports LF |                                     |                |   |                  |                |      |      |       |
| 5.5"CHCU    | 5 1/2" CONT. HIGH CHAIR UPPER PLAIN | 133.899 lf     | = | 134.000 lf @     | 0.000 / lf     | = \$ | 0.00 | 0 Lbs |
| Subtotal    |                                     |                |   |                  |                | = \$ | 0.00 | 0 Lbs |
| Grand Total |                                     |                |   |                  |                | = \$ | 0.00 | 0 Lbs |

**REG191030K - Chestnut Hill Realty - Residen**

| Line | Mat | Func | Placing | Grd | Qty | Span | Spcg | Mult | Size | Cls | L1 | L2 | L3 | L4 | L5 | Lap | Stock | Lbs | Notes |
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|

Segment: BUILDING #5

Sub-Segment: FOUNDATION WALLS

|     |    |  |        |     |    |          |    |      |   |      |      |    |  |  |   |    |       |       |               |                        |
|-----|----|--|--------|-----|----|----------|----|------|---|------|------|----|--|--|---|----|-------|-------|---------------|------------------------|
| 291 | GI | Segment: BUILDING #5 Sub-Segment: FOUNDATION WALLS |        |     |    |          |    |      |   |      |      |    |  |  |   |    |       |       |               |                        |
| 292 | MT |  |        |     |    |          |    |      |   |      |      |    |  |  |   |    |       |       |               |                        |
| 293 | MT | S1.01  |        |     |    |          |    |      |   |      |      |    |  |  |   |    |       |       |               |                        |
| 294 | MT |  |        |     |    |          |    |      |   |      |      |    |  |  |   |    |       |       |               |                        |
| 295 | MT | 1/S4.01  |        |     |    |          |    |      |   |      |      |    |  |  |   |    |       |       |               |                        |
| 296 | DG | G001   | TOP    |     |    | 0        |    |      |   |      |      |    |  |  |   |    |       |       |               |                        |
| 297 | DG | G002   | BOF    |     |    | -4.66    |    |      |   |      |      |    |  |  |   |    |       |       |               |                        |
| 298 | DG | G003   | FTG HT |     |    | 1        |    |      |   |      |      |    |  |  |   |    |       |       |               |                        |
| 299 | DG | G004   | HT     |     |    | G1-G2-G3 |    |      |   |      |      |    |  |  |   |    |       |       |               |                        |
| 300 | DG | G005   | LONG   |     |    | 241      |    |      |   |      |      |    |  |  |   |    |       |       |               |                        |
| 301 | TR | LS   | 60     | 3   |    |          |    | 13/4 | S | G5   |      |    |  |  | 1 | LD | 30-00 | 519   | CONT AT FTG   |                        |
| 302 | TR | LS   | 60     | 2X2 |    |          |    | 16/5 | S | G5   |      |    |  |  | 1 | LD | 30-00 | 1,098 | CONT AT WALL. |                        |
| 303 | TR | BF   | 60     | 2X2 |    |          | 16 | 16/5 | H | LD   | LD   |    |  |  |   |    |       |       | 347           | CB                     |
| 304 | TR | BF   | 60     | 1   |    |          | 16 | 13/4 | H | S90  | G3   | G4 |  |  |   |    |       |       | 57            | DWLS TO WALL AT CORNER |
| 305 | MT | TYP DETAILS AT S2.02                               |        |     |    |          |    |      |   |      |      |    |  |  |   |    |       |       |               |                        |
| 306 | MT | OPENNING TO PLAFORM                                |        |     |    |          |    |      |   |      |      |    |  |  |   |    |       |       |               |                        |
| 307 | DG | G005   | LONG   |     |    | 13       |    |      |   |      |      |    |  |  |   |    |       |       |               |                        |
| 308 | TR | BF   | 60     |     | G5 | 1-00     |    | 13/4 | H | 3-00 | 0-06 |    |  |  |   |    |       |       | 33            | DWLS TO SLAB           |
| 309 | TR | BF   | 60     | 4   |    |          |    | 13/4 | H | 3-00 | 0-06 |    |  |  |   |    |       |       | 9             | DWLS TO SLAB           |
| 310 | MT | OPENNING   |        |     |    |          |    |      |   |      |      |    |  |  |   |    |       |       |               |                        |
| 311 | DG | G005   | LONG   |     |    | 16       |    |      |   |      |      |    |  |  |   |    |       |       |               |                        |
| 312 | TR | BF   | 60     |     | G5 | 1-00     |    | 13/4 | H | 3-00 | 0-06 |    |  |  |   |    |       |       | 40            | DWLS TO SLAB           |
| 313 | TR | BF   | 60     | 5   |    |          |    | 13/4 | H | 3-00 | 0-06 |    |  |  |   |    |       |       | 12            | DWLS TO SLAB           |
| 314 | MT |  |        |     |    |          |    |      |   |      |      |    |  |  |   |    |       |       |               |                        |
| 315 | MT |  |        |     |    |          |    |      |   |      |      |    |  |  |   |    |       |       |               |                        |
| 316 | MT |  |        |     |    |          |    |      |   |      |      |    |  |  |   |    |       |       |               |                        |

**Total for Segment: BUILDING #5, Sub-Segment: FOUNDATION WALLS**

**\*\*\*\* Rebar Weight Summary (Lbs) \*\*\*\***

| Size | Total | Straight | HEAVY | LIGHT | Stock Wgt |
|------|-------|----------|-------|-------|-----------|
|------|-------|----------|-------|-------|-----------|

**\*\* Grade 60, Black \*\***

|      |              |              |            |          |              |
|------|--------------|--------------|------------|----------|--------------|
| 13/4 | 671          | 520          | 151        | 0        | 484          |
| 16/5 | 1,445        | 1,098        | 347        | 0        | 1,007        |
|      | <u>2,116</u> | <u>1,618</u> | <u>498</u> | <u>0</u> | <u>1,491</u> |

**REG191030K - Chestnut Hill Realty - Residen**

| Line                  | Mat | Func                                       | Placing | Grd | Qty | Span | Spcg | Mult | Size | Cls | L1   | L2   | L3 | L4 | L5 | Lap | Stock | Lbs | Notes        |
|-----------------------|-----|--|---------|-----|-----|------|------|------|------|-----|------|------|----|----|----|-----|-------|-----|--------------|
| Segment: BUILDING #5  |     |  |         |     |     |      |      |      |      |     |      |      |    |    |    |     |       |     |              |
| Sub-Segment: SONOTUBE |     |  |         |     |     |      |      |      |      |     |      |      |    |    |    |     |       |     |              |
| 317                   | GI  | Segment: BUILDING #5 Sub-Segment: SONOTUBE |         |     |     |      |      |      |      |     |      |      |    |    |    |     |       |     |              |
| 318                   | MT  |  |         |     |     |      |      |      |      |     |      |      |    |    |    |     |       |     |              |
| 319                   | MT  | S1.01                                      |         |     |     |      |      |      |      |     |      |      |    |    |    |     |       |     |              |
| 320                   | MT  | 3/S4.01                                    |         |     |     |      |      |      |      |     |      |      |    |    |    |     |       |     |              |
| 321                   | TR  | BF   |         | 60  | 2   |      |      | 8    | 13/4 | H   | 2-06 | 2-06 |    |    |    |     |       | 54  | DWLS TO SLAB |
| 322                   | MT  |  |         |     |     |      |      |      |      |     |      |      |    |    |    |     |       |     |              |
| 323                   | MT  |  |         |     |     |      |      |      |      |     |      |      |    |    |    |     |       |     |              |
| 324                   | MT  |  |         |     |     |      |      |      |      |     |      |      |    |    |    |     |       |     |              |

**Total for Segment: BUILDING #5, Sub-Segment: SONOTUBE**

**\*\*\*\* Rebar Weight Summary (Lbs) \*\*\*\***

| Size | Total     | Straight | HEAVY     | LIGHT    | Stock Wgt |
|------|-----------|----------|-----------|----------|-----------|
| 13/4 | 54        | 0        | 54        | 0        | 0         |
|      | <u>54</u> | <u>0</u> | <u>54</u> | <u>0</u> | <u>0</u>  |

**\*\* Grade 60, Black \*\***

**REG191030K - Chestnut Hill Realty - Residen**

| Line | Mat | Func | Placing | Grd | Qty | Span | Spcg | Mult | Size | Cls | L1 | L2 | L3 | L4 | L5 | Lap | Stock | Lbs | Notes |
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|

Segment: BUILDING #5

Sub-Segment: SLAB ON GRADE

|     |    |   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
|-----|----|---|--|------|------|----|------|----|----------|---|------|------|--|--|--|--|---------|----|----------------------|
| 325 | GI | Segment: BUILDING #5 Sub-Segment: SLAB ON GRADE |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 326 | MT |   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 327 | MT | S1.01   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 328 | MT |   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 329 | MT | 3/S4.01   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 330 | TI | SqFt  |  |      | 197  |    |      |    | MS665X10 |   |      |      |  |  |  |  | 20.000% | 0  | 6X6-W2.9XW2.9        |
| 331 | TI | lf  |  |      | 63   |    |      |    | 5.5"CHCU |   |      |      |  |  |  |  | 10.000% | 0  | 5.5" CHCU            |
| 332 | MT |   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 333 | MT | AT OPENING - 3/S4.01                            |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 334 | DG | G005  |  | LONG |      |    |      | 13 |          |   |      |      |  |  |  |  |         |    |                      |
| 335 | TR | BF  |  | 60   |      | G5 | 1-00 |    | 13/4     | S | 5-00 |      |  |  |  |  |         | 47 | DWLS SLAB-SLAB       |
| 336 | TR | BF  |  | 60   | 4    |    |      |    | 13/4     | S | 5-00 |      |  |  |  |  |         | 13 | DWLS SLAB-SLAB       |
| 337 | MT |   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 338 | MT | OPENING AT DOORWAY                              |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 339 | MT | S2.02   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 340 | DG | G005  |  | LONG |      |    |      | 16 |          |   |      |      |  |  |  |  |         |    |                      |
| 341 | TR | BF  |  | 60   |      | G5 | 1-00 |    | 13/4     | S | 3-00 | 0-06 |  |  |  |  |         | 40 | DWLS AT DOORWAY      |
| 342 | TR | BF  |  | 60   | 5    |    |      |    | 13/4     | S | 3-00 | 0-06 |  |  |  |  |         | 12 | DWLS AT DOORWAY      |
| 343 | MT |   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 344 | MT |   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 345 | MT | WWF AT 4" SOG                                   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 346 | TI | SqFt  |  |      | 2783 |    |      |    | MS665X10 |   |      |      |  |  |  |  | 20.000% | 0  | 4" SOG 6X6-W2.9XW2.9 |
| 347 | MT |   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 348 | MT |   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 349 | MT |   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |

**Total for Segment: BUILDING #5, Sub-Segment: SLAB ON GRADE**

**\*\*\*\* Rebar Weight Summary (Lbs) \*\*\*\***

| Size | Total | Straight | HEAVY | LIGHT | Stock Wgt |
|------|-------|----------|-------|-------|-----------|
|------|-------|----------|-------|-------|-----------|

**\*\* Grade 60, Black \*\***

|      |            |            |          |          |          |
|------|------------|------------|----------|----------|----------|
| 13/4 | 112        | 112        | 0        | 0        | 0        |
|      | <u>112</u> | <u>112</u> | <u>0</u> | <u>0</u> | <u>0</u> |

**\*\*\*\* Miscellaneous Item Summary \*\*\*\***

**\*\* Undefined Item Class - 'MESH SHEETS' \*\***

|                    |                                     |                |   |                 |                |      |      |       |
|--------------------|-------------------------------------|----------------|---|-----------------|----------------|------|------|-------|
| MS665X10           | 6X6 6/6 5X10 SHEETS PLAIN           | 3,597.456 SqFt | = | 73.000 Sheets @ | 0.000 / Sheets | = \$ | 0.00 | 0 Lbs |
|                    |                                     |                |   |                 |                | = \$ | 0.00 | 0 Lbs |
| <b>Subtotal</b>    |                                     |                |   |                 |                |      |      |       |
| <b>Supports LF</b> |                                     |                |   |                 |                |      |      |       |
| 5.5"CHCU           | 5 1/2" CONT. HIGH CHAIR UPPER PLAIN | 69.716 lf      | = | 70.000 lf @     | 0.000 / lf     | = \$ | 0.00 | 0 Lbs |
|                    |                                     |                |   |                 |                | = \$ | 0.00 | 0 Lbs |
| <b>Subtotal</b>    |                                     |                |   |                 |                |      |      |       |
|                    |                                     |                |   |                 |                | = \$ | 0.00 | 0 Lbs |
| <b>Grand Total</b> |                                     |                |   |                 |                |      |      |       |
|                    |                                     |                |   |                 |                | = \$ | 0.00 | 0 Lbs |

**REG191030K - Chestnut Hill Realty - Residen**

| Line                        | Mat | Func   | Placing | Grd | Qty | Span | Spcg | Mult | Size | Cls | L1 | L2 | L3 | L4 | L5 | Lap | Stock | Lbs | Notes       |  |
|-----------------------------|-----|--|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------------|--|
| Segment: BUILDING #5        |     |  |         |     |     |      |      |      |      |     |    |    |    |    |    |     |       |     |             |  |
| Sub-Segment: THICKNESS SLAB |     |  |         |     |     |      |      |      |      |     |    |    |    |    |    |     |       |     |             |  |
| 350                         | GI  | Segment: BUILDING #5 Sub-Segment: THICKNESS SLAB |         |     |     |      |      |      |      |     |    |    |    |    |    |     |       |     |             |  |
| 351                         | MT  |  |         |     |     |      |      |      |      |     |    |    |    |    |    |     |       |     |             |  |
| 352                         | MT  |  |         |     |     |      |      |      |      |     |    |    |    |    |    |     |       |     |             |  |
| 353                         | MT  | S1.01  |         |     |     |      |      |      |      |     |    |    |    |    |    |     |       |     |             |  |
| 354                         | MT  |  |         |     |     |      |      |      |      |     |    |    |    |    |    |     |       |     |             |  |
| 355                         | MT  | 4/S4.01 & 5/S4.01                                |         |     |     |      |      |      |      |     |    |    |    |    |    |     |       |     |             |  |
| 356                         | DG  | G005   | LONG    |     |     |      | 197  |      |      |     |    |    |    |    |    |     |       |     |             |  |
| 357                         | TR  | LS   | 60      | 3   |     |      |      |      | 16/5 | S   | G5 |    |    |    | 1  | LD  | 30-00 | 677 | CONT AT BOT |  |
| 358                         | MT  |  |         |     |     |      |      |      |      |     |    |    |    |    |    |     |       |     |             |  |
| 359                         | MT  |  |         |     |     |      |      |      |      |     |    |    |    |    |    |     |       |     |             |  |
| 360                         | MT  |  |         |     |     |      |      |      |      |     |    |    |    |    |    |     |       |     |             |  |

**Total for Segment: BUILDING #5, Sub-Segment: THICKNESS SLAB**

**\*\*\*\* Rebar Weight Summary (Lbs) \*\*\*\***

| Size | Total      | Straight   | HEAVY    | LIGHT    | Stock Wgt  |
|------|------------|------------|----------|----------|------------|
| 16/5 | 677        | 677        | 0        | 0        | 661        |
|      | <u>677</u> | <u>677</u> | <u>0</u> | <u>0</u> | <u>661</u> |

**\*\* Grade 60, Black \*\***

Total for Segment: BUILDING #5

\*\*\*\* Rebar Weight Summary (Lbs) \*\*\*\*

| Size | Total        | Straight     | HEAVY      | LIGHT    | Stock Wgt    |
|------|--------------|--------------|------------|----------|--------------|
| 13/4 | 837          | 632          | 205        | 0        | 484          |
| 16/5 | 2,122        | 1,775        | 347        | 0        | 1,668        |
|      | <u>2,959</u> | <u>2,407</u> | <u>552</u> | <u>0</u> | <u>2,152</u> |

\*\* Grade 60, Black \*\*

\*\*\*\* Miscellaneous Item Summary \*\*\*\*

\*\* Undefined Item Class - 'MESH SHEETS' \*\*

|                    |                                     |                |   |                 |                |      |      |       |       |
|--------------------|-------------------------------------|----------------|---|-----------------|----------------|------|------|-------|-------|
| MS665X10           | 6X6 6/6 5X10 SHEETS PLAIN           | 3,597.456 SqFt | = | 73.000 Sheets @ | 0.000 / Sheets | = \$ | 0.00 | 0 Lbs |       |
| <b>Subtotal</b>    |                                     |                |   |                 |                |      | = \$ | 0.00  | 0 Lbs |
| <b>Supports LF</b> |                                     |                |   |                 |                |      |      |       |       |
| 5.5"CHCU           | 5 1/2" CONT. HIGH CHAIR UPPER PLAIN | 69.716 lf      | = | 70.000 lf @     | 0.000 / lf     | = \$ | 0.00 | 0 Lbs |       |
| <b>Subtotal</b>    |                                     |                |   |                 |                |      | = \$ | 0.00  | 0 Lbs |
| <b>Grand Total</b> |                                     |                |   |                 |                |      | = \$ | 0.00  | 0 Lbs |

**REG191030K - Chestnut Hill Realty - Residen**

| Line | Mat | Func | Placing | Grd | Qty | Span | Spcg | Mult | Size | Cls | L1 | L2 | L3 | L4 | L5 | Lap | Stock | Lbs | Notes |
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|

Segment: BUILDING #6

Sub-Segment: FOUNDATION WALLS

|     |    |  |        |    |     |    |      |    |      |   |      |      |    |  |  |   |    |       |          |               |                        |
|-----|----|--|--------|----|-----|----|------|----|------|---|------|------|----|--|--|---|----|-------|----------|---------------|------------------------|
| 361 | GI | Segment: BUILDING #6 Sub-Segment: FOUNDATION WALLS |        |    |     |    |      |    |      |   |      |      |    |  |  |   |    |       |          |               |                        |
| 362 | MT |  |        |    |     |    |      |    |      |   |      |      |    |  |  |   |    |       |          |               |                        |
| 363 | MT | S1.01  |        |    |     |    |      |    |      |   |      |      |    |  |  |   |    |       |          |               |                        |
| 364 | MT |  |        |    |     |    |      |    |      |   |      |      |    |  |  |   |    |       |          |               |                        |
| 365 | MT | 1/S4.01  |        |    |     |    |      |    |      |   |      |      |    |  |  |   |    |       |          |               |                        |
| 366 | DG | G001   | TOP    |    |     |    |      |    |      |   |      |      |    |  |  |   |    |       | 0        |               |                        |
| 367 | DG | G002   | BOF    |    |     |    |      |    |      |   |      |      |    |  |  |   |    |       | -4.66    |               |                        |
| 368 | DG | G003   | FTG HT |    |     |    |      |    |      |   |      |      |    |  |  |   |    |       | 1        |               |                        |
| 369 | DG | G004   | HT     |    |     |    |      |    |      |   |      |      |    |  |  |   |    |       | G1-G2-G3 |               |                        |
| 370 | DG | G005   | LONG   |    |     |    |      |    |      |   |      |      |    |  |  |   |    |       | 241      |               |                        |
| 371 | TR | LS   |        | 60 | 3   |    |      |    | 13/4 | S | G5   |      |    |  |  | 1 | LD | 30-00 | 519      | CONT AT FTG   |                        |
| 372 | TR | LS   |        | 60 | 2X2 |    |      |    | 16/5 | S | G5   |      |    |  |  | 1 | LD | 30-00 | 1,098    | CONT AT WALL. |                        |
| 373 | TR | BF   |        | 60 | 2X2 |    |      | 16 | 16/5 | H | LD   | LD   |    |  |  |   |    |       |          | 347           | CB                     |
| 374 | TR | BF   |        | 60 | 1   |    |      | 16 | 13/4 | H | S90  | G3   | G4 |  |  |   |    |       |          | 57            | DWLS TO WALL AT CORNER |
| 375 | MT | TYP DETAILS AT S2.02                               |        |    |     |    |      |    |      |   |      |      |    |  |  |   |    |       |          |               |                        |
| 376 | MT | OPENNING TO PLAFORM                                |        |    |     |    |      |    |      |   |      |      |    |  |  |   |    |       |          |               |                        |
| 377 | DG | G005   | LONG   |    |     |    |      |    |      |   |      |      |    |  |  |   |    |       | 13       |               |                        |
| 378 | TR | BF   |        | 60 |     | G5 | 1-00 |    | 13/4 | H | 3-00 | 0-06 |    |  |  |   |    |       |          | 33            | DWLS TO SLAB           |
| 379 | TR | BF   |        | 60 | 4   |    |      |    | 13/4 | H | 3-00 | 0-06 |    |  |  |   |    |       |          | 9             | DWLS TO SLAB           |
| 380 | MT | OPENNING   |        |    |     |    |      |    |      |   |      |      |    |  |  |   |    |       |          |               |                        |
| 381 | DG | G005   | LONG   |    |     |    |      |    |      |   |      |      |    |  |  |   |    |       | 16       |               |                        |
| 382 | TR | BF   |        | 60 |     | G5 | 1-00 |    | 13/4 | H | 3-00 | 0-06 |    |  |  |   |    |       |          | 40            | DWLS TO SLAB           |
| 383 | TR | BF   |        | 60 | 5   |    |      |    | 13/4 | H | 3-00 | 0-06 |    |  |  |   |    |       |          | 12            | DWLS TO SLAB           |
| 384 | MT |  |        |    |     |    |      |    |      |   |      |      |    |  |  |   |    |       |          |               |                        |
| 385 | MT |  |        |    |     |    |      |    |      |   |      |      |    |  |  |   |    |       |          |               |                        |
| 386 | MT |  |        |    |     |    |      |    |      |   |      |      |    |  |  |   |    |       |          |               |                        |

**Total for Segment: BUILDING #6, Sub-Segment: FOUNDATION WALLS**

**\*\*\*\* Rebar Weight Summary (Lbs) \*\*\*\***

| Size | Total | Straight | HEAVY | LIGHT | Stock Wgt |
|------|-------|----------|-------|-------|-----------|
|------|-------|----------|-------|-------|-----------|

**\*\* Grade 60, Black \*\***

|      |              |              |            |          |              |
|------|--------------|--------------|------------|----------|--------------|
| 13/4 | 671          | 520          | 151        | 0        | 484          |
| 16/5 | 1,445        | 1,098        | 347        | 0        | 1,007        |
|      | <u>2,116</u> | <u>1,618</u> | <u>498</u> | <u>0</u> | <u>1,491</u> |

**REG191030K - Chestnut Hill Realty - Residen**

| Line | Mat | Func | Placing | Grd | Qty | Span | Spcg | Mult | Size | Cls | L1 | L2 | L3 | L4 | L5 | Lap | Stock | Lbs | Notes |
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|

Segment: BUILDING #6

Sub-Segment: SONOTUBE

|     |    |  |  |    |   |  |  |   |      |   |      |      |  |  |  |  |  |    |              |
|-----|----|--|--|----|---|--|--|---|------|---|------|------|--|--|--|--|--|----|--------------|
| 387 | GI | Segment: BUILDING #6 Sub-Segment: SONOTUBE |  |    |   |  |  |   |      |   |      |      |  |  |  |  |  |    |              |
| 388 | MT |  |  |    |   |  |  |   |      |   |      |      |  |  |  |  |  |    |              |
| 389 | MT | S1.01                                      |  |    |   |  |  |   |      |   |      |      |  |  |  |  |  |    |              |
| 390 | MT | 3/S4.01                                    |  |    |   |  |  |   |      |   |      |      |  |  |  |  |  |    |              |
| 391 | TR | BF   |  | 60 | 2 |  |  | 8 | 13/4 | H | 2-06 | 2-06 |  |  |  |  |  | 54 | DWLS TO SLAB |
| 392 | MT |  |  |    |   |  |  |   |      |   |      |      |  |  |  |  |  |    |              |
| 393 | MT |  |  |    |   |  |  |   |      |   |      |      |  |  |  |  |  |    |              |
| 394 | MT |  |  |    |   |  |  |   |      |   |      |      |  |  |  |  |  |    |              |

**Total for Segment: BUILDING #6, Sub-Segment: SONOTUBE**

**\*\*\*\* Rebar Weight Summary (Lbs) \*\*\*\***

| Size | Total     | Straight | HEAVY     | LIGHT    | Stock Wgt |
|------|-----------|----------|-----------|----------|-----------|
| 13/4 | 54        | 0        | 54        | 0        | 0         |
|      | <u>54</u> | <u>0</u> | <u>54</u> | <u>0</u> | <u>0</u>  |

**\*\* Grade 60, Black \*\***



**REG191030K - Chestnut Hill Realty - Residen**

| Line | Mat | Func | Placing | Grd | Qty | Span | Spcg | Mult | Size | Cls | L1 | L2 | L3 | L4 | L5 | Lap | Stock | Lbs | Notes |
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|

Segment: BUILDING #6

Sub-Segment: SLAB ON GRADE

|     |    |   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
|-----|----|---|--|------|------|----|------|----|----------|---|------|------|--|--|--|--|---------|----|----------------------|
| 395 | GI | Segment: BUILDING #6 Sub-Segment: SLAB ON GRADE |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 396 | MT |   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 397 | MT | S1.01   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 398 | MT |   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 399 | MT | 3/S4.01   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 400 | TI | SqFt  |  |      | 197  |    |      |    | MS665X10 |   |      |      |  |  |  |  | 20.000% | 0  | 6X6-W2.9XW2.9        |
| 401 | TI | lf  |  |      | 63   |    |      |    | 5.5"CHCU |   |      |      |  |  |  |  | 10.000% | 0  | 5.5" CHCU            |
| 402 | MT |   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 403 | MT | AT OPENING - 3/S4.01                            |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 404 | DG | G005  |  | LONG |      |    |      | 13 |          |   |      |      |  |  |  |  |         |    |                      |
| 405 | TR | BF  |  | 60   |      | G5 | 1-00 |    | 13/4     | S | 5-00 |      |  |  |  |  |         | 47 | DWLS SLAB-SLAB       |
| 406 | TR | BF  |  | 60   | 4    |    |      |    | 13/4     | S | 5-00 |      |  |  |  |  |         | 13 | DWLS SLAB-SLAB       |
| 407 | MT |   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 408 | MT | OPENING AT DOORWAY                              |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 409 | MT | S2.02   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 410 | DG | G005  |  | LONG |      |    |      | 16 |          |   |      |      |  |  |  |  |         |    |                      |
| 411 | TR | BF  |  | 60   |      | G5 | 1-00 |    | 13/4     | S | 3-00 | 0-06 |  |  |  |  |         | 40 | DWLS AT DOORWAY      |
| 412 | TR | BF  |  | 60   | 5    |    |      |    | 13/4     | S | 3-00 | 0-06 |  |  |  |  |         | 12 | DWLS AT DOORWAY      |
| 413 | MT |   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 414 | MT |   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 415 | MT | WWF AT 4" SOG                                   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 416 | TI | SqFt  |  |      | 2783 |    |      |    | MS665X10 |   |      |      |  |  |  |  | 20.000% | 0  | 4" SOG 6X6-W2.9XW2.9 |
| 417 | MT |   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 418 | MT |   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 419 | MT |   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |

**Total for Segment: BUILDING #6, Sub-Segment: SLAB ON GRADE**

**\*\*\*\* Rebar Weight Summary (Lbs) \*\*\*\***

| Size | Total | Straight | HEAVY | LIGHT | Stock Wgt |
|------|-------|----------|-------|-------|-----------|
|------|-------|----------|-------|-------|-----------|

**\*\* Grade 60, Black \*\***

|      |            |            |          |          |          |
|------|------------|------------|----------|----------|----------|
| 13/4 | 112        | 112        | 0        | 0        | 0        |
|      | <u>112</u> | <u>112</u> | <u>0</u> | <u>0</u> | <u>0</u> |

**\*\*\*\* Miscellaneous Item Summary \*\*\*\***

**\*\* Undefined Item Class - 'MESH SHEETS' \*\***

|                    |                                     |                |   |                 |                |      |      |       |
|--------------------|-------------------------------------|----------------|---|-----------------|----------------|------|------|-------|
| MS665X10           | 6X6 6/6 5X10 SHEETS PLAIN           | 3,597.456 SqFt | = | 73.000 Sheets @ | 0.000 / Sheets | = \$ | 0.00 | 0 Lbs |
|                    |                                     |                |   |                 |                | = \$ | 0.00 | 0 Lbs |
| <b>Subtotal</b>    |                                     |                |   |                 |                |      |      |       |
| <b>Supports LF</b> |                                     |                |   |                 |                |      |      |       |
| 5.5"CHCU           | 5 1/2" CONT. HIGH CHAIR UPPER PLAIN | 69.716 lf      | = | 70.000 lf @     | 0.000 / lf     | = \$ | 0.00 | 0 Lbs |
|                    |                                     |                |   |                 |                | = \$ | 0.00 | 0 Lbs |
| <b>Subtotal</b>    |                                     |                |   |                 |                |      |      |       |
|                    |                                     |                |   |                 |                | = \$ | 0.00 | 0 Lbs |
| <b>Grand Total</b> |                                     |                |   |                 |                |      |      |       |
|                    |                                     |                |   |                 |                | = \$ | 0.00 | 0 Lbs |

**REG191030K - Chestnut Hill Realty - Residen**

| Line | Mat | Func | Placing | Grd | Qty | Span | Spcg | Mult | Size | Cls | L1 | L2 | L3 | L4 | L5 | Lap | Stock | Lbs | Notes |
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|

Segment: BUILDING #6

Sub-Segment: THICKNESS SLAB

|     |    |  |      |   |  |  |  |      |   |    |  |  |  |  |   |    |       |     |             |  |
|-----|----|--|------|---|--|--|--|------|---|----|--|--|--|--|---|----|-------|-----|-------------|--|
| 420 | GI | Segment: BUILDING #6 Sub-Segment: THICKNESS SLAB |      |   |  |  |  |      |   |    |  |  |  |  |   |    |       |     |             |  |
| 421 | MT |  |      |   |  |  |  |      |   |    |  |  |  |  |   |    |       |     |             |  |
| 422 | MT |  |      |   |  |  |  |      |   |    |  |  |  |  |   |    |       |     |             |  |
| 423 | MT | S1.01  |      |   |  |  |  |      |   |    |  |  |  |  |   |    |       |     |             |  |
| 424 | MT |  |      |   |  |  |  |      |   |    |  |  |  |  |   |    |       |     |             |  |
| 425 | MT | 4/S4.01 & 5/S4.01                                |      |   |  |  |  |      |   |    |  |  |  |  |   |    |       |     |             |  |
| 426 | DG | G005   | LONG |   |  |  |  | 197  |   |    |  |  |  |  |   |    |       |     |             |  |
| 427 | TR | LS   | 60   | 3 |  |  |  | 16/5 | S | G5 |  |  |  |  | 1 | LD | 30-00 | 677 | CONT AT BOT |  |
| 428 | MT |  |      |   |  |  |  |      |   |    |  |  |  |  |   |    |       |     |             |  |
| 429 | MT |  |      |   |  |  |  |      |   |    |  |  |  |  |   |    |       |     |             |  |
| 430 | MT |  |      |   |  |  |  |      |   |    |  |  |  |  |   |    |       |     |             |  |

**Total for Segment: BUILDING #6, Sub-Segment: THICKNESS SLAB**

**\*\*\*\* Rebar Weight Summary (Lbs) \*\*\*\***

| Size | Total | Straight | HEAVY | LIGHT | Stock Wgt |
|------|-------|----------|-------|-------|-----------|
|------|-------|----------|-------|-------|-----------|

**\*\* Grade 60, Black \*\***

|      |            |            |          |          |            |
|------|------------|------------|----------|----------|------------|
| 16/5 | 677        | 677        | 0        | 0        | 661        |
|      | <u>677</u> | <u>677</u> | <u>0</u> | <u>0</u> | <u>661</u> |

Total for Segment: BUILDING #6

\*\*\*\* Rebar Weight Summary (Lbs) \*\*\*\*

| Size | Total | Straight | HEAVY | LIGHT | Stock Wgt |
|------|-------|----------|-------|-------|-----------|
|------|-------|----------|-------|-------|-----------|

\*\* Grade 60, Black \*\*

|      |              |              |            |          |              |
|------|--------------|--------------|------------|----------|--------------|
| 13/4 | 837          | 632          | 205        | 0        | 484          |
| 16/5 | 2,122        | 1,775        | 347        | 0        | 1,668        |
|      | <u>2,959</u> | <u>2,407</u> | <u>552</u> | <u>0</u> | <u>2,152</u> |

\*\*\*\* Miscellaneous Item Summary \*\*\*\*

\*\* Undefined Item Class - 'MESH SHEETS' \*\*

|                    |                                     |                |   |                 |                |      |      |       |       |
|--------------------|-------------------------------------|----------------|---|-----------------|----------------|------|------|-------|-------|
| MS665X10           | 6X6 6/6 5X10 SHEETS PLAIN           | 3,597.456 SqFt | = | 73.000 Sheets @ | 0.000 / Sheets | = \$ | 0.00 | 0 Lbs |       |
| <b>Subtotal</b>    |                                     |                |   |                 |                |      | = \$ | 0.00  | 0 Lbs |
| <b>Supports LF</b> |                                     |                |   |                 |                |      |      |       |       |
| 5.5"CHCU           | 5 1/2" CONT. HIGH CHAIR UPPER PLAIN | 69.716 lf      | = | 70.000 lf @     | 0.000 / lf     | = \$ | 0.00 | 0 Lbs |       |
| <b>Subtotal</b>    |                                     |                |   |                 |                |      | = \$ | 0.00  | 0 Lbs |
| <b>Grand Total</b> |                                     |                |   |                 |                |      | = \$ | 0.00  | 0 Lbs |

## REG191030K - Chestnut Hill Realty - Residen

| Line | Mat | Func | Placing | Grd | Qty | Span | Spcg | Mult | Size | Cls | L1 | L2 | L3 | L4 | L5 | Lap | Stock | Lbs | Notes |
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|

Segment: BUILDING #7

Sub-Segment: FOUNDATION WALLS

|     |    |  |        |    |     |          |      |    |      |   |      |      |    |  |  |   |    |       |       |               |                        |
|-----|----|--|--------|----|-----|----------|------|----|------|---|------|------|----|--|--|---|----|-------|-------|---------------|------------------------|
| 431 | GI | Segment: BUILDING #7 Sub-Segment: FOUNDATION WALLS |        |    |     |          |      |    |      |   |      |      |    |  |  |   |    |       |       |               |                        |
| 432 | MT |  |        |    |     |          |      |    |      |   |      |      |    |  |  |   |    |       |       |               |                        |
| 433 | MT | S1.01  |        |    |     |          |      |    |      |   |      |      |    |  |  |   |    |       |       |               |                        |
| 434 | MT |  |        |    |     |          |      |    |      |   |      |      |    |  |  |   |    |       |       |               |                        |
| 435 | MT | 1/S4.01  |        |    |     |          |      |    |      |   |      |      |    |  |  |   |    |       |       |               |                        |
| 436 | DG | G001   | TOP    |    |     | 0        |      |    |      |   |      |      |    |  |  |   |    |       |       |               |                        |
| 437 | DG | G002   | BOF    |    |     | -4.66    |      |    |      |   |      |      |    |  |  |   |    |       |       |               |                        |
| 438 | DG | G003   | FTG HT |    |     | 1        |      |    |      |   |      |      |    |  |  |   |    |       |       |               |                        |
| 439 | DG | G004   | HT     |    |     | G1-G2-G3 |      |    |      |   |      |      |    |  |  |   |    |       |       |               |                        |
| 440 | DG | G005   | LONG   |    |     | 241      |      |    |      |   |      |      |    |  |  |   |    |       |       |               |                        |
| 441 | TR | LS   |        | 60 | 3   |          |      |    | 13/4 | S | G5   |      |    |  |  | 1 | LD | 30-00 | 519   | CONT AT FTG   |                        |
| 442 | TR | LS   |        | 60 | 2X2 |          |      |    | 16/5 | S | G5   |      |    |  |  | 1 | LD | 30-00 | 1,098 | CONT AT WALL. |                        |
| 443 | TR | BF   |        | 60 | 2X2 |          |      | 16 | 16/5 | H | LD   | LD   |    |  |  |   |    |       |       | 347           | CB                     |
| 444 | TR | BF   |        | 60 | 1   |          |      | 16 | 13/4 | H | S90  | G3   | G4 |  |  |   |    |       |       | 57            | DWLS TO WALL AT CORNER |
| 445 | MT | TYP DETAILS AT S2.02                               |        |    |     |          |      |    |      |   |      |      |    |  |  |   |    |       |       |               |                        |
| 446 | MT | OPENNING TO PLAFORM                                |        |    |     |          |      |    |      |   |      |      |    |  |  |   |    |       |       |               |                        |
| 447 | DG | G005   | LONG   |    |     | 13       |      |    |      |   |      |      |    |  |  |   |    |       |       |               |                        |
| 448 | TR | BF   |        | 60 |     | G5       | 1-00 |    | 13/4 | H | 3-00 | 0-06 |    |  |  |   |    |       |       | 33            | DWLS TO SLAB           |
| 449 | TR | BF   |        | 60 | 4   |          |      |    | 13/4 | H | 3-00 | 0-06 |    |  |  |   |    |       |       | 9             | DWLS TO SLAB           |
| 450 | MT | OPENNING   |        |    |     |          |      |    |      |   |      |      |    |  |  |   |    |       |       |               |                        |
| 451 | DG | G005   | LONG   |    |     | 16       |      |    |      |   |      |      |    |  |  |   |    |       |       |               |                        |
| 452 | TR | BF   |        | 60 |     | G5       | 1-00 |    | 13/4 | H | 3-00 | 0-06 |    |  |  |   |    |       |       | 40            | DWLS TO SLAB           |
| 453 | TR | BF   |        | 60 | 5   |          |      |    | 13/4 | H | 3-00 | 0-06 |    |  |  |   |    |       |       | 12            | DWLS TO SLAB           |
| 454 | MT |  |        |    |     |          |      |    |      |   |      |      |    |  |  |   |    |       |       |               |                        |
| 455 | MT |  |        |    |     |          |      |    |      |   |      |      |    |  |  |   |    |       |       |               |                        |
| 456 | MT |  |        |    |     |          |      |    |      |   |      |      |    |  |  |   |    |       |       |               |                        |

Total for Segment: BUILDING #7, Sub-Segment: FOUNDATION WALLS

\*\*\*\* Rebar Weight Summary (Lbs) \*\*\*\*

| Size | Total | Straight | HEAVY | LIGHT | Stock Wgt |
|------|-------|----------|-------|-------|-----------|
|------|-------|----------|-------|-------|-----------|

\*\* Grade 60, Black \*\*

|      |       |       |     |   |       |
|------|-------|-------|-----|---|-------|
| 13/4 | 671   | 520   | 151 | 0 | 484   |
| 16/5 | 1,445 | 1,098 | 347 | 0 | 1,007 |
|      | 2,116 | 1,618 | 498 | 0 | 1,491 |

**REG191030K - Chestnut Hill Realty - Residen**

| Line | Mat | Func | Placing | Grd | Qty | Span | Spcg | Mult | Size | Cls | L1 | L2 | L3 | L4 | L5 | Lap | Stock | Lbs | Notes |
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|

Segment: BUILDING #7

Sub-Segment: SONOTUBE

|     |    |  |  |    |   |  |  |   |      |   |      |      |  |  |  |  |  |    |              |
|-----|----|--|--|----|---|--|--|---|------|---|------|------|--|--|--|--|--|----|--------------|
| 457 | GI | Segment: BUILDING #7 Sub-Segment: SONOTUBE |  |    |   |  |  |   |      |   |      |      |  |  |  |  |  |    |              |
| 458 | MT |  |  |    |   |  |  |   |      |   |      |      |  |  |  |  |  |    |              |
| 459 | MT | S1.01                                      |  |    |   |  |  |   |      |   |      |      |  |  |  |  |  |    |              |
| 460 | MT | 3/S4.01                                    |  |    |   |  |  |   |      |   |      |      |  |  |  |  |  |    |              |
| 461 | TR | BF   |  | 60 | 2 |  |  | 8 | 13/4 | H | 2-06 | 2-06 |  |  |  |  |  | 54 | DWLS TO SLAB |
| 462 | MT |  |  |    |   |  |  |   |      |   |      |      |  |  |  |  |  |    |              |
| 463 | MT |  |  |    |   |  |  |   |      |   |      |      |  |  |  |  |  |    |              |
| 464 | MT |  |  |    |   |  |  |   |      |   |      |      |  |  |  |  |  |    |              |

**Total for Segment: BUILDING #7, Sub-Segment: SONOTUBE**

**\*\*\*\* Rebar Weight Summary (Lbs) \*\*\*\***

| Size | Total     | Straight | HEAVY     | LIGHT    | Stock Wgt |
|------|-----------|----------|-----------|----------|-----------|
| 13/4 | 54        | 0        | 54        | 0        | 0         |
|      | <u>54</u> | <u>0</u> | <u>54</u> | <u>0</u> | <u>0</u>  |

**\*\* Grade 60, Black \*\***

**REG191030K - Chestnut Hill Realty - Residen**

| Line | Mat | Func | Placing | Grd | Qty | Span | Spcg | Mult | Size | Cls | L1 | L2 | L3 | L4 | L5 | Lap | Stock | Lbs | Notes |
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|

Segment: BUILDING #7

Sub-Segment: SLAB ON GRADE

|     |    |   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
|-----|----|---|--|------|------|----|------|----|----------|---|------|------|--|--|--|--|---------|----|----------------------|
| 465 | GI | Segment: BUILDING #7 Sub-Segment: SLAB ON GRADE |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 466 | MT |   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 467 | MT | S1.01   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 468 | MT |   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 469 | MT | 3/S4.01   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 470 | TI | SqFt  |  |      | 197  |    |      |    | MS665X10 |   |      |      |  |  |  |  | 20.000% | 0  | 6X6-W2.9XW2.9        |
| 471 | TI | lf  |  |      | 63   |    |      |    | 5.5"CHCU |   |      |      |  |  |  |  | 10.000% | 0  | 5.5" CHCU            |
| 472 | MT |   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 473 | MT | AT OPENING - 3/S4.01                            |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 474 | DG | G005  |  | LONG |      |    |      | 13 |          |   |      |      |  |  |  |  |         |    |                      |
| 475 | TR | BF  |  | 60   |      | G5 | 1-00 |    | 13/4     | S | 5-00 |      |  |  |  |  |         | 47 | DWLS SLAB-SLAB       |
| 476 | TR | BF  |  | 60   | 4    |    |      |    | 13/4     | S | 5-00 |      |  |  |  |  |         | 13 | DWLS SLAB-SLAB       |
| 477 | MT |   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 478 | MT | OPENING AT DOORWAY                              |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 479 | MT | S2.02   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 480 | DG | G005  |  | LONG |      |    |      | 16 |          |   |      |      |  |  |  |  |         |    |                      |
| 481 | TR | BF  |  | 60   |      | G5 | 1-00 |    | 13/4     | S | 3-00 | 0-06 |  |  |  |  |         | 40 | DWLS AT DOORWAY      |
| 482 | TR | BF  |  | 60   | 5    |    |      |    | 13/4     | S | 3-00 | 0-06 |  |  |  |  |         | 12 | DWLS AT DOORWAY      |
| 483 | MT |   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 484 | MT |   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 485 | MT | WWF AT 4" SOG                                   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 486 | TI | SqFt  |  |      | 2783 |    |      |    | MS665X10 |   |      |      |  |  |  |  | 20.000% | 0  | 4" SOG 6X6-W2.9XW2.9 |
| 487 | MT |   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 488 | MT |   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 489 | MT |   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |

**Total for Segment: BUILDING #7, Sub-Segment: SLAB ON GRADE**

**\*\*\*\* Rebar Weight Summary (Lbs) \*\*\*\***

| Size | Total | Straight | HEAVY | LIGHT | Stock Wgt |
|------|-------|----------|-------|-------|-----------|
|------|-------|----------|-------|-------|-----------|

**\*\* Grade 60, Black \*\***

|      |            |            |          |          |          |
|------|------------|------------|----------|----------|----------|
| 13/4 | 112        | 112        | 0        | 0        | 0        |
|      | <u>112</u> | <u>112</u> | <u>0</u> | <u>0</u> | <u>0</u> |

**\*\*\*\* Miscellaneous Item Summary \*\*\*\***

**\*\* Undefined Item Class - 'MESH SHEETS' \*\***

|             |                                     |                |   |                 |                |             |      |       |       |
|-------------|-------------------------------------|----------------|---|-----------------|----------------|-------------|------|-------|-------|
| MS665X10    | 6X6 6/6 5X10 SHEETS PLAIN           | 3,597.456 SqFt | = | 73.000 Sheets @ | 0.000 / Sheets | = \$        | 0.00 | 0 Lbs |       |
|             |                                     |                |   |                 |                | Subtotal    | = \$ | 0.00  | 0 Lbs |
| Supports LF |                                     |                |   |                 |                |             |      |       |       |
| 5.5"CHCU    | 5 1/2" CONT. HIGH CHAIR UPPER PLAIN | 69.716 lf      | = | 70.000 lf @     | 0.000 / lf     | = \$        | 0.00 | 0 Lbs |       |
|             |                                     |                |   |                 |                | Subtotal    | = \$ | 0.00  | 0 Lbs |
|             |                                     |                |   |                 |                | Grand Total | = \$ | 0.00  | 0 Lbs |

**REG191030K - Chestnut Hill Realty - Residen**

| Line                        | Mat | Func   | Placing | Grd | Qty | Span | Spcg | Mult | Size | Cls | L1 | L2 | L3 | L4 | L5 | Lap | Stock | Lbs | Notes       |  |
|-----------------------------|-----|--|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------------|--|
| Segment: BUILDING #7        |     |  |         |     |     |      |      |      |      |     |    |    |    |    |    |     |       |     |             |  |
| Sub-Segment: THICKNESS SLAB |     |  |         |     |     |      |      |      |      |     |    |    |    |    |    |     |       |     |             |  |
| 490                         | GI  | Segment: BUILDING #7 Sub-Segment: THICKNESS SLAB |         |     |     |      |      |      |      |     |    |    |    |    |    |     |       |     |             |  |
| 491                         | MT  |  |         |     |     |      |      |      |      |     |    |    |    |    |    |     |       |     |             |  |
| 492                         | MT  |  |         |     |     |      |      |      |      |     |    |    |    |    |    |     |       |     |             |  |
| 493                         | MT  | S1.01  |         |     |     |      |      |      |      |     |    |    |    |    |    |     |       |     |             |  |
| 494                         | MT  |  |         |     |     |      |      |      |      |     |    |    |    |    |    |     |       |     |             |  |
| 495                         | MT  | 4/S4.01 & 5/S4.01                                |         |     |     |      |      |      |      |     |    |    |    |    |    |     |       |     |             |  |
| 496                         | DG  | G005   | LONG    |     |     |      | 197  |      |      |     |    |    |    |    |    |     |       |     |             |  |
| 497                         | TR  | LS   | 60      | 3   |     |      |      |      | 16/5 | S   | G5 |    |    |    | 1  | LD  | 30-00 | 677 | CONT AT BOT |  |
| 498                         | MT  |  |         |     |     |      |      |      |      |     |    |    |    |    |    |     |       |     |             |  |
| 499                         | MT  |  |         |     |     |      |      |      |      |     |    |    |    |    |    |     |       |     |             |  |
| 500                         | MT  |  |         |     |     |      |      |      |      |     |    |    |    |    |    |     |       |     |             |  |

**Total for Segment: BUILDING #7, Sub-Segment: THICKNESS SLAB**

**\*\*\*\* Rebar Weight Summary (Lbs) \*\*\*\***

| Size | Total      | Straight   | HEAVY    | LIGHT    | Stock Wgt  |
|------|------------|------------|----------|----------|------------|
| 16/5 | 677        | 677        | 0        | 0        | 661        |
|      | <u>677</u> | <u>677</u> | <u>0</u> | <u>0</u> | <u>661</u> |

**\*\* Grade 60, Black \*\***

Total for Segment: BUILDING #7

\*\*\*\* Rebar Weight Summary (Lbs) \*\*\*\*

| Size | Total        | Straight     | HEAVY      | LIGHT    | Stock Wgt    |
|------|--------------|--------------|------------|----------|--------------|
| 13/4 | 837          | 632          | 205        | 0        | 484          |
| 16/5 | 2,122        | 1,775        | 347        | 0        | 1,668        |
|      | <u>2,959</u> | <u>2,407</u> | <u>552</u> | <u>0</u> | <u>2,152</u> |

\*\* Grade 60, Black \*\*

\*\*\*\* Miscellaneous Item Summary \*\*\*\*

\*\* Undefined Item Class - 'MESH SHEETS' \*\*

|                    |                                     |                |   |                 |                |      |      |       |       |
|--------------------|-------------------------------------|----------------|---|-----------------|----------------|------|------|-------|-------|
| MS665X10           | 6X6 6/6 5X10 SHEETS PLAIN           | 3,597.456 SqFt | = | 73.000 Sheets @ | 0.000 / Sheets | = \$ | 0.00 | 0 Lbs |       |
| <b>Subtotal</b>    |                                     |                |   |                 |                |      | = \$ | 0.00  | 0 Lbs |
| <b>Supports LF</b> |                                     |                |   |                 |                |      |      |       |       |
| 5.5"CHCU           | 5 1/2" CONT. HIGH CHAIR UPPER PLAIN | 69.716 lf      | = | 70.000 lf @     | 0.000 / lf     | = \$ | 0.00 | 0 Lbs |       |
| <b>Subtotal</b>    |                                     |                |   |                 |                |      | = \$ | 0.00  | 0 Lbs |
| <b>Grand Total</b> |                                     |                |   |                 |                |      | = \$ | 0.00  | 0 Lbs |



**REG191030K - Chestnut Hill Realty - Residen**

| Line | Mat | Func | Placing | Grd | Qty | Span | Spcg | Mult | Size | Cls | L1 | L2 | L3 | L4 | L5 | Lap | Stock | Lbs | Notes |
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|

Segment: BUILDING #8

Sub-Segment: FOUNDATION WALLS

|     |    |  |        |    |     |    |      |    |      |   |      |      |    |  |  |   |    |       |          |               |                        |
|-----|----|--|--------|----|-----|----|------|----|------|---|------|------|----|--|--|---|----|-------|----------|---------------|------------------------|
| 501 | GI | Segment: BUILDING #8 Sub-Segment: FOUNDATION WALLS |        |    |     |    |      |    |      |   |      |      |    |  |  |   |    |       |          |               |                        |
| 502 | MT |  |        |    |     |    |      |    |      |   |      |      |    |  |  |   |    |       |          |               |                        |
| 503 | MT | S1.01  |        |    |     |    |      |    |      |   |      |      |    |  |  |   |    |       |          |               |                        |
| 504 | MT |  |        |    |     |    |      |    |      |   |      |      |    |  |  |   |    |       |          |               |                        |
| 505 | MT | 1/S4.01  |        |    |     |    |      |    |      |   |      |      |    |  |  |   |    |       |          |               |                        |
| 506 | DG | G001   | TOP    |    |     |    |      |    |      |   |      |      |    |  |  |   |    |       | 0        |               |                        |
| 507 | DG | G002   | BOF    |    |     |    |      |    |      |   |      |      |    |  |  |   |    |       | -4.66    |               |                        |
| 508 | DG | G003   | FTG HT |    |     |    |      |    |      |   |      |      |    |  |  |   |    |       | 1        |               |                        |
| 509 | DG | G004   | HT     |    |     |    |      |    |      |   |      |      |    |  |  |   |    |       | G1-G2-G3 |               |                        |
| 510 | DG | G005   | LONG   |    |     |    |      |    |      |   |      |      |    |  |  |   |    |       | 241      |               |                        |
| 511 | TR | LS   |        | 60 | 3   |    |      |    | 13/4 | S | G5   |      |    |  |  | 1 | LD | 30-00 | 519      | CONT AT FTG   |                        |
| 512 | TR | LS   |        | 60 | 2X2 |    |      |    | 16/5 | S | G5   |      |    |  |  | 1 | LD | 30-00 | 1,098    | CONT AT WALL. |                        |
| 513 | TR | BF   |        | 60 | 2X2 |    |      | 16 | 16/5 | H | LD   | LD   |    |  |  |   |    |       |          | 347           | CB                     |
| 514 | TR | BF   |        | 60 | 1   |    |      | 16 | 13/4 | H | S90  | G3   | G4 |  |  |   |    |       |          | 57            | DWLS TO WALL AT CORNER |
| 515 | MT | TYP DETAILS AT S2.02                               |        |    |     |    |      |    |      |   |      |      |    |  |  |   |    |       |          |               |                        |
| 516 | MT | OPENNING TO PLAFORM                                |        |    |     |    |      |    |      |   |      |      |    |  |  |   |    |       |          |               |                        |
| 517 | DG | G005   | LONG   |    |     |    |      |    |      |   |      |      |    |  |  |   |    |       | 13       |               |                        |
| 518 | TR | BF   |        | 60 |     | G5 | 1-00 |    | 13/4 | H | 3-00 | 0-06 |    |  |  |   |    |       |          | 33            | DWLS TO SLAB           |
| 519 | TR | BF   |        | 60 | 4   |    |      |    | 13/4 | H | 3-00 | 0-06 |    |  |  |   |    |       |          | 9             | DWLS TO SLAB           |
| 520 | MT | OPENNING   |        |    |     |    |      |    |      |   |      |      |    |  |  |   |    |       |          |               |                        |
| 521 | DG | G005   | LONG   |    |     |    |      |    |      |   |      |      |    |  |  |   |    |       | 16       |               |                        |
| 522 | TR | BF   |        | 60 |     | G5 | 1-00 |    | 13/4 | H | 3-00 | 0-06 |    |  |  |   |    |       |          | 40            | DWLS TO SLAB           |
| 523 | TR | BF   |        | 60 | 5   |    |      |    | 13/4 | H | 3-00 | 0-06 |    |  |  |   |    |       |          | 12            | DWLS TO SLAB           |
| 524 | MT |  |        |    |     |    |      |    |      |   |      |      |    |  |  |   |    |       |          |               |                        |
| 525 | MT |  |        |    |     |    |      |    |      |   |      |      |    |  |  |   |    |       |          |               |                        |
| 526 | MT |  |        |    |     |    |      |    |      |   |      |      |    |  |  |   |    |       |          |               |                        |

**Total for Segment: BUILDING #8, Sub-Segment: FOUNDATION WALLS**

**\*\*\*\* Rebar Weight Summary (Lbs) \*\*\*\***

| Size | Total | Straight | HEAVY | LIGHT | Stock Wgt |
|------|-------|----------|-------|-------|-----------|
|------|-------|----------|-------|-------|-----------|

**\*\* Grade 60, Black \*\***

|      |              |              |            |          |              |
|------|--------------|--------------|------------|----------|--------------|
| 13/4 | 671          | 520          | 151        | 0        | 484          |
| 16/5 | 1,445        | 1,098        | 347        | 0        | 1,007        |
|      | <u>2,116</u> | <u>1,618</u> | <u>498</u> | <u>0</u> | <u>1,491</u> |

**REG191030K - Chestnut Hill Realty - Residen**

| Line | Mat | Func | Placing | Grd | Qty | Span | Spcg | Mult | Size | Cls | L1 | L2 | L3 | L4 | L5 | Lap | Stock | Lbs | Notes |
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|

Segment: BUILDING #8

Sub-Segment: SONOTUBE

|     |    |  |  |    |   |  |  |   |      |   |      |      |  |  |  |  |  |    |              |
|-----|----|--|--|----|---|--|--|---|------|---|------|------|--|--|--|--|--|----|--------------|
| 527 | GI | Segment: BUILDING #8 Sub-Segment: SONOTUBE |  |    |   |  |  |   |      |   |      |      |  |  |  |  |  |    |              |
| 528 | MT |  |  |    |   |  |  |   |      |   |      |      |  |  |  |  |  |    |              |
| 529 | MT | S1.01                                      |  |    |   |  |  |   |      |   |      |      |  |  |  |  |  |    |              |
| 530 | MT | 3/S4.01                                    |  |    |   |  |  |   |      |   |      |      |  |  |  |  |  |    |              |
| 531 | TR | BF   |  | 60 | 2 |  |  | 8 | 13/4 | H | 2-06 | 2-06 |  |  |  |  |  | 54 | DWLS TO SLAB |
| 532 | MT |  |  |    |   |  |  |   |      |   |      |      |  |  |  |  |  |    |              |
| 533 | MT |  |  |    |   |  |  |   |      |   |      |      |  |  |  |  |  |    |              |
| 534 | MT |  |  |    |   |  |  |   |      |   |      |      |  |  |  |  |  |    |              |

**Total for Segment: BUILDING #8, Sub-Segment: SONOTUBE**

**\*\*\*\* Rebar Weight Summary (Lbs) \*\*\*\***

| Size | Total     | Straight | HEAVY     | LIGHT    | Stock Wgt |
|------|-----------|----------|-----------|----------|-----------|
| 13/4 | 54        | 0        | 54        | 0        | 0         |
|      | <u>54</u> | <u>0</u> | <u>54</u> | <u>0</u> | <u>0</u>  |

**\*\* Grade 60, Black \*\***

**REG191030K - Chestnut Hill Realty - Residen**

| Line | Mat | Func | Placing | Grd | Qty | Span | Spcg | Mult | Size | Cls | L1 | L2 | L3 | L4 | L5 | Lap | Stock | Lbs | Notes |
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|

Segment: BUILDING #8

Sub-Segment: SLAB ON GRADE

|     |    |   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
|-----|----|---|--|------|------|----|------|----|----------|---|------|------|--|--|--|--|---------|----|----------------------|
| 535 | GI | Segment: BUILDING #8 Sub-Segment: SLAB ON GRADE |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 536 | MT |   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 537 | MT | S1.01   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 538 | MT |   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 539 | MT | 3/S4.01   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 540 | TI | SqFt  |  |      | 197  |    |      |    | MS665X10 |   |      |      |  |  |  |  | 20.000% | 0  | 6X6-W2.9XW2.9        |
| 541 | TI | lf  |  |      | 63   |    |      |    | 5.5"CHCU |   |      |      |  |  |  |  | 10.000% | 0  | 5.5" CHCU            |
| 542 | MT |   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 543 | MT | AT OPENING - 3/S4.01                            |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 544 | DG | G005  |  | LONG |      |    |      | 13 |          |   |      |      |  |  |  |  |         |    |                      |
| 545 | TR | BF  |  | 60   |      | G5 | 1-00 |    | 13/4     | S | 5-00 |      |  |  |  |  |         | 47 | DWLS SLAB-SLAB       |
| 546 | TR | BF  |  | 60   | 4    |    |      |    | 13/4     | S | 5-00 |      |  |  |  |  |         | 13 | DWLS SLAB-SLAB       |
| 547 | MT |   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 548 | MT | OPENING AT DOORWAY                              |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 549 | MT | S2.02   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 550 | DG | G005  |  | LONG |      |    |      | 16 |          |   |      |      |  |  |  |  |         |    |                      |
| 551 | TR | BF  |  | 60   |      | G5 | 1-00 |    | 13/4     | S | 3-00 | 0-06 |  |  |  |  |         | 40 | DWLS AT DOORWAY      |
| 552 | TR | BF  |  | 60   | 5    |    |      |    | 13/4     | S | 3-00 | 0-06 |  |  |  |  |         | 12 | DWLS AT DOORWAY      |
| 553 | MT |   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 554 | MT |   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 555 | MT | WWF AT 4" SOG                                   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 556 | TI | SqFt  |  |      | 2783 |    |      |    | MS665X10 |   |      |      |  |  |  |  | 20.000% | 0  | 4" SOG 6X6-W2.9XW2.9 |
| 557 | MT |   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 558 | MT |   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 559 | MT |   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |

**Total for Segment: BUILDING #8, Sub-Segment: SLAB ON GRADE**

**\*\*\*\* Rebar Weight Summary (Lbs) \*\*\*\***

| Size | Total | Straight | HEAVY | LIGHT | Stock Wgt |
|------|-------|----------|-------|-------|-----------|
| 13/4 | 112   | 112      | 0     | 0     | 0         |
|      | 112   | 112      | 0     | 0     | 0         |

**\*\* Grade 60, Black \*\***

**\*\*\*\* Miscellaneous Item Summary \*\*\*\***

**\*\* Undefined Item Class - 'MESH SHEETS' \*\***

|             |                                     |                |   |                 |                |             |      |       |       |
|-------------|-------------------------------------|----------------|---|-----------------|----------------|-------------|------|-------|-------|
| MS665X10    | 6X6 6/6 5X10 SHEETS PLAIN           | 3,597.456 SqFt | = | 73.000 Sheets @ | 0.000 / Sheets | = \$        | 0.00 | 0 Lbs |       |
|             |                                     |                |   |                 |                | Subtotal    | = \$ | 0.00  | 0 Lbs |
| Supports LF |                                     |                |   |                 |                |             |      |       |       |
| 5.5"CHCU    | 5 1/2" CONT. HIGH CHAIR UPPER PLAIN | 69.716 lf      | = | 70.000 lf @     | 0.000 / lf     | = \$        | 0.00 | 0 Lbs |       |
|             |                                     |                |   |                 |                | Subtotal    | = \$ | 0.00  | 0 Lbs |
|             |                                     |                |   |                 |                | Grand Total | = \$ | 0.00  | 0 Lbs |

**REG191030K - Chestnut Hill Realty - Residen**

| Line                        | Mat | Func   | Placing | Grd | Qty | Span | Spcg | Mult | Size | Cls | L1 | L2 | L3 | L4 | L5 | Lap | Stock | Lbs | Notes       |  |
|-----------------------------|-----|--|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------------|--|
| Segment: BUILDING #8        |     |  |         |     |     |      |      |      |      |     |    |    |    |    |    |     |       |     |             |  |
| Sub-Segment: THICKNESS SLAB |     |  |         |     |     |      |      |      |      |     |    |    |    |    |    |     |       |     |             |  |
| 560                         | GI  | Segment: BUILDING #8 Sub-Segment: THICKNESS SLAB |         |     |     |      |      |      |      |     |    |    |    |    |    |     |       |     |             |  |
| 561                         | MT  |  |         |     |     |      |      |      |      |     |    |    |    |    |    |     |       |     |             |  |
| 562                         | MT  |  |         |     |     |      |      |      |      |     |    |    |    |    |    |     |       |     |             |  |
| 563                         | MT  | S1.01  |         |     |     |      |      |      |      |     |    |    |    |    |    |     |       |     |             |  |
| 564                         | MT  |  |         |     |     |      |      |      |      |     |    |    |    |    |    |     |       |     |             |  |
| 565                         | MT  | 4/S4.01 & 5/S4.01                                |         |     |     |      |      |      |      |     |    |    |    |    |    |     |       |     |             |  |
| 566                         | DG  | G005   | LONG    |     |     |      | 197  |      |      |     |    |    |    |    |    |     |       |     |             |  |
| 567                         | TR  | LS   | 60      | 3   |     |      |      |      | 16/5 | S   | G5 |    |    |    | 1  | LD  | 30-00 | 677 | CONT AT BOT |  |
| 568                         | MT  |  |         |     |     |      |      |      |      |     |    |    |    |    |    |     |       |     |             |  |
| 569                         | MT  |  |         |     |     |      |      |      |      |     |    |    |    |    |    |     |       |     |             |  |
| 570                         | MT  |  |         |     |     |      |      |      |      |     |    |    |    |    |    |     |       |     |             |  |

**Total for Segment: BUILDING #8, Sub-Segment: THICKNESS SLAB**

**\*\*\*\* Rebar Weight Summary (Lbs) \*\*\*\***

| Size | Total      | Straight   | HEAVY    | LIGHT    | Stock Wgt  |
|------|------------|------------|----------|----------|------------|
| 16/5 | 677        | 677        | 0        | 0        | 661        |
|      | <u>677</u> | <u>677</u> | <u>0</u> | <u>0</u> | <u>661</u> |

**\*\* Grade 60, Black \*\***

Total for Segment: BUILDING #8

\*\*\*\* Rebar Weight Summary (Lbs) \*\*\*\*

| Size | Total        | Straight     | HEAVY      | LIGHT    | Stock Wgt    |
|------|--------------|--------------|------------|----------|--------------|
| 13/4 | 837          | 632          | 205        | 0        | 484          |
| 16/5 | 2,122        | 1,775        | 347        | 0        | 1,668        |
|      | <u>2,959</u> | <u>2,407</u> | <u>552</u> | <u>0</u> | <u>2,152</u> |

\*\* Grade 60, Black \*\*

\*\*\*\* Miscellaneous Item Summary \*\*\*\*

\*\* Undefined Item Class - 'MESH SHEETS' \*\*

|                    |                                     |                |   |                 |                |      |      |       |
|--------------------|-------------------------------------|----------------|---|-----------------|----------------|------|------|-------|
| MS665X10           | 6X6 6/6 5X10 SHEETS PLAIN           | 3,597.456 SqFt | = | 73.000 Sheets @ | 0.000 / Sheets | = \$ | 0.00 | 0 Lbs |
| <b>Subtotal</b>    |                                     |                |   |                 |                | = \$ | 0.00 | 0 Lbs |
| <b>Supports LF</b> |                                     |                |   |                 |                |      |      |       |
| 5.5"CHCU           | 5 1/2" CONT. HIGH CHAIR UPPER PLAIN | 69.716 lf      | = | 70.000 lf @     | 0.000 / lf     | = \$ | 0.00 | 0 Lbs |
| <b>Subtotal</b>    |                                     |                |   |                 |                | = \$ | 0.00 | 0 Lbs |
| <b>Grand Total</b> |                                     |                |   |                 |                | = \$ | 0.00 | 0 Lbs |

**REG191030K - Chestnut Hill Realty - Residen**

| Line | Mat | Func | Placing | Grd | Qty | Span | Spcg | Mult | Size | Cls | L1 | L2 | L3 | L4 | L5 | Lap | Stock | Lbs | Notes |
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|

Segment: BUILDING #9

Sub-Segment: FOUNDATION WALLS

|     |    |  |        |     |    |          |    |      |   |      |      |    |  |  |   |    |       |       |               |                        |
|-----|----|--|--------|-----|----|----------|----|------|---|------|------|----|--|--|---|----|-------|-------|---------------|------------------------|
| 571 | GI | Segment: BUILDING #9 Sub-Segment: FOUNDATION WALLS |        |     |    |          |    |      |   |      |      |    |  |  |   |    |       |       |               |                        |
| 572 | MT |  |        |     |    |          |    |      |   |      |      |    |  |  |   |    |       |       |               |                        |
| 573 | MT | S1.01  |        |     |    |          |    |      |   |      |      |    |  |  |   |    |       |       |               |                        |
| 574 | MT |  |        |     |    |          |    |      |   |      |      |    |  |  |   |    |       |       |               |                        |
| 575 | MT | 1/S4.01  |        |     |    |          |    |      |   |      |      |    |  |  |   |    |       |       |               |                        |
| 576 | DG | G001   | TOP    |     |    | 0        |    |      |   |      |      |    |  |  |   |    |       |       |               |                        |
| 577 | DG | G002   | BOF    |     |    | -4.66    |    |      |   |      |      |    |  |  |   |    |       |       |               |                        |
| 578 | DG | G003   | FTG HT |     |    | 1        |    |      |   |      |      |    |  |  |   |    |       |       |               |                        |
| 579 | DG | G004   | HT     |     |    | G1-G2-G3 |    |      |   |      |      |    |  |  |   |    |       |       |               |                        |
| 580 | DG | G005   | LONG   |     |    | 241      |    |      |   |      |      |    |  |  |   |    |       |       |               |                        |
| 581 | TR | LS   | 60     | 3   |    |          |    | 13/4 | S | G5   |      |    |  |  | 1 | LD | 30-00 | 519   | CONT AT FTG   |                        |
| 582 | TR | LS   | 60     | 2X2 |    |          |    | 16/5 | S | G5   |      |    |  |  | 1 | LD | 30-00 | 1,098 | CONT AT WALL. |                        |
| 583 | TR | BF   | 60     | 2X2 |    |          | 16 | 16/5 | H | LD   | LD   |    |  |  |   |    |       |       | 347           | CB                     |
| 584 | TR | BF   | 60     | 1   |    |          | 16 | 13/4 | H | S90  | G3   | G4 |  |  |   |    |       |       | 57            | DWLS TO WALL AT CORNER |
| 585 | MT | TYP DETAILS AT S2.02                               |        |     |    |          |    |      |   |      |      |    |  |  |   |    |       |       |               |                        |
| 586 | MT | OPENNING TO PLAFORM                                |        |     |    |          |    |      |   |      |      |    |  |  |   |    |       |       |               |                        |
| 587 | DG | G005   | LONG   |     |    | 13       |    |      |   |      |      |    |  |  |   |    |       |       |               |                        |
| 588 | TR | BF   | 60     |     | G5 | 1-00     |    | 13/4 | H | 3-00 | 0-06 |    |  |  |   |    |       |       | 33            | DWLS TO SLAB           |
| 589 | TR | BF   | 60     | 4   |    |          |    | 13/4 | H | 3-00 | 0-06 |    |  |  |   |    |       |       | 9             | DWLS TO SLAB           |
| 590 | MT | OPENNING   |        |     |    |          |    |      |   |      |      |    |  |  |   |    |       |       |               |                        |
| 591 | DG | G005   | LONG   |     |    | 16       |    |      |   |      |      |    |  |  |   |    |       |       |               |                        |
| 592 | TR | BF   | 60     |     | G5 | 1-00     |    | 13/4 | H | 3-00 | 0-06 |    |  |  |   |    |       |       | 40            | DWLS TO SLAB           |
| 593 | TR | BF   | 60     | 5   |    |          |    | 13/4 | H | 3-00 | 0-06 |    |  |  |   |    |       |       | 12            | DWLS TO SLAB           |
| 594 | MT |  |        |     |    |          |    |      |   |      |      |    |  |  |   |    |       |       |               |                        |
| 595 | MT |  |        |     |    |          |    |      |   |      |      |    |  |  |   |    |       |       |               |                        |
| 596 | MT |  |        |     |    |          |    |      |   |      |      |    |  |  |   |    |       |       |               |                        |

Total for Segment: BUILDING #9, Sub-Segment: FOUNDATION WALLS

## \*\*\*\* Rebar Weight Summary (Lbs) \*\*\*\*

| Size | Total | Straight | HEAVY | LIGHT | Stock Wgt |
|------|-------|----------|-------|-------|-----------|
|------|-------|----------|-------|-------|-----------|

\*\* Grade 60, Black \*\*

|      |       |       |     |   |       |
|------|-------|-------|-----|---|-------|
| 13/4 | 671   | 520   | 151 | 0 | 484   |
| 16/5 | 1,445 | 1,098 | 347 | 0 | 1,007 |
|      | 2,116 | 1,618 | 498 | 0 | 1,491 |

**REG191030K - Chestnut Hill Realty - Residen**

| Line | Mat | Func | Placing | Grd | Qty | Span | Spcg | Mult | Size | Cls | L1 | L2 | L3 | L4 | L5 | Lap | Stock | Lbs | Notes |
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|

Segment: BUILDING #9

Sub-Segment: SONOTUBE

|     |    |  |  |    |   |  |  |   |      |   |      |      |  |  |  |  |  |    |              |
|-----|----|--|--|----|---|--|--|---|------|---|------|------|--|--|--|--|--|----|--------------|
| 597 | GI | Segment: BUILDING #9 Sub-Segment: SONOTUBE |  |    |   |  |  |   |      |   |      |      |  |  |  |  |  |    |              |
| 598 | MT |  |  |    |   |  |  |   |      |   |      |      |  |  |  |  |  |    |              |
| 599 | MT | S1.01                                      |  |    |   |  |  |   |      |   |      |      |  |  |  |  |  |    |              |
| 600 | MT | 3/S4.01                                    |  |    |   |  |  |   |      |   |      |      |  |  |  |  |  |    |              |
| 601 | TR | BF   |  | 60 | 2 |  |  | 8 | 13/4 | H | 2-06 | 2-06 |  |  |  |  |  | 54 | DWLS TO SLAB |
| 602 | MT |  |  |    |   |  |  |   |      |   |      |      |  |  |  |  |  |    |              |
| 603 | MT |  |  |    |   |  |  |   |      |   |      |      |  |  |  |  |  |    |              |
| 604 | MT |  |  |    |   |  |  |   |      |   |      |      |  |  |  |  |  |    |              |

**Total for Segment: BUILDING #9, Sub-Segment: SONOTUBE**

**\*\*\*\* Rebar Weight Summary (Lbs) \*\*\*\***

| Size | Total     | Straight | HEAVY     | LIGHT    | Stock Wgt |
|------|-----------|----------|-----------|----------|-----------|
| 13/4 | 54        | 0        | 54        | 0        | 0         |
|      | <u>54</u> | <u>0</u> | <u>54</u> | <u>0</u> | <u>0</u>  |

**\*\* Grade 60, Black \*\***

**REG191030K - Chestnut Hill Realty - Residen**

| Line | Mat | Func | Placing | Grd | Qty | Span | Spcg | Mult | Size | Cls | L1 | L2 | L3 | L4 | L5 | Lap | Stock | Lbs | Notes |
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|

Segment: BUILDING #9

Sub-Segment: SLAB ON GRADE

|     |    |   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
|-----|----|---|--|------|------|----|------|----|----------|---|------|------|--|--|--|--|---------|----|----------------------|
| 605 | GI | Segment: BUILDING #9 Sub-Segment: SLAB ON GRADE |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 606 | MT |   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 607 | MT | S1.01   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 608 | MT |   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 609 | MT | 3/S4.01   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 610 | TI | SqFt  |  |      | 197  |    |      |    | MS665X10 |   |      |      |  |  |  |  | 20.000% | 0  | 6X6-W2.9XW2.9        |
| 611 | TI | lf  |  |      | 63   |    |      |    | 5.5"CHCU |   |      |      |  |  |  |  | 10.000% | 0  | 5.5" CHCU            |
| 612 | MT |   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 613 | MT | AT OPENING - 3/S4.01                            |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 614 | DG | G005  |  | LONG |      |    |      | 13 |          |   |      |      |  |  |  |  |         |    |                      |
| 615 | TR | BF  |  | 60   |      | G5 | 1-00 |    | 13/4     | S | 5-00 |      |  |  |  |  |         | 47 | DWLS SLAB-SLAB       |
| 616 | TR | BF  |  | 60   | 4    |    |      |    | 13/4     | S | 5-00 |      |  |  |  |  |         | 13 | DWLS SLAB-SLAB       |
| 617 | MT |   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 618 | MT | OPENING AT DOORWAY                              |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 619 | MT | S2.02   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 620 | DG | G005  |  | LONG |      |    |      | 16 |          |   |      |      |  |  |  |  |         |    |                      |
| 621 | TR | BF  |  | 60   |      | G5 | 1-00 |    | 13/4     | S | 3-00 | 0-06 |  |  |  |  |         | 40 | DWLS AT DOORWAY      |
| 622 | TR | BF  |  | 60   | 5    |    |      |    | 13/4     | S | 3-00 | 0-06 |  |  |  |  |         | 12 | DWLS AT DOORWAY      |
| 623 | MT |   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 624 | MT |   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 625 | MT | WWF AT 4" SOG                                   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 626 | TI | SqFt  |  |      | 2783 |    |      |    | MS665X10 |   |      |      |  |  |  |  | 20.000% | 0  | 4" SOG 6X6-W2.9XW2.9 |
| 627 | MT |   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 628 | MT |   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |
| 629 | MT |   |  |      |      |    |      |    |          |   |      |      |  |  |  |  |         |    |                      |

**Total for Segment: BUILDING #9, Sub-Segment: SLAB ON GRADE**

**\*\*\*\* Rebar Weight Summary (Lbs) \*\*\*\***

| Size | Total | Straight | HEAVY | LIGHT | Stock Wgt |
|------|-------|----------|-------|-------|-----------|
|------|-------|----------|-------|-------|-----------|

**\*\* Grade 60, Black \*\***

|      |            |            |          |          |          |
|------|------------|------------|----------|----------|----------|
| 13/4 | 112        | 112        | 0        | 0        | 0        |
|      | <u>112</u> | <u>112</u> | <u>0</u> | <u>0</u> | <u>0</u> |

**\*\*\*\* Miscellaneous Item Summary \*\*\*\***

**\*\* Undefined Item Class - 'MESH SHEETS' \*\***

|                    |                                     |                |   |                 |                |      |      |       |
|--------------------|-------------------------------------|----------------|---|-----------------|----------------|------|------|-------|
| MS665X10           | 6X6 6/6 5X10 SHEETS PLAIN           | 3,597.456 SqFt | = | 73.000 Sheets @ | 0.000 / Sheets | = \$ | 0.00 | 0 Lbs |
| <b>Subtotal</b>    |                                     |                |   |                 |                | = \$ | 0.00 | 0 Lbs |
| <b>Supports LF</b> |                                     |                |   |                 |                |      |      |       |
| 5.5"CHCU           | 5 1/2" CONT. HIGH CHAIR UPPER PLAIN | 69.716 lf      | = | 70.000 lf @     | 0.000 / lf     | = \$ | 0.00 | 0 Lbs |
| <b>Subtotal</b>    |                                     |                |   |                 |                | = \$ | 0.00 | 0 Lbs |
| <b>Grand Total</b> |                                     |                |   |                 |                | = \$ | 0.00 | 0 Lbs |



**REG191030K - Chestnut Hill Realty - Residen**

| Line | Mat | Func | Placing | Grd | Qty | Span | Spcg | Mult | Size | Cls | L1 | L2 | L3 | L4 | L5 | Lap | Stock | Lbs | Notes |
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|

Segment: BUILDING #9

Sub-Segment: THICKNESS SLAB

|     |    |  |      |    |   |  |  |  |  |      |   |    |  |  |  |   |    |       |     |             |  |  |
|-----|----|--|------|----|---|--|--|--|--|------|---|----|--|--|--|---|----|-------|-----|-------------|--|--|
| 630 | GI | Segment: BUILDING #9 Sub-Segment: THICKNESS SLAB |      |    |   |  |  |  |  |      |   |    |  |  |  |   |    |       |     |             |  |  |
| 631 | MT |  |      |    |   |  |  |  |  |      |   |    |  |  |  |   |    |       |     |             |  |  |
| 632 | MT |  |      |    |   |  |  |  |  |      |   |    |  |  |  |   |    |       |     |             |  |  |
| 633 | MT | S1.01  |      |    |   |  |  |  |  |      |   |    |  |  |  |   |    |       |     |             |  |  |
| 634 | MT |  |      |    |   |  |  |  |  |      |   |    |  |  |  |   |    |       |     |             |  |  |
| 635 | MT | 4/S4.01 & 5/S4.01                                |      |    |   |  |  |  |  |      |   |    |  |  |  |   |    |       |     |             |  |  |
| 636 | DG | G005   | LONG |    |   |  |  |  |  |      |   |    |  |  |  |   |    |       | 197 |             |  |  |
| 637 | TR | LS   |      | 60 | 3 |  |  |  |  | 16/5 | S | G5 |  |  |  | 1 | LD | 30-00 | 677 | CONT AT BOT |  |  |
| 638 | MT |  |      |    |   |  |  |  |  |      |   |    |  |  |  |   |    |       |     |             |  |  |
| 639 | MT |  |      |    |   |  |  |  |  |      |   |    |  |  |  |   |    |       |     |             |  |  |
| 640 | MT |  |      |    |   |  |  |  |  |      |   |    |  |  |  |   |    |       |     |             |  |  |

**Total for Segment: BUILDING #9, Sub-Segment: THICKNESS SLAB**

**\*\*\*\* Rebar Weight Summary (Lbs) \*\*\*\***

| Size | Total | Straight | HEAVY | LIGHT | Stock Wgt |
|------|-------|----------|-------|-------|-----------|
|------|-------|----------|-------|-------|-----------|

**\*\* Grade 60, Black \*\***

|      |            |            |          |          |            |
|------|------------|------------|----------|----------|------------|
| 16/5 | 677        | 677        | 0        | 0        | 661        |
|      | <u>677</u> | <u>677</u> | <u>0</u> | <u>0</u> | <u>661</u> |

## Total for Segment: BUILDING #9

## \*\*\*\* Rebar Weight Summary (Lbs) \*\*\*\*

| Size | Total        | Straight     | HEAVY      | LIGHT    | Stock Wgt    |
|------|--------------|--------------|------------|----------|--------------|
| 13/4 | 837          | 632          | 205        | 0        | 484          |
| 16/5 | 2,122        | 1,775        | 347        | 0        | 1,668        |
|      | <u>2,959</u> | <u>2,407</u> | <u>552</u> | <u>0</u> | <u>2,152</u> |

\*\* Grade 60, Black \*\*

## \*\*\*\* Miscellaneous Item Summary \*\*\*\*

## \*\* Undefined Item Class - 'MESH SHEETS' \*\*

|          |                           |                |   |                 |                |      |      |       |
|----------|---------------------------|----------------|---|-----------------|----------------|------|------|-------|
| MS665X10 | 6X6 6/6 5X10 SHEETS PLAIN | 3,597.456 SqFt | = | 73.000 Sheets @ | 0.000 / Sheets | = \$ | 0.00 | 0 Lbs |
|----------|---------------------------|----------------|---|-----------------|----------------|------|------|-------|

|          |  |  |  |  |  |  |      |      |       |
|----------|--|--|--|--|--|--|------|------|-------|
| Subtotal |  |  |  |  |  |  | = \$ | 0.00 | 0 Lbs |
|----------|--|--|--|--|--|--|------|------|-------|

Supports LF

|          |                                     |           |   |             |            |      |      |       |
|----------|-------------------------------------|-----------|---|-------------|------------|------|------|-------|
| 5.5"CHCU | 5 1/2" CONT. HIGH CHAIR UPPER PLAIN | 69.716 lf | = | 70.000 lf @ | 0.000 / lf | = \$ | 0.00 | 0 Lbs |
|----------|-------------------------------------|-----------|---|-------------|------------|------|------|-------|

|          |  |  |  |  |  |  |      |      |       |
|----------|--|--|--|--|--|--|------|------|-------|
| Subtotal |  |  |  |  |  |  | = \$ | 0.00 | 0 Lbs |
|----------|--|--|--|--|--|--|------|------|-------|

|             |  |  |  |  |  |  |      |      |       |
|-------------|--|--|--|--|--|--|------|------|-------|
| Grand Total |  |  |  |  |  |  | = \$ | 0.00 | 0 Lbs |
|-------------|--|--|--|--|--|--|------|------|-------|

**REG191030K - Chestnut Hill Realty - Residen**

| Line | Mat | Func | Placing | Grd | Qty | Span | Spcg | Mult | Size | Cls | L1 | L2 | L3 | L4 | L5 | Lap | Stock | Lbs | Notes |
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|

Segment: BUILDING #10

Sub-Segment: FOUNDATION WALLS

|     |    |   |        |    |     |    |      |    |      |   |      |      |    |  |  |   |    |       |          |               |                        |
|-----|----|---|--------|----|-----|----|------|----|------|---|------|------|----|--|--|---|----|-------|----------|---------------|------------------------|
| 641 | GI | Segment: BUILDING #10 Sub-Segment: FOUNDATION WALLS |        |    |     |    |      |    |      |   |      |      |    |  |  |   |    |       |          |               |                        |
| 642 | MT |   |        |    |     |    |      |    |      |   |      |      |    |  |  |   |    |       |          |               |                        |
| 643 | MT | S1.01   |        |    |     |    |      |    |      |   |      |      |    |  |  |   |    |       |          |               |                        |
| 644 | MT |   |        |    |     |    |      |    |      |   |      |      |    |  |  |   |    |       |          |               |                        |
| 645 | MT | 1/S4.01   |        |    |     |    |      |    |      |   |      |      |    |  |  |   |    |       |          |               |                        |
| 646 | DG | G001  | TOP    |    |     |    |      |    |      |   |      |      |    |  |  |   |    |       | 0        |               |                        |
| 647 | DG | G002  | BOF    |    |     |    |      |    |      |   |      |      |    |  |  |   |    |       | -4.66    |               |                        |
| 648 | DG | G003  | FTG HT |    |     |    |      |    |      |   |      |      |    |  |  |   |    |       | 1        |               |                        |
| 649 | DG | G004  | HT     |    |     |    |      |    |      |   |      |      |    |  |  |   |    |       | G1-G2-G3 |               |                        |
| 650 | DG | G005  | LONG   |    |     |    |      |    |      |   |      |      |    |  |  |   |    |       | 241      |               |                        |
| 651 | TR | LS  |        | 60 | 3   |    |      |    | 13/4 | S | G5   |      |    |  |  | 1 | LD | 30-00 | 519      | CONT AT FTG   |                        |
| 652 | TR | LS  |        | 60 | 2X2 |    |      |    | 16/5 | S | G5   |      |    |  |  | 1 | LD | 30-00 | 1,098    | CONT AT WALL. |                        |
| 653 | TR | BF  |        | 60 | 2X2 |    |      | 16 | 16/5 | H | LD   | LD   |    |  |  |   |    |       |          | 347           | CB                     |
| 654 | TR | BF  |        | 60 | 1   |    |      | 16 | 13/4 | H | S90  | G3   | G4 |  |  |   |    |       |          | 57            | DWLS TO WALL AT CORNER |
| 655 | MT | TYP DETAILS AT S2.02                                |        |    |     |    |      |    |      |   |      |      |    |  |  |   |    |       |          |               |                        |
| 656 | MT | OPENNING TO PLAFORM                                 |        |    |     |    |      |    |      |   |      |      |    |  |  |   |    |       |          |               |                        |
| 657 | DG | G005  | LONG   |    |     |    |      |    |      |   |      |      |    |  |  |   |    |       | 13       |               |                        |
| 658 | TR | BF  |        | 60 |     | G5 | 1-00 |    | 13/4 | H | 3-00 | 0-06 |    |  |  |   |    |       |          | 33            | DWLS TO SLAB           |
| 659 | TR | BF  |        | 60 | 4   |    |      |    | 13/4 | H | 3-00 | 0-06 |    |  |  |   |    |       |          | 9             | DWLS TO SLAB           |
| 660 | MT | OPENNING  |        |    |     |    |      |    |      |   |      |      |    |  |  |   |    |       |          |               |                        |
| 661 | DG | G005  | LONG   |    |     |    |      |    |      |   |      |      |    |  |  |   |    |       | 16       |               |                        |
| 662 | TR | BF  |        | 60 |     | G5 | 1-00 |    | 13/4 | H | 3-00 | 0-06 |    |  |  |   |    |       |          | 40            | DWLS TO SLAB           |
| 663 | TR | BF  |        | 60 | 5   |    |      |    | 13/4 | H | 3-00 | 0-06 |    |  |  |   |    |       |          | 12            | DWLS TO SLAB           |
| 664 | MT |   |        |    |     |    |      |    |      |   |      |      |    |  |  |   |    |       |          |               |                        |
| 665 | MT |   |        |    |     |    |      |    |      |   |      |      |    |  |  |   |    |       |          |               |                        |
| 666 | MT |   |        |    |     |    |      |    |      |   |      |      |    |  |  |   |    |       |          |               |                        |

Total for Segment: BUILDING #10, Sub-Segment: FOUNDATION WALLS

## \*\*\*\* Rebar Weight Summary (Lbs) \*\*\*\*

| Size | Total | Straight | HEAVY | LIGHT | Stock Wgt |
|------|-------|----------|-------|-------|-----------|
|------|-------|----------|-------|-------|-----------|

\*\* Grade 60, Black \*\*

|      |       |       |     |   |       |
|------|-------|-------|-----|---|-------|
| 13/4 | 671   | 520   | 151 | 0 | 484   |
| 16/5 | 1,445 | 1,098 | 347 | 0 | 1,007 |
|      | 2,116 | 1,618 | 498 | 0 | 1,491 |

**REG191030K - Chestnut Hill Realty - Residen**

| Line | Mat | Func | Placing | Grd | Qty | Span | Spcg | Mult | Size | Cls | L1 | L2 | L3 | L4 | L5 | Lap | Stock | Lbs | Notes |
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|

Segment: BUILDING #10

Sub-Segment: SONOTUBE

|     |    |   |  |    |   |  |  |   |      |   |      |      |  |  |  |  |  |    |              |
|-----|----|---|--|----|---|--|--|---|------|---|------|------|--|--|--|--|--|----|--------------|
| 667 | GI | Segment: BUILDING #10 Sub-Segment: SONOTUBE |  |    |   |  |  |   |      |   |      |      |  |  |  |  |  |    |              |
| 668 | MT |   |  |    |   |  |  |   |      |   |      |      |  |  |  |  |  |    |              |
| 669 | MT | S1.01                                       |  |    |   |  |  |   |      |   |      |      |  |  |  |  |  |    |              |
| 670 | MT | 3/S4.01                                     |  |    |   |  |  |   |      |   |      |      |  |  |  |  |  |    |              |
| 671 | TR | BF  |  | 60 | 2 |  |  | 8 | 13/4 | H | 2-06 | 2-06 |  |  |  |  |  | 54 | DWLS TO SLAB |
| 672 | MT |   |  |    |   |  |  |   |      |   |      |      |  |  |  |  |  |    |              |
| 673 | MT |   |  |    |   |  |  |   |      |   |      |      |  |  |  |  |  |    |              |
| 674 | MT |   |  |    |   |  |  |   |      |   |      |      |  |  |  |  |  |    |              |

**Total for Segment: BUILDING #10, Sub-Segment: SONOTUBE**

**\*\*\*\* Rebar Weight Summary (Lbs) \*\*\*\***

| Size | Total     | Straight | HEAVY     | LIGHT    | Stock Wgt |
|------|-----------|----------|-----------|----------|-----------|
| 13/4 | 54        | 0        | 54        | 0        | 0         |
|      | <u>54</u> | <u>0</u> | <u>54</u> | <u>0</u> | <u>0</u>  |

**\*\* Grade 60, Black \*\***

**REG191030K - Chestnut Hill Realty - Residen**

| Line                       | Mat | Func   | Placing | Grd  | Qty  | Span | Spcg | Mult | Size     | Cls | L1   | L2   | L3 | L4 | L5 | Lap | Stock   | Lbs | Notes                |
|----------------------------|-----|--|---------|------|------|------|------|------|----------|-----|------|------|----|----|----|-----|---------|-----|----------------------|
| Segment: BUILDING #10      |     |  |         |      |      |      |      |      |          |     |      |      |    |    |    |     |         |     |                      |
| Sub-Segment: SLAB ON GRADE |     |  |         |      |      |      |      |      |          |     |      |      |    |    |    |     |         |     |                      |
| 675                        | GI  | Segment: BUILDING #10 Sub-Segment: SLAB ON GRADE |         |      |      |      |      |      |          |     |      |      |    |    |    |     |         |     |                      |
| 676                        | MT  |  |         |      |      |      |      |      |          |     |      |      |    |    |    |     |         |     |                      |
| 677                        | MT  | S1.01  |         |      |      |      |      |      |          |     |      |      |    |    |    |     |         |     |                      |
| 678                        | MT  |  |         |      |      |      |      |      |          |     |      |      |    |    |    |     |         |     |                      |
| 679                        | MT  | 3/S4.01  |         |      |      |      |      |      |          |     |      |      |    |    |    |     |         |     |                      |
| 680                        | TI  | SqFt   |         |      | 197  |      |      |      | MS665X10 |     |      |      |    |    |    |     | 20.000% | 0   | 6X6-W2.9XW2.9        |
| 681                        | TI  | lf   |         |      | 63   |      |      |      | 5.5"CHCU |     |      |      |    |    |    |     | 10.000% | 0   | 5.5" CHCU            |
| 682                        | MT  |  |         |      |      |      |      |      |          |     |      |      |    |    |    |     |         |     |                      |
| 683                        | MT  | AT OPENING - 3/S4.01                             |         |      |      |      |      |      |          |     |      |      |    |    |    |     |         |     |                      |
| 684                        | DG  | G005   |         | LONG |      |      |      | 13   |          |     |      |      |    |    |    |     |         |     |                      |
| 685                        | TR  | BF   |         | 60   |      | G5   | 1-00 |      | 13/4     | S   | 5-00 |      |    |    |    |     |         | 47  | DWLS SLAB-SLAB       |
| 686                        | TR  | BF   |         | 60   | 4    |      |      |      | 13/4     | S   | 5-00 |      |    |    |    |     |         | 13  | DWLS SLAB-SLAB       |
| 687                        | MT  |  |         |      |      |      |      |      |          |     |      |      |    |    |    |     |         |     |                      |
| 688                        | MT  | OPENING AT DOORWAY                               |         |      |      |      |      |      |          |     |      |      |    |    |    |     |         |     |                      |
| 689                        | MT  | S2.02  |         |      |      |      |      |      |          |     |      |      |    |    |    |     |         |     |                      |
| 690                        | DG  | G005   |         | LONG |      |      |      | 16   |          |     |      |      |    |    |    |     |         |     |                      |
| 691                        | TR  | BF   |         | 60   |      | G5   | 1-00 |      | 13/4     | S   | 3-00 | 0-06 |    |    |    |     |         | 40  | DWLS AT DOORWAY      |
| 692                        | TR  | BF   |         | 60   | 5    |      |      |      | 13/4     | S   | 3-00 | 0-06 |    |    |    |     |         | 12  | DWLS AT DOORWAY      |
| 693                        | MT  |  |         |      |      |      |      |      |          |     |      |      |    |    |    |     |         |     |                      |
| 694                        | MT  |  |         |      |      |      |      |      |          |     |      |      |    |    |    |     |         |     |                      |
| 695                        | MT  | WWF AT 4" SOG                                    |         |      |      |      |      |      |          |     |      |      |    |    |    |     |         |     |                      |
| 696                        | TI  | SqFt   |         |      | 2783 |      |      |      | MS665X10 |     |      |      |    |    |    |     | 20.000% | 0   | 4" SOG 6X6-W2.9XW2.9 |
| 697                        | MT  |  |         |      |      |      |      |      |          |     |      |      |    |    |    |     |         |     |                      |
| 698                        | MT  |  |         |      |      |      |      |      |          |     |      |      |    |    |    |     |         |     |                      |
| 699                        | MT  |  |         |      |      |      |      |      |          |     |      |      |    |    |    |     |         |     |                      |

**Total for Segment: BUILDING #10, Sub-Segment: SLAB ON GRADE**

**\*\*\*\* Rebar Weight Summary (Lbs) \*\*\*\***

| Size | Total      | Straight   | HEAVY    | LIGHT    | Stock Wgt |
|------|------------|------------|----------|----------|-----------|
| 13/4 | 112        | 112        | 0        | 0        | 0         |
|      | <u>112</u> | <u>112</u> | <u>0</u> | <u>0</u> | <u>0</u>  |

**\*\* Grade 60, Black \*\***

**\*\*\*\* Miscellaneous Item Summary \*\*\*\***

**\*\* Undefined Item Class - 'MESH SHEETS' \*\***

|                    |                                     |                |   |                 |                |      |      |       |
|--------------------|-------------------------------------|----------------|---|-----------------|----------------|------|------|-------|
| MS665X10           | 6X6 6/6 5X10 SHEETS PLAIN           | 3,597.456 SqFt | = | 73.000 Sheets @ | 0.000 / Sheets | = \$ | 0.00 | 0 Lbs |
| <b>Subtotal</b>    |                                     |                |   |                 |                | = \$ | 0.00 | 0 Lbs |
| <b>Supports LF</b> |                                     |                |   |                 |                |      |      |       |
| 5.5"CHCU           | 5 1/2" CONT. HIGH CHAIR UPPER PLAIN | 69.716 lf      | = | 70.000 lf @     | 0.000 / lf     | = \$ | 0.00 | 0 Lbs |
| <b>Subtotal</b>    |                                     |                |   |                 |                | = \$ | 0.00 | 0 Lbs |
| <b>Grand Total</b> |                                     |                |   |                 |                | = \$ | 0.00 | 0 Lbs |

**REG191030K - Chestnut Hill Realty - Residen**

| Line | Mat | Func | Placing | Grd | Qty | Span | Spcg | Mult | Size | Cls | L1 | L2 | L3 | L4 | L5 | Lap | Stock | Lbs | Notes |
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|

Segment: BUILDING #10

Sub-Segment: THICKNESS SLAB

|     |    |   |      |   |  |  |  |  |      |   |    |  |  |  |   |    |       |     |             |  |  |  |
|-----|----|---|------|---|--|--|--|--|------|---|----|--|--|--|---|----|-------|-----|-------------|--|--|--|
| 700 | GI | Segment: BUILDING #10 Sub-Segment: THICKNESS SLAB |      |   |  |  |  |  |      |   |    |  |  |  |   |    |       |     |             |  |  |  |
| 701 | MT |   |      |   |  |  |  |  |      |   |    |  |  |  |   |    |       |     |             |  |  |  |
| 702 | MT |   |      |   |  |  |  |  |      |   |    |  |  |  |   |    |       |     |             |  |  |  |
| 703 | MT | S1.01   |      |   |  |  |  |  |      |   |    |  |  |  |   |    |       |     |             |  |  |  |
| 704 | MT |   |      |   |  |  |  |  |      |   |    |  |  |  |   |    |       |     |             |  |  |  |
| 705 | MT | 4/S4.01 & 5/S4.01                                 |      |   |  |  |  |  |      |   |    |  |  |  |   |    |       |     |             |  |  |  |
| 706 | DG | G005  | LONG |   |  |  |  |  |      |   |    |  |  |  |   |    |       |     | 197         |  |  |  |
| 707 | TR | LS  | 60   | 3 |  |  |  |  | 16/5 | S | G5 |  |  |  | 1 | LD | 30-00 | 677 | CONT AT BOT |  |  |  |
| 708 | MT |   |      |   |  |  |  |  |      |   |    |  |  |  |   |    |       |     |             |  |  |  |
| 709 | MT |   |      |   |  |  |  |  |      |   |    |  |  |  |   |    |       |     |             |  |  |  |
| 710 | MT |   |      |   |  |  |  |  |      |   |    |  |  |  |   |    |       |     |             |  |  |  |

**Total for Segment: BUILDING #10, Sub-Segment: THICKNESS SLAB**

**\*\*\*\* Rebar Weight Summary (Lbs) \*\*\*\***

| Size | Total | Straight | HEAVY | LIGHT | Stock Wgt |
|------|-------|----------|-------|-------|-----------|
|------|-------|----------|-------|-------|-----------|

**\*\* Grade 60, Black \*\***

|      |            |            |          |          |            |
|------|------------|------------|----------|----------|------------|
| 16/5 | 677        | 677        | 0        | 0        | 661        |
|      | <u>677</u> | <u>677</u> | <u>0</u> | <u>0</u> | <u>661</u> |

Total for Segment: BUILDING #10

\*\*\*\* Rebar Weight Summary (Lbs) \*\*\*\*

| Size | Total        | Straight     | HEAVY      | LIGHT    | Stock Wgt    |
|------|--------------|--------------|------------|----------|--------------|
| 13/4 | 837          | 632          | 205        | 0        | 484          |
| 16/5 | 2,122        | 1,775        | 347        | 0        | 1,668        |
|      | <u>2,959</u> | <u>2,407</u> | <u>552</u> | <u>0</u> | <u>2,152</u> |

\*\* Grade 60, Black \*\*

\*\*\*\* Miscellaneous Item Summary \*\*\*\*

\*\* Undefined Item Class - 'MESH SHEETS' \*\*

|                    |                                     |                |   |                 |                |      |      |       |       |
|--------------------|-------------------------------------|----------------|---|-----------------|----------------|------|------|-------|-------|
| MS665X10           | 6X6 6/6 5X10 SHEETS PLAIN           | 3,597.456 SqFt | = | 73.000 Sheets @ | 0.000 / Sheets | = \$ | 0.00 | 0 Lbs |       |
| <b>Subtotal</b>    |                                     |                |   |                 |                |      | = \$ | 0.00  | 0 Lbs |
| <b>Supports LF</b> |                                     |                |   |                 |                |      |      |       |       |
| 5.5"CHCU           | 5 1/2" CONT. HIGH CHAIR UPPER PLAIN | 69.716 lf      | = | 70.000 lf @     | 0.000 / lf     | = \$ | 0.00 | 0 Lbs |       |
| <b>Subtotal</b>    |                                     |                |   |                 |                |      | = \$ | 0.00  | 0 Lbs |
| <b>Grand Total</b> |                                     |                |   |                 |                |      | = \$ | 0.00  | 0 Lbs |

**REG191030K - Chestnut Hill Realty - Residen**

| Line | Mat | Func | Placing | Grd | Qty | Span | Spcg | Mult | Size | Cls | L1 | L2 | L3 | L4 | L5 | Lap | Stock | Lbs | Notes |
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|

Segment: BUILDING #11

Sub-Segment: FOUNDATION WALLS

|     |    |   |        |    |     |    |      |    |      |   |      |      |    |  |  |   |    |          |       |               |                        |
|-----|----|---|--------|----|-----|----|------|----|------|---|------|------|----|--|--|---|----|----------|-------|---------------|------------------------|
| 711 | GI | Segment: BUILDING #11 Sub-Segment: FOUNDATION WALLS |        |    |     |    |      |    |      |   |      |      |    |  |  |   |    |          |       |               |                        |
| 712 | MT |   |        |    |     |    |      |    |      |   |      |      |    |  |  |   |    |          |       |               |                        |
| 713 | MT | S1.01   |        |    |     |    |      |    |      |   |      |      |    |  |  |   |    |          |       |               |                        |
| 714 | MT |   |        |    |     |    |      |    |      |   |      |      |    |  |  |   |    |          |       |               |                        |
| 715 | MT | 1/S4.01   |        |    |     |    |      |    |      |   |      |      |    |  |  |   |    |          |       |               |                        |
| 716 | DG | G001  | TOP    |    |     |    |      |    |      |   |      |      |    |  |  |   |    | 0        |       |               |                        |
| 717 | DG | G002  | BOF    |    |     |    |      |    |      |   |      |      |    |  |  |   |    | -4.66    |       |               |                        |
| 718 | DG | G003  | FTG HT |    |     |    |      |    |      |   |      |      |    |  |  |   |    | 1        |       |               |                        |
| 719 | DG | G004  | HT     |    |     |    |      |    |      |   |      |      |    |  |  |   |    | G1-G2-G3 |       |               |                        |
| 720 | DG | G005  | LONG   |    |     |    |      |    |      |   |      |      |    |  |  |   |    | 240      |       |               |                        |
| 721 | TR | LS  |        | 60 | 3   |    |      |    | 13/4 | S | G5   |      |    |  |  | 1 | LD | 30-00    | 517   | CONT AT FTG   |                        |
| 722 | TR | LS  |        | 60 | 2X2 |    |      |    | 16/5 | S | G5   |      |    |  |  | 1 | LD | 30-00    | 1,094 | CONT AT WALL. |                        |
| 723 | TR | BF  |        | 60 | 2X2 |    |      | 16 | 16/5 | H | LD   | LD   |    |  |  |   |    |          |       | 347           | CB                     |
| 724 | TR | BF  |        | 60 | 1   |    |      | 16 | 13/4 | H | S90  | G3   | G4 |  |  |   |    |          |       | 57            | DWLS TO WALL AT CORNER |
| 725 | MT | TYP DETAILS AT S2.02                                |        |    |     |    |      |    |      |   |      |      |    |  |  |   |    |          |       |               |                        |
| 726 | MT | OPENNING TO PLAFORM                                 |        |    |     |    |      |    |      |   |      |      |    |  |  |   |    |          |       |               |                        |
| 727 | DG | G005  | LONG   |    |     |    |      |    |      |   |      |      |    |  |  |   |    | 19       |       |               |                        |
| 728 | TR | BF  |        | 60 |     | G5 | 1-00 |    | 13/4 | H | 3-00 | 0-06 |    |  |  |   |    |          |       | 47            | DWLS TO SLAB           |
| 729 | TR | BF  |        | 60 | 6   |    |      |    | 13/4 | H | 3-00 | 0-06 |    |  |  |   |    |          |       | 14            | DWLS TO SLAB           |
| 730 | MT | OPENNING  |        |    |     |    |      |    |      |   |      |      |    |  |  |   |    |          |       |               |                        |
| 731 | DG | G005  | LONG   |    |     |    |      |    |      |   |      |      |    |  |  |   |    | 9        |       |               |                        |
| 732 | TR | BF  |        | 60 |     | G5 | 1-00 |    | 13/4 | H | 3-00 | 0-06 |    |  |  |   |    |          |       | 24            | DWLS TO SLAB           |
| 733 | TR | BF  |        | 60 | 3   |    |      |    | 13/4 | H | 3-00 | 0-06 |    |  |  |   |    |          |       | 7             | DWLS TO SLAB           |
| 734 | MT |   |        |    |     |    |      |    |      |   |      |      |    |  |  |   |    |          |       |               |                        |
| 735 | MT |   |        |    |     |    |      |    |      |   |      |      |    |  |  |   |    |          |       |               |                        |
| 736 | MT |   |        |    |     |    |      |    |      |   |      |      |    |  |  |   |    |          |       |               |                        |

Total for Segment: BUILDING #11, Sub-Segment: FOUNDATION WALLS

## \*\*\*\* Rebar Weight Summary (Lbs) \*\*\*\*

| Size | Total | Straight | HEAVY | LIGHT | Stock Wgt |
|------|-------|----------|-------|-------|-----------|
|------|-------|----------|-------|-------|-----------|

\*\* Grade 60, Black \*\*

|      |       |       |     |   |       |
|------|-------|-------|-----|---|-------|
| 13/4 | 667   | 518   | 149 | 0 | 484   |
| 16/5 | 1,441 | 1,094 | 347 | 0 | 1,007 |
|      | 2,108 | 1,612 | 496 | 0 | 1,491 |



**REG191030K - Chestnut Hill Realty - Residen**

| Line                  | Mat | Func  | Placing | Grd | Qty | Span | Spcg | Mult | Size | Cls | L1   | L2   | L3 | L4 | L5 | Lap | Stock | Lbs | Notes        |
|-----------------------|-----|---|---------|-----|-----|------|------|------|------|-----|------|------|----|----|----|-----|-------|-----|--------------|
| Segment: BUILDING #11 |     |   |         |     |     |      |      |      |      |     |      |      |    |    |    |     |       |     |              |
| Sub-Segment: SONOTUBE |     |   |         |     |     |      |      |      |      |     |      |      |    |    |    |     |       |     |              |
| 737                   | GI  | Segment: BUILDING #11 Sub-Segment: SONOTUBE |         |     |     |      |      |      |      |     |      |      |    |    |    |     |       |     |              |
| 738                   | MT  |   |         |     |     |      |      |      |      |     |      |      |    |    |    |     |       |     |              |
| 739                   | MT  | S1.01                                       |         |     |     |      |      |      |      |     |      |      |    |    |    |     |       |     |              |
| 740                   | MT  | 3/S4.01                                     |         |     |     |      |      |      |      |     |      |      |    |    |    |     |       |     |              |
| 741                   | TR  | BF  |         | 60  | 2   |      |      | 12   | 13/4 | H   | 2-06 | 2-06 |    |    |    |     |       | 81  | DWLS TO SLAB |
| 742                   | MT  |   |         |     |     |      |      |      |      |     |      |      |    |    |    |     |       |     |              |
| 743                   | MT  |   |         |     |     |      |      |      |      |     |      |      |    |    |    |     |       |     |              |
| 744                   | MT  |   |         |     |     |      |      |      |      |     |      |      |    |    |    |     |       |     |              |

**Total for Segment: BUILDING #11, Sub-Segment: SONOTUBE**

**\*\*\*\* Rebar Weight Summary (Lbs) \*\*\*\***

| Size                  | Total     | Straight | HEAVY     | LIGHT    | Stock Wgt |
|-----------------------|-----------|----------|-----------|----------|-----------|
| ** Grade 60, Black ** |           |          |           |          |           |
| 13/4                  | 81        | 0        | 81        | 0        | 0         |
|                       | <u>81</u> | <u>0</u> | <u>81</u> | <u>0</u> | <u>0</u>  |

**REG191030K - Chestnut Hill Realty - Residen**

| Line                       | Mat | Func   | Placing | Grd  | Qty  | Span | Spcg | Mult | Size     | Cls | L1   | L2   | L3 | L4 | L5 | Lap | Stock   | Lbs | Notes                |
|----------------------------|-----|--|---------|------|------|------|------|------|----------|-----|------|------|----|----|----|-----|---------|-----|----------------------|
| Segment: BUILDING #11      |     |  |         |      |      |      |      |      |          |     |      |      |    |    |    |     |         |     |                      |
| Sub-Segment: SLAB ON GRADE |     |  |         |      |      |      |      |      |          |     |      |      |    |    |    |     |         |     |                      |
| 745                        | GI  | Segment: BUILDING #11 Sub-Segment: SLAB ON GRADE |         |      |      |      |      |      |          |     |      |      |    |    |    |     |         |     |                      |
| 746                        | MT  |  |         |      |      |      |      |      |          |     |      |      |    |    |    |     |         |     |                      |
| 747                        | MT  | S1.01  |         |      |      |      |      |      |          |     |      |      |    |    |    |     |         |     |                      |
| 748                        | MT  |  |         |      |      |      |      |      |          |     |      |      |    |    |    |     |         |     |                      |
| 749                        | MT  | 3/S4.01  |         |      |      |      |      |      |          |     |      |      |    |    |    |     |         |     |                      |
| 750                        | TI  | SqFt   |         |      | 289  |      |      |      | MS665X10 |     |      |      |    |    |    |     | 20.000% | 0   | 6X6-W2.9XW2.9        |
| 751                        | TI  | lf   |         |      | 92   |      |      |      | 5.5"CHCU |     |      |      |    |    |    |     | 10.000% | 0   | 5.5" CHCU            |
| 752                        | MT  |  |         |      |      |      |      |      |          |     |      |      |    |    |    |     |         |     |                      |
| 753                        | MT  | AT OPENING - 3/S4.01                             |         |      |      |      |      |      |          |     |      |      |    |    |    |     |         |     |                      |
| 754                        | DG  | G005   |         | LONG |      |      |      | 19   |          |     |      |      |    |    |    |     |         |     |                      |
| 755                        | TR  | BF   |         | 60   |      | G5   | 1-00 |      | 13/4     | S   | 5-00 |      |    |    |    |     |         | 67  | DWLS SLAB-SLAB       |
| 756                        | TR  | BF   |         | 60   | 6    |      |      |      | 13/4     | S   | 5-00 |      |    |    |    |     |         | 20  | DWLS SLAB-SLAB       |
| 757                        | MT  |  |         |      |      |      |      |      |          |     |      |      |    |    |    |     |         |     |                      |
| 758                        | MT  | OPENING AT DOORWAY                               |         |      |      |      |      |      |          |     |      |      |    |    |    |     |         |     |                      |
| 759                        | MT  | S2.02  |         |      |      |      |      |      |          |     |      |      |    |    |    |     |         |     |                      |
| 760                        | DG  | G005   |         | LONG |      |      |      | 9    |          |     |      |      |    |    |    |     |         |     |                      |
| 761                        | TR  | BF   |         | 60   |      | G5   | 1-00 |      | 13/4     | S   | 3-00 | 0-06 |    |    |    |     |         | 24  | DWLS AT DOORWAY      |
| 762                        | TR  | BF   |         | 60   | 3    |      |      |      | 13/4     | S   | 3-00 | 0-06 |    |    |    |     |         | 7   | DWLS AT DOORWAY      |
| 763                        | MT  |  |         |      |      |      |      |      |          |     |      |      |    |    |    |     |         |     |                      |
| 764                        | MT  |  |         |      |      |      |      |      |          |     |      |      |    |    |    |     |         |     |                      |
| 765                        | MT  | WWF AT 4" SOG                                    |         |      |      |      |      |      |          |     |      |      |    |    |    |     |         |     |                      |
| 766                        | TI  | SqFt   |         |      | 2786 |      |      |      | MS665X10 |     |      |      |    |    |    |     | 20.000% | 0   | 4" SOG 6X6-W2.9XW2.9 |
| 767                        | MT  |  |         |      |      |      |      |      |          |     |      |      |    |    |    |     |         |     |                      |
| 768                        | MT  |  |         |      |      |      |      |      |          |     |      |      |    |    |    |     |         |     |                      |
| 769                        | MT  |  |         |      |      |      |      |      |          |     |      |      |    |    |    |     |         |     |                      |

**Total for Segment: BUILDING #11, Sub-Segment: SLAB ON GRADE**

**\*\*\*\* Rebar Weight Summary (Lbs) \*\*\*\***

| Size | Total      | Straight   | HEAVY    | LIGHT    | Stock Wgt |
|------|------------|------------|----------|----------|-----------|
| 13/4 | 118        | 118        | 0        | 0        | 0         |
|      | <u>118</u> | <u>118</u> | <u>0</u> | <u>0</u> | <u>0</u>  |

**\*\* Grade 60, Black \*\***

**\*\*\*\* Miscellaneous Item Summary \*\*\*\***

**\*\* Undefined Item Class - 'MESH SHEETS' \*\***

|                    |                                     |                |   |                 |                     |      |       |       |
|--------------------|-------------------------------------|----------------|---|-----------------|---------------------|------|-------|-------|
| MS665X10           | 6X6 6/6 5X10 SHEETS PLAIN           | 3,712.140 SqFt | = | 75.000 Sheets @ | 0.000 / Sheets = \$ | 0.00 | 0 Lbs |       |
| <b>Subtotal</b>    |                                     |                |   |                 |                     | = \$ | 0.00  | 0 Lbs |
| <b>Supports LF</b> |                                     |                |   |                 |                     |      |       |       |
| 5.5"CHCU           | 5 1/2" CONT. HIGH CHAIR UPPER PLAIN | 101.807 lf     | = | 102.000 lf @    | 0.000 / lf = \$     | 0.00 | 0 Lbs |       |
| <b>Subtotal</b>    |                                     |                |   |                 |                     | = \$ | 0.00  | 0 Lbs |
| <b>Grand Total</b> |                                     |                |   |                 |                     | = \$ | 0.00  | 0 Lbs |

**REG191030K - Chestnut Hill Realty - Residen**

| Line | Mat | Func | Placing | Grd | Qty | Span | Spcg | Mult | Size | Cls | L1 | L2 | L3 | L4 | L5 | Lap | Stock | Lbs | Notes |
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|

Segment: BUILDING #11

Sub-Segment: THICKNESS SLAB

|     |    |   |      |    |   |  |  |  |  |      |   |    |  |  |  |   |    |       |     |             |  |  |
|-----|----|---|------|----|---|--|--|--|--|------|---|----|--|--|--|---|----|-------|-----|-------------|--|--|
| 770 | GI | Segment: BUILDING #11 Sub-Segment: THICKNESS SLAB |      |    |   |  |  |  |  |      |   |    |  |  |  |   |    |       |     |             |  |  |
| 771 | MT |   |      |    |   |  |  |  |  |      |   |    |  |  |  |   |    |       |     |             |  |  |
| 772 | MT |   |      |    |   |  |  |  |  |      |   |    |  |  |  |   |    |       |     |             |  |  |
| 773 | MT | S1.01   |      |    |   |  |  |  |  |      |   |    |  |  |  |   |    |       |     |             |  |  |
| 774 | MT |   |      |    |   |  |  |  |  |      |   |    |  |  |  |   |    |       |     |             |  |  |
| 775 | MT | 4/S4.01 & 5/S4.01                                 |      |    |   |  |  |  |  |      |   |    |  |  |  |   |    |       |     |             |  |  |
| 776 | DG | G005  | LONG |    |   |  |  |  |  |      |   |    |  |  |  |   |    |       | 167 |             |  |  |
| 777 | TR | LS  |      | 60 | 3 |  |  |  |  | 16/5 | S | G5 |  |  |  | 1 | LD | 30-00 | 566 | CONT AT BOT |  |  |
| 778 | MT |   |      |    |   |  |  |  |  |      |   |    |  |  |  |   |    |       |     |             |  |  |
| 779 | MT |   |      |    |   |  |  |  |  |      |   |    |  |  |  |   |    |       |     |             |  |  |
| 780 | MT |   |      |    |   |  |  |  |  |      |   |    |  |  |  |   |    |       |     |             |  |  |
| 781 | MT |   |      |    |   |  |  |  |  |      |   |    |  |  |  |   |    |       |     |             |  |  |
| 782 | MT |   |      |    |   |  |  |  |  |      |   |    |  |  |  |   |    |       |     |             |  |  |
| 783 | MT |   |      |    |   |  |  |  |  |      |   |    |  |  |  |   |    |       |     |             |  |  |

**Total for Segment: BUILDING #11, Sub-Segment: THICKNESS SLAB**

**\*\*\*\* Rebar Weight Summary (Lbs) \*\*\*\***

| Size                  | Total      | Straight   | HEAVY    | LIGHT    | Stock Wgt  |
|-----------------------|------------|------------|----------|----------|------------|
| ** Grade 60, Black ** |            |            |          |          |            |
| 16/5                  | 566        | 566        | 0        | 0        | 472        |
|                       | <u>566</u> | <u>566</u> | <u>0</u> | <u>0</u> | <u>472</u> |

Total for Segment: BUILDING #11

\*\*\*\* Rebar Weight Summary (Lbs) \*\*\*\*

| Size | Total        | Straight     | HEAVY      | LIGHT    | Stock Wgt    |
|------|--------------|--------------|------------|----------|--------------|
| 13/4 | 866          | 636          | 230        | 0        | 484          |
| 16/5 | 2,007        | 1,660        | 347        | 0        | 1,479        |
|      | <u>2,873</u> | <u>2,296</u> | <u>577</u> | <u>0</u> | <u>1,963</u> |

\*\* Grade 60, Black \*\*

\*\*\*\* Miscellaneous Item Summary \*\*\*\*

\*\* Undefined Item Class - 'MESH SHEETS' \*\*

|                    |                                     |                |   |                 |                |      |      |       |
|--------------------|-------------------------------------|----------------|---|-----------------|----------------|------|------|-------|
| MS665X10           | 6X6 6/6 5X10 SHEETS PLAIN           | 3,712.140 SqFt | = | 75.000 Sheets @ | 0.000 / Sheets | = \$ | 0.00 | 0 Lbs |
| <b>Subtotal</b>    |                                     |                |   |                 |                | = \$ | 0.00 | 0 Lbs |
| <b>Supports LF</b> |                                     |                |   |                 |                |      |      |       |
| 5.5"CHCU           | 5 1/2" CONT. HIGH CHAIR UPPER PLAIN | 101.807 lf     | = | 102.000 lf @    | 0.000 / lf     | = \$ | 0.00 | 0 Lbs |
| <b>Subtotal</b>    |                                     |                |   |                 |                | = \$ | 0.00 | 0 Lbs |
| <b>Grand Total</b> |                                     |                |   |                 |                | = \$ | 0.00 | 0 Lbs |

## REG191030K - Chestnut Hill Realty - Residen

| Line | Mat | Func | Placing | Grd | Qty | Span | Spcg | Mult | Size | Cls | L1 | L2 | L3 | L4 | L5 | Lap | Stock | Lbs | Notes |
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|

Segment: BUILDING #12

Sub-Segment: SPREAD FOOTINGS

|     |    |  |  |       |      |  |  |    |      |   |       |  |  |  |   |    |       |       |         |
|-----|----|--|--|-------|------|--|--|----|------|---|-------|--|--|--|---|----|-------|-------|---------|
| 784 | GI | Segment: BUILDING #12 Sub-Segment: SPREAD FOOTINGS |  |       |      |  |  |    |      |   |       |  |  |  |   |    |       |       |         |
| 785 | MT |  |  |       |      |  |  |    |      |   |       |  |  |  |   |    |       |       |         |
| 786 | MT | S1.00A   |  |       |      |  |  |    |      |   |       |  |  |  |   |    |       |       |         |
| 787 | MT |  |  |       |      |  |  |    |      |   |       |  |  |  |   |    |       |       |         |
| 788 | DG | G006   |  | F4.0  |      |  |  | 21 |      |   |       |  |  |  |   |    |       |       |         |
| 789 | TR | LS   |  | 60    | 7X2  |  |  | G6 | 13/4 | S | 4-00  |  |  |  | 1 | LD | 30-00 | 790   | MAT BOT |
| 790 | MT |  |  |       |      |  |  |    |      |   |       |  |  |  |   |    |       |       |         |
| 791 | DG | G006   |  | F5.0  |      |  |  | 14 |      |   |       |  |  |  |   |    |       |       |         |
| 792 | TR | LS   |  | 60    | 5X2  |  |  | G6 | 19/6 | S | 5-00  |  |  |  | 1 | LD | 30-00 | 1,058 | MAT BOT |
| 793 | MT |  |  |       |      |  |  |    |      |   |       |  |  |  |   |    |       |       |         |
| 794 | DG | G006   |  | F5.5  |      |  |  | 6  |      |   |       |  |  |  |   |    |       |       |         |
| 795 | TR | LS   |  | 60    | 6X2  |  |  | G6 | 19/6 | S | 5-06  |  |  |  | 1 | LD | 30-00 | 598   | MAT BOT |
| 796 | MT |  |  |       |      |  |  |    |      |   |       |  |  |  |   |    |       |       |         |
| 797 | DG | G006   |  | F6.0  |      |  |  | 8  |      |   |       |  |  |  |   |    |       |       |         |
| 798 | TR | LS   |  | 60    | 8X2  |  |  | G6 | 19/6 | S | 6-00  |  |  |  | 1 | LD | 30-00 | 1,161 | MAT BOT |
| 799 | MT |  |  |       |      |  |  |    |      |   |       |  |  |  |   |    |       |       |         |
| 800 | DG | G006   |  | F6.5  |      |  |  | 4  |      |   |       |  |  |  |   |    |       |       |         |
| 801 | TR | LS   |  | 60    | 9X2  |  |  | G6 | 19/6 | S | 6-06  |  |  |  | 1 | LD | 30-00 | 707   | MAT BOT |
| 802 | MT |  |  |       |      |  |  |    |      |   |       |  |  |  |   |    |       |       |         |
| 803 | DG | G006   |  | F7.0  |      |  |  | 10 |      |   |       |  |  |  |   |    |       |       |         |
| 804 | TR | LS   |  | 60    | 10X2 |  |  | G6 | 19/6 | S | 7-00  |  |  |  | 1 | LD | 30-00 | 2,116 | MAT BOT |
| 805 | MT |  |  |       |      |  |  |    |      |   |       |  |  |  |   |    |       |       |         |
| 806 | DG | G006   |  | F7.5  |      |  |  | 4  |      |   |       |  |  |  |   |    |       |       |         |
| 807 | TR | LS   |  | 60    | 8X2  |  |  | G6 | 22/7 | S | 7-06  |  |  |  | 1 | LD | 30-00 | 987   | MAT BOT |
| 808 | MT |  |  |       |      |  |  |    |      |   |       |  |  |  |   |    |       |       |         |
| 809 | DG | G006   |  | F8.0  |      |  |  | 5  |      |   |       |  |  |  |   |    |       |       |         |
| 810 | TR | LS   |  | 60    | 8X2  |  |  | G6 | 25/8 | S | 8-00  |  |  |  | 1 | LD | 30-00 | 1,719 | MAT BOT |
| 811 | MT |  |  |       |      |  |  |    |      |   |       |  |  |  |   |    |       |       |         |
| 812 | DG | G006   |  | F8.5  |      |  |  | 2  |      |   |       |  |  |  |   |    |       |       |         |
| 813 | TR | LS   |  | 60    | 9X2  |  |  | G6 | 25/8 | S | 8-06  |  |  |  | 1 | LD | 30-00 | 822   | MAT BOT |
| 814 | MT |  |  |       |      |  |  |    |      |   |       |  |  |  |   |    |       |       |         |
| 815 | DG | G006   |  | F9.0  |      |  |  | 16 |      |   |       |  |  |  |   |    |       |       |         |
| 816 | TR | LS   |  | 60    | 9X2  |  |  | G6 | 25/8 | S | 9-00  |  |  |  | 1 | LD | 30-00 | 6,962 | MAT BOT |
| 817 | MT |  |  |       |      |  |  |    |      |   |       |  |  |  |   |    |       |       |         |
| 818 | DG | G006   |  | F9.5  |      |  |  | 6  |      |   |       |  |  |  |   |    |       |       |         |
| 819 | TR | LS   |  | 60    | 11X2 |  |  | G6 | 25/8 | S | 9-06  |  |  |  | 1 | LD | 30-00 | 3,369 | MAT BOT |
| 820 | MT |  |  |       |      |  |  |    |      |   |       |  |  |  |   |    |       |       |         |
| 821 | TR | LS   |  | 60    | 12X2 |  |  | 1  | 25/8 | S | 10-00 |  |  |  | 1 | LD | 30-00 | 645   | F10     |
| 822 | MT |  |  |       |      |  |  |    |      |   |       |  |  |  |   |    |       |       |         |
| 823 | DG | G006   |  | F10.5 |      |  |  | 1  |      |   |       |  |  |  |   |    |       |       |         |
| 824 | TR | LS   |  | 60    | 12X2 |  |  | G6 | 25/8 | S | 10-06 |  |  |  | 1 | LD | 30-00 | 677   | MAT BOT |
| 825 | MT |  |  |       |      |  |  |    |      |   |       |  |  |  |   |    |       |       |         |
| 826 | MT |  |  |       |      |  |  |    |      |   |       |  |  |  |   |    |       |       |         |
| 827 | MT |  |  |       |      |  |  |    |      |   |       |  |  |  |   |    |       |       |         |
| 828 | MT |  |  |       |      |  |  |    |      |   |       |  |  |  |   |    |       |       |         |
| 829 | MT |  |  |       |      |  |  |    |      |   |       |  |  |  |   |    |       |       |         |

## Total for Segment: BUILDING #12, Sub-Segment: SPREAD FOOTINGS

## \*\*\*\* Rebar Weight Summary (Lbs) \*\*\*\*

| Size                  | Total         | Straight      | HEAVY    | LIGHT    | Stock Wgt |
|-----------------------|---------------|---------------|----------|----------|-----------|
| ** Grade 60, Black ** |               |               |          |          |           |
| 13/4                  | 790           | 790           | 0        | 0        | 0         |
| 19/6                  | 5,640         | 5,640         | 0        | 0        | 0         |
| 22/7                  | 987           | 987           | 0        | 0        | 0         |
| 25/8                  | 14,194        | 14,194        | 0        | 0        | 0         |
|                       | <u>21,611</u> | <u>21,611</u> | <u>0</u> | <u>0</u> | <u>0</u>  |

## REG191030K - Chestnut Hill Realty - Residen

| Line | Mat | Func | Placing | Grd | Qty | Span | Spcg | Mult | Size | Cls | L1 | L2 | L3 | L4 | L5 | Lap | Stock | Lbs | Notes |
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|

Segment: BUILDING #12

Sub-Segment: FOUNDATION WALLS

|     |    |   |        |    |          |      |      |      |      |   |      |      |      |  |  |   |    |       |        |                        |
|-----|----|---|--------|----|----------|------|------|------|------|---|------|------|------|--|--|---|----|-------|--------|------------------------|
| 830 | GI | Segment: BUILDING #12 Sub-Segment: FOUNDATION WALLS |        |    |          |      |      |      |      |   |      |      |      |  |  |   |    |       |        |                        |
| 831 | MT |   |        |    |          |      |      |      |      |   |      |      |      |  |  |   |    |       |        |                        |
| 832 | MT | S1.00A  |        |    |          |      |      |      |      |   |      |      |      |  |  |   |    |       |        |                        |
| 833 | MT |   |        |    |          |      |      |      |      |   |      |      |      |  |  |   |    |       |        |                        |
| 834 | MT | 3/S4.01   |        |    |          |      |      |      |      |   |      |      |      |  |  |   |    |       |        |                        |
| 835 | DG | G001  | TOP    |    | 183.5    |      |      |      |      |   |      |      |      |  |  |   |    |       |        |                        |
| 836 | DG | G002  | BOF    |    | 172.5-4  |      |      |      |      |   |      |      |      |  |  |   |    |       |        |                        |
| 837 | DG | G003  | FTG HT |    | 2        |      |      |      |      |   |      |      |      |  |  |   |    |       |        |                        |
| 838 | DG | G004  | HT     |    | G1-G2-G3 |      |      |      |      |   |      |      |      |  |  |   |    |       |        |                        |
| 839 | DG | G005  | LONG   |    | 605      |      |      |      |      |   |      |      |      |  |  |   |    |       |        |                        |
| 840 | TR | LS  |        | 60 |          | 5-06 | 1-00 | 2    | 13/4 | S | G5   |      |      |  |  | 1 | LD | 30-00 | 6,104  | CONT T&B               |
| 841 | TR | LS  |        | 60 |          | G5   | 1-00 | 2    | 16/5 | S | 5-06 |      |      |  |  | 1 | LD | 30-00 | 6,993  | TRANS                  |
| 842 | MR | STND  |        | 60 |          | G5   | 4-00 | 3    | 13/4 | H | 1-05 |      |      |  |  |   |    |       | 2,086  | 1' 5" STANDEE          |
| 843 | TR | LS  |        | 60 |          | G5   | 4-00 |      | 16/5 | S | 5-06 |      |      |  |  | 1 | LD | 30-00 | 883    | BAR SUPPORT            |
| 844 | TR | BF  |        | 60 |          | G5   | 1-00 |      | 19/6 | H | 2-06 | G3   | LD   |  |  |   |    |       | 6,943  | DWLS TO WALL           |
| 845 | TR | LS  |        | 60 |          | G5   | 1-00 |      | 13/4 | S | G4   |      |      |  |  | 1 | LD | 30-00 | 5,294  | VERT OF                |
| 846 | TR | LS  |        | 60 |          | G5   | 1-00 |      | 19/6 | S | G4   |      |      |  |  | 1 | LD | 30-00 | 11,903 | VERT IF                |
| 847 | TR | LS  |        | 60 |          | G4   | 1-00 | 2    | 13/4 | S | G4   |      |      |  |  | 1 | LD | 30-00 | 245    | CONT AT WALL           |
| 848 | TR | BF  |        | 60 | 1        |      |      | 45   | 13/4 | H | S90  | G3   | LD   |  |  |   |    |       | 144    | DWLS TO WALL AT CORNER |
| 849 | TR | LS  |        | 60 | 1        |      |      | 45   | 13/4 | S | G4   |      |      |  |  | 1 | LD | 30-00 | 393    | VERTS AT CORNER        |
| 850 | TR | BF  |        | 60 |          | G4   | 1-00 | 3X13 | 13/4 | H | LD   | LD   |      |  |  |   |    |       | 1,529  | CB                     |
| 851 | TR | BF  |        | 60 |          | G4   | 1-00 | 3X26 | 13/4 | H | LD   | 3-00 | LD   |  |  |   |    |       | 5,258  | Z CB                   |
| 852 | TR | BF  |        | 60 |          | G5   | 1-00 |      | 13/4 | H | LD   | LD   |      |  |  |   |    |       | 1,697  | DWLS TO DECK           |
| 853 | MT | S1.01A - U-BARS AT TOP                              |        |    |          |      |      |      |      |   |      |      |      |  |  |   |    |       |        |                        |
| 854 | MT | TYP DETAIL F/S2.02                                  |        |    |          |      |      |      |      |   |      |      |      |  |  |   |    |       |        |                        |
| 855 | DG | G006  | MULT   |    | 53       |      |      |      |      |   |      |      |      |  |  |   |    |       |        |                        |
| 856 | TR | BF  |        | 60 | 2        |      |      | G6   | 13/4 | H | 3-00 | 1-00 | 3-00 |  |  |   |    |       | 498    | U BARS                 |
| 857 | MT | MASONRY   |        |    |          |      |      |      |      |   |      |      |      |  |  |   |    |       |        |                        |
| 858 | MT | 4/S4.01   |        |    |          |      |      |      |      |   |      |      |      |  |  |   |    |       |        |                        |
| 859 | DG | G003  | FTG HT |    | 1        |      |      |      |      |   |      |      |      |  |  |   |    |       |        |                        |
| 860 | DG | G004  | HT     |    | 3.33     |      |      |      |      |   |      |      |      |  |  |   |    |       |        |                        |
| 861 | DG | G005  | LONG   |    | 154      |      |      |      |      |   |      |      |      |  |  |   |    |       |        |                        |
| 862 | TR | LS  |        | 60 | 3        |      |      |      | 13/4 | S | G5   |      |      |  |  | 1 | LD | 30-00 | 331    | CONT AT BOT            |
| 863 | TR | BF  |        | 60 |          | G5   | 1-00 |      | 16/5 | H | S90  | G3   | G4   |  |  |   |    |       | 839    | DWLS TO WALL           |
| 864 | TR | LS  |        | 60 |          | G4   | 1-00 |      | 13/4 | S | G5   |      |      |  |  | 1 | LD | 30-00 | 552    | CONT AT WALL           |
| 865 | TR | BF  |        | 60 |          | G4   | 1-00 | 6    | 13/4 | H | LD   | LD   |      |  |  |   |    |       | 84     | CB                     |
| 866 | TR | BF  |        | 60 |          | G5   | 2-08 |      | 16/5 | S | 5-00 |      |      |  |  |   |    |       | 310    | DWLS TO CMU            |
| 867 | TR | BF  |        | 60 | 3        |      |      | 6    | 16/5 | S | 5-00 |      |      |  |  |   |    |       | 94     | DWLS TO CMU AT CORNER  |
| 868 | TR | BF  |        | 60 | 3        |      |      | 4X2  | 16/5 | S | 5-00 |      |      |  |  |   |    |       | 126    | DWLS TO CMU AT JAMBS   |
| 869 | MT |   |        |    |          |      |      |      |      |   |      |      |      |  |  |   |    |       |        |                        |
| 870 | MT |   |        |    |          |      |      |      |      |   |      |      |      |  |  |   |    |       |        |                        |
| 871 | MT |   |        |    |          |      |      |      |      |   |      |      |      |  |  |   |    |       |        |                        |
| 872 | MT | S1.00B  |        |    |          |      |      |      |      |   |      |      |      |  |  |   |    |       |        |                        |
| 873 | MT |   |        |    |          |      |      |      |      |   |      |      |      |  |  |   |    |       |        |                        |
| 874 | MT | 3/S4.01   |        |    |          |      |      |      |      |   |      |      |      |  |  |   |    |       |        |                        |
| 875 | DG | G001  | TOP    |    | 183.5    |      |      |      |      |   |      |      |      |  |  |   |    |       |        |                        |
| 876 | DG | G002  | BOF    |    | 172.5-4  |      |      |      |      |   |      |      |      |  |  |   |    |       |        |                        |
| 877 | DG | G003  | FTG HT |    | 2        |      |      |      |      |   |      |      |      |  |  |   |    |       |        |                        |
| 878 | DG | G004  | HT     |    | G1-G2-G3 |      |      |      |      |   |      |      |      |  |  |   |    |       |        |                        |
| 879 | DG | G005  | LONG   |    | 579      |      |      |      |      |   |      |      |      |  |  |   |    |       |        |                        |
| 880 | TR | LS  |        | 60 |          | 5-06 | 1-00 | 2    | 13/4 | S | G5   |      |      |  |  | 1 | LD | 30-00 | 5,839  | CONT T&B               |
| 881 | TR | LS  |        | 60 |          | G5   | 1-00 | 2    | 16/5 | S | 5-06 |      |      |  |  | 1 | LD | 30-00 | 6,693  | TRANS                  |
| 882 | MR | STND  |        | 60 |          | G5   | 4-00 | 3    | 13/4 | H | 1-05 |      |      |  |  |   |    |       | 1,990  | 1' 5" STANDEE          |
| 883 | TR | LS  |        | 60 |          | G5   | 4-00 |      | 16/5 | S | 5-06 |      |      |  |  | 1 | LD | 30-00 | 842    | BAR SUPPORT            |
| 884 | TR | BF  |        | 60 |          | G5   | 1-00 |      | 19/6 | H | 2-06 | G3   | LD   |  |  |   |    |       | 6,645  | DWLS TO WALL           |
| 885 | TR | LS  |        | 60 |          | G5   | 1-00 |      | 13/4 | S | G4   |      |      |  |  | 1 | LD | 30-00 | 5,066  | VERT OF                |
| 886 | TR | LS  |        | 60 |          | G5   | 1-00 |      | 19/6 | S | G4   |      |      |  |  | 1 | LD | 30-00 | 11,392 | VERT IF                |
| 887 | TR | LS  |        | 60 |          | G4   | 1-00 | 2    | 13/4 | S | G4   |      |      |  |  | 1 | LD | 30-00 | 245    | CONT AT WALL           |

## REG191030K - Chestnut Hill Realty - Residen

| Line | Mat | Func                   | Placing | Grd | Qty | Span | Spcg | Mult   | Size | Cls | L1   | L2   | L3   | L4 | L5 | Lap | Stock | Lbs   | Notes                  |
|------|-----|------------------------|---------|-----|-----|------|------|--------|------|-----|------|------|------|----|----|-----|-------|-------|------------------------|
| 888  | TR  | BF                     |         | 60  | 1   |      |      | 52     | 13/4 | H   | S90  | G3   | LD   |    |    |     |       | 166   | DWLS TO WALL AT CORNER |
| 889  | TR  | LS                     |         | 60  | 1   |      |      | 52     | 13/4 | S   | G4   |      |      |    | 1  | LD  | 30-00 | 454   | VERTS AT CORNER        |
| 890  | TR  | BF                     |         | 60  |     | G4   | 1-00 | 3X17   | 13/4 | H   | LD   | LD   |      |    |    |     |       | 1,999 | CB                     |
| 891  | TR  | BF                     |         | 60  |     | G4   | 1-00 | 3X30   | 13/4 | H   | LD   | LD   |      |    |    |     |       | 3,528 | Z CB                   |
| 892  | TR  | BF                     |         | 60  |     | G5   | 1-00 |        | 13/4 | H   | LD   | LD   |      |    |    |     |       | 1,624 | DWLS TO DECK           |
| 893  | MT  | S1.01B - U-BARS AT TOP |         |     |     |      |      |        |      |     |      |      |      |    |    |     |       |       |                        |
| 894  | MT  | TYP DETAIL F/S2.02     |         |     |     |      |      |        |      |     |      |      |      |    |    |     |       |       |                        |
| 895  | DG  | G006                   |         |     |     |      |      | MULT   |      |     |      |      |      |    |    |     |       | 42    |                        |
| 896  | TR  | BF                     |         | 60  | 2   |      |      | G6     | 13/4 | H   | 3-00 | 1-00 | 3-00 |    |    |     |       | 395   | U BARS                 |
| 897  | MT  | MASONRY                |         |     |     |      |      |        |      |     |      |      |      |    |    |     |       |       |                        |
| 898  | MT  | 4/S4.01                |         |     |     |      |      |        |      |     |      |      |      |    |    |     |       |       |                        |
| 899  | DG  | G003                   |         |     |     |      |      | FTG HT |      |     |      |      |      |    |    |     |       | 1     |                        |
| 900  | DG  | G004                   |         |     |     |      |      | HT     |      |     |      |      |      |    |    |     |       | 3.33  |                        |
| 901  | DG  | G005                   |         |     |     |      |      | LONG   |      |     |      |      |      |    |    |     |       | 320   |                        |
| 902  | TR  | LS                     |         | 60  | 3   |      |      |        | 13/4 | S   | G5   |      |      |    | 1  | LD  | 30-00 | 691   | CONT AT BOT            |
| 903  | TR  | BF                     |         | 60  |     | G5   | 1-00 |        | 16/5 | H   | S90  | G3   | G4   |    |    |     |       | 1,737 | DWLS TO WALL           |
| 904  | TR  | LS                     |         | 60  |     | G4   | 1-00 |        | 13/4 | S   | G5   |      |      |    | 1  | LD  | 30-00 | 1,152 | CONT AT WALL           |
| 905  | TR  | BF                     |         | 60  |     | G4   | 1-00 | 12     | 13/4 | H   | LD   | LD   |      |    |    |     |       | 168   | CB                     |
| 906  | TR  | BF                     |         | 60  |     | G5   | 2-08 |        | 16/5 | S   | 5-00 |      |      |    |    |     |       | 635   | DWLS TO CMU            |
| 907  | TR  | BF                     |         | 60  | 3   |      |      | 12     | 16/5 | S   | 5-00 |      |      |    |    |     |       | 189   | DWLS TO CMU AT CORNER  |
| 908  | TR  | BF                     |         | 60  | 3   |      |      | 9X2    | 16/5 | S   | 5-00 |      |      |    |    |     |       | 283   | DWLS TO CMU AT JAMBS   |
| 909  | MT  |                        |         |     |     |      |      |        |      |     |      |      |      |    |    |     |       |       |                        |
| 910  | MT  |                        |         |     |     |      |      |        |      |     |      |      |      |    |    |     |       |       |                        |
| 911  | MT  |                        |         |     |     |      |      |        |      |     |      |      |      |    |    |     |       |       |                        |

**Total for Segment: BUILDING #12, Sub-Segment: FOUNDATION WALLS**

**\*\*\*\* Rebar Weight Summary (Lbs) \*\*\*\***

| Size                  | Total   | Straight | HEAVY  | LIGHT | Stock Wgt |
|-----------------------|---------|----------|--------|-------|-----------|
| ** Grade 60, Black ** |         |          |        |       |           |
| 13/4                  | 47,531  | 26,365   | 21,166 | 0     | 14,152    |
| 16/5                  | 19,624  | 17,048   | 2,576  | 0     | 0         |
| 19/6                  | 36,883  | 23,295   | 13,588 | 0     | 0         |
|                       | 104,038 | 66,708   | 37,330 | 0     | 14,152    |



REG191030K - Chestnut Hill Realty - Residen

| Line | Mat | Func | Placing | Grd | Qty | Span | Spcg | Mult | Size | Cls | L1 | L2 | L3 | L4 | L5 | Lap | Stock | Lbs | Notes |
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|

Segment: BUILDING #12

Sub-Segment: AREAWAY SHAFT

|     |    |  |        |    |   |       |      |          |       |   |       |      |      |       |   |    |       |       |                        |  |
|-----|----|--|--------|----|---|-------|------|----------|-------|---|-------|------|------|-------|---|----|-------|-------|------------------------|--|
| 912 | GI | Segment: BUILDING #12 Sub-Segment: AREAWAY SHAFT |        |    |   |       |      |          |       |   |       |      |      |       |   |    |       |       |                        |  |
| 913 | MT |  |        |    |   |       |      |          |       |   |       |      |      |       |   |    |       |       |                        |  |
| 914 | MT | S1.00A   |        |    |   |       |      |          |       |   |       |      |      |       |   |    |       |       |                        |  |
| 915 | MT |  |        |    |   |       |      |          |       |   |       |      |      |       |   |    |       |       |                        |  |
| 916 | MT | AREWAY SHAFT 1                                   |        |    |   |       |      |          |       |   |       |      |      |       |   |    |       |       |                        |  |
| 917 | MT | 2/S4.02  |        |    |   |       |      |          |       |   |       |      |      |       |   |    |       |       |                        |  |
| 918 | MT | EXTERIOR WALL                                    |        |    |   |       |      |          |       |   |       |      |      |       |   |    |       |       |                        |  |
| 919 | DG | G001   | TOP    |    |   |       |      | 183.5    |       |   |       |      |      |       |   |    |       |       |                        |  |
| 920 | DG | G002   | BOF    |    |   |       |      | 172.5-4  |       |   |       |      |      |       |   |    |       |       |                        |  |
| 921 | DG | G003   | FTG HT |    |   |       |      | 2        |       |   |       |      |      |       |   |    |       |       |                        |  |
| 922 | DG | G004   | HT     |    |   |       |      | G1-G2-G3 |       |   |       |      |      |       |   |    |       |       |                        |  |
| 923 | DG | G005   | LONG   |    |   |       |      | 32       |       |   |       |      |      |       |   |    |       |       |                        |  |
| 924 | TR | LS   |        | 60 |   | 12-08 | 1-00 |          | 32/10 | S | 18-06 |      |      |       | 1 | LD | 30-00 | 1,121 | CONT AT BOT            |  |
| 925 | TR | LS   |        | 60 |   | 12-08 | 1-00 |          | 29/9  | S | 18-06 |      |      |       | 1 | LD | 30-00 | 886   | CONT AT TOP            |  |
| 926 | TR | LS   |        | 60 |   | 18-06 | 1-00 | 2        | 29/9  | S | 12-08 |      |      |       | 1 | LD | 30-00 | 1,733 | TRANS T&B              |  |
| 927 | MR | STND   |        | 60 |   | 18-06 | 4-00 | 5        | 13/4  | H | 1-02  |      |      |       |   |    |       | 126   | 1' 2" STANDEE          |  |
| 928 | TR | LS   |        | 60 |   | 18-06 | 4-00 |          | 16/5  | S | 12-08 |      |      |       | 1 | LD | 30-00 | 80    | BAR SUPPORT            |  |
| 929 | TR | BF   |        | 60 |   | G5    | 1-00 |          | 13/4  | H | 2-06  | G3   | LD   |       |   |    |       | 146   | DWLS TO WALL IF        |  |
| 930 | TR | BF   |        | 60 |   | G5    | 0-08 |          | 29/9  | H | 2-06  | G3   | LD   |       |   |    |       | 1,732 | DWLS TO WALL OF        |  |
| 931 | TR | LS   |        | 60 |   | G5    | 1-00 |          | 13/4  | S | G4    |      |      |       | 1 | LD | 30-00 | 288   | VERTS OF               |  |
| 932 | TR | LS   |        | 60 |   | G5    | 0-08 |          | 29/9  | S | G4    |      |      |       | 1 | LD | 30-00 | 2,179 | VERTS IF               |  |
| 933 | TR | LS   |        | 60 |   | G4    | 1-00 | 2        | 13/4  | S | G5    |      |      |       | 1 | LD | 30-00 | 641   | CONT AT WALL           |  |
| 934 | TR | BF   |        | 60 | 1 |       |      | 4        | 13/4  | H | S90   | G3   | LD   |       |   |    |       | 13    | DWLS TO WALL AT CORNER |  |
| 935 | TR | LS   |        | 60 | 1 |       |      | 4        | 13/4  | S | G4    |      |      |       | 1 | LD | 30-00 | 35    | VERTS AT CORNER        |  |
| 936 | TR | BF   |        | 60 |   | G4    | 1-00 | 3X2      | 13/4  | H | LD    | LD   |      |       |   |    |       | 235   | CB                     |  |
| 937 | TR | BF   |        | 60 |   | G4    | 1-00 | 2X2      | 13/4  | H | LD    | 2-00 | LD   |       |   |    |       | 232   | Z CB                   |  |
| 938 | MT |  |        |    |   |       |      |          |       |   |       |      |      |       |   |    |       |       |                        |  |
| 939 | MT | 2/S4.02 - 1/S4.01                                |        |    |   |       |      |          |       |   |       |      |      |       |   |    |       |       |                        |  |
| 940 | MT | INTERIOR WALL                                    |        |    |   |       |      |          |       |   |       |      |      |       |   |    |       |       |                        |  |
| 941 | DG | G001   | TOP    |    |   |       |      | 183.5    |       |   |       |      |      |       |   |    |       |       |                        |  |
| 942 | DG | G002   | BOF    |    |   |       |      | 172.5-4  |       |   |       |      |      |       |   |    |       |       |                        |  |
| 943 | DG | G003   | FTG HT |    |   |       |      | 2        |       |   |       |      |      |       |   |    |       |       |                        |  |
| 944 | DG | G004   | HT     |    |   |       |      | G1-G2-G3 |       |   |       |      |      |       |   |    |       |       |                        |  |
| 945 | DG | G005   | LONG   |    |   |       |      | 15       |       |   |       |      |      |       |   |    |       |       |                        |  |
| 946 | TR | BF   |        | 60 |   | G5    | 1-00 | 2        | 19/6  | H | 2-06  | G3   | 4-06 |       |   |    |       | 435   | DWLS TO WALL           |  |
| 947 | TR | LS   |        | 60 |   | G5    | 1-00 |          | 13/4  | S | G4    |      |      |       | 1 | LD | 30-00 | 140   | VERT OF                |  |
| 948 | TR | LS   |        | 60 |   | G5    | 1-00 |          | 19/6  | S | G4    |      |      |       | 1 | LD | 30-00 | 314   | VERT IF                |  |
| 949 | TR | LS   |        | 60 |   | G4    | 1-00 | 2        | 13/4  | S | G4    |      |      |       | 1 | LD | 30-00 | 245   | CONT AT WALL EF        |  |
| 950 | TR | BF   |        | 60 |   | G5    | 1-00 |          | 16/5  | H | 2-06  | 1-00 |      |       |   |    |       | 59    | DWLS TO DECK           |  |
| 951 | TR | BF   |        | 60 | 3 |       |      | 2        | 22/7  | S | LD    | 3-00 | LD   |       |   |    |       | 148   | ADDL AT BEAM           |  |
| 952 | TR | TA   |        | 60 |   | 3-00  | 1-06 | 2        | 13/4  | H | 3-00  | 1-00 |      | 0-012 | 0 |    |       | 34    | TIES                   |  |
| 953 | TR | LS   |        | 60 | 1 |       |      |          | 16/5  | S | G5    |      |      |       | 1 | LD | 30-00 | 16    | CONT AT SLAB           |  |
| 954 | MT |  |        |    |   |       |      |          |       |   |       |      |      |       |   |    |       |       |                        |  |
| 955 | MT | S1.00B   |        |    |   |       |      |          |       |   |       |      |      |       |   |    |       |       |                        |  |
| 956 | MT |  |        |    |   |       |      |          |       |   |       |      |      |       |   |    |       |       |                        |  |
| 957 | MT | AREWAY SHAFT 2                                   |        |    |   |       |      |          |       |   |       |      |      |       |   |    |       |       |                        |  |
| 958 | MT | 2/S4.02  |        |    |   |       |      |          |       |   |       |      |      |       |   |    |       |       |                        |  |
| 959 | MT | EXTERIOR WALL                                    |        |    |   |       |      |          |       |   |       |      |      |       |   |    |       |       |                        |  |
| 960 | DG | G001   | TOP    |    |   |       |      | 183.5    |       |   |       |      |      |       |   |    |       |       |                        |  |
| 961 | DG | G002   | BOF    |    |   |       |      | 172.5-4  |       |   |       |      |      |       |   |    |       |       |                        |  |
| 962 | DG | G003   | FTG HT |    |   |       |      | 2        |       |   |       |      |      |       |   |    |       |       |                        |  |
| 963 | DG | G004   | HT     |    |   |       |      | G1-G2-G3 |       |   |       |      |      |       |   |    |       |       |                        |  |
| 964 | DG | G005   | LONG   |    |   |       |      | 54       |       |   |       |      |      |       |   |    |       |       |                        |  |
| 965 | TR | LS   |        | 60 |   | 12-08 | 1-00 |          | 32/10 | S | 40-07 |      |      |       | 1 | LD | 30-00 | 2,858 | CONT AT BOT            |  |
| 966 | TR | LS   |        | 60 |   | 12-08 | 1-00 |          | 29/9  | S | 40-07 |      |      |       | 1 | LD | 30-00 | 2,223 | CONT AT TOP            |  |
| 967 | TR | LS   |        | 60 |   | 40-07 | 1-00 | 2        | 29/9  | S | 12-08 |      |      |       | 1 | LD | 30-00 | 3,639 | TRANS T&B              |  |
| 968 | MR | STND   |        | 60 |   | 40-07 | 4-00 | 5        | 13/4  | H | 1-02  |      |      |       |   |    |       | 252   | 1' 2" STANDEE          |  |
| 969 | TR | LS   |        | 60 |   | 40-07 | 4-00 |          | 16/5  | S | 12-08 |      |      |       | 1 | LD | 30-00 | 159   | BAR SUPPORT            |  |

## REG191030K - Chestnut Hill Realty - Residen

| Line | Mat | Func | Placing           | Grd    | Qty | Span  | Spcg | Mult     | Size  | Cls | L1    | L2   | L3   | L4    | L5 | Lap | Stock | Lbs   | Notes                  |
|------|-----|------|-------------------|--------|-----|-------|------|----------|-------|-----|-------|------|------|-------|----|-----|-------|-------|------------------------|
| 970  | TR  | BF   |                   | 60     |     | G5    | 1-00 |          | 13/4  | H   | 2-06  | G3   | LD   |       |    |     |       | 243   | DWLS TO WALL IF        |
| 971  | TR  | BF   |                   | 60     |     | G5    | 0-08 |          | 29/9  | H   | 2-06  | G3   | LD   |       |    |     |       | 2,898 | DWLS TO WALL OF        |
| 972  | TR  | LS   |                   | 60     |     | G5    | 1-00 |          | 13/4  | S   | G4    |      |      |       | 1  | LD  | 30-00 | 480   | VERTS OF               |
| 973  | TR  | LS   |                   | 60     |     | G5    | 0-08 |          | 29/9  | S   | G4    |      |      |       | 1  | LD  | 30-00 | 3,646 | VERTS IF               |
| 974  | TR  | LS   |                   | 60     |     | G4    | 1-00 | 2        | 13/4  | S   | G5    |      |      |       | 1  | LD  | 30-00 | 1,055 | CONT AT WALL           |
| 975  | TR  | BF   |                   | 60     | 1   |       |      | 4        | 13/4  | H   | S90   | G3   | LD   |       |    |     |       | 13    | DWLS TO WALL AT CORNER |
| 976  | TR  | LS   |                   | 60     | 1   |       |      | 4        | 13/4  | S   | G4    |      |      |       | 1  | LD  | 30-00 | 35    | VERTS AT CORNER        |
| 977  | TR  | BF   |                   | 60     |     | G4    | 1-00 | 3X2      | 13/4  | H   | LD    | LD   |      |       |    |     |       | 235   | CB                     |
| 978  | TR  | BF   |                   | 60     |     | G4    | 1-00 | 3X4      | 13/4  | H   | LD    | 2-00 | LD   |       |    |     |       | 696   | Z CB                   |
| 979  | MT  |      |                   |        |     |       |      |          |       |     |       |      |      |       |    |     |       |       |                        |
| 980  | MT  |      | 2/S4.02 - 1/S4.01 |        |     |       |      |          |       |     |       |      |      |       |    |     |       |       |                        |
| 981  | MT  |      | INTERIOR WALL     |        |     |       |      |          |       |     |       |      |      |       |    |     |       |       |                        |
| 982  | DG  | G001 |                   | TOP    |     |       |      | 183.5    |       |     |       |      |      |       |    |     |       |       |                        |
| 983  | DG  | G002 |                   | BOF    |     |       |      | 172.5-4  |       |     |       |      |      |       |    |     |       |       |                        |
| 984  | DG  | G003 |                   | FTG HT |     |       |      | 2        |       |     |       |      |      |       |    |     |       |       |                        |
| 985  | DG  | G004 |                   | HT     |     |       |      | G1-G2-G3 |       |     |       |      |      |       |    |     |       |       |                        |
| 986  | DG  | G005 |                   | LONG   |     |       |      | 38       |       |     |       |      |      |       |    |     |       |       |                        |
| 987  | TR  | BF   |                   | 60     |     | G5    | 1-00 | 2        | 19/6  | H   | 2-06  | G3   | 4-06 |       |    |     |       | 1,061 | DWLS TO WALL           |
| 988  | TR  | LS   |                   | 60     |     | G5    | 1-00 |          | 13/4  | S   | G4    |      |      |       | 1  | LD  | 30-00 | 341   | VERT OF                |
| 989  | TR  | LS   |                   | 60     |     | G5    | 1-00 |          | 19/6  | S   | G4    |      |      |       | 1  | LD  | 30-00 | 766   | VERT IF                |
| 990  | TR  | LS   |                   | 60     |     | G4    | 1-00 | 2        | 13/4  | S   | G4    |      |      |       | 1  | LD  | 30-00 | 245   | CONT AT WALL EF        |
| 991  | TR  | BF   |                   | 60     |     | G5    | 1-00 |          | 16/5  | H   | 2-06  | 1-00 |      |       |    |     |       | 143   | DWLS TO DECK           |
| 992  | TR  | BF   |                   | 60     | 3   |       |      | 2        | 22/7  | S   | LD    | 7-00 | LD   |       |    |     |       | 197   | ADDL AT BEAM           |
| 993  | TR  | TA   |                   | 60     |     | 7-00  | 1-06 | 2        | 13/4  | H   | 3-00  | 1-00 |      | 0-012 | 0  |     |       | 67    | TIES                   |
| 994  | TR  | LS   |                   | 60     | 1   |       |      |          | 16/5  | S   | G5    |      |      |       | 1  | LD  | 30-00 | 43    | CONT AT SLAB           |
| 995  | MT  |      |                   |        |     |       |      |          |       |     |       |      |      |       |    |     |       |       |                        |
| 996  | MT  |      | AREWAY SHAFT 3    |        |     |       |      |          |       |     |       |      |      |       |    |     |       |       |                        |
| 997  | MT  |      | 2/S4.02           |        |     |       |      |          |       |     |       |      |      |       |    |     |       |       |                        |
| 998  | MT  |      | EXTERIOR WALL     |        |     |       |      |          |       |     |       |      |      |       |    |     |       |       |                        |
| 999  | DG  | G001 |                   | TOP    |     |       |      | 183.5    |       |     |       |      |      |       |    |     |       |       |                        |
| 1000 | DG  | G002 |                   | BOF    |     |       |      | 172.5-4  |       |     |       |      |      |       |    |     |       |       |                        |
| 1001 | DG  | G003 |                   | FTG HT |     |       |      | 2        |       |     |       |      |      |       |    |     |       |       |                        |
| 1002 | DG  | G004 |                   | HT     |     |       |      | G1-G2-G3 |       |     |       |      |      |       |    |     |       |       |                        |
| 1003 | DG  | G005 |                   | LONG   |     |       |      | 28       |       |     |       |      |      |       |    |     |       |       |                        |
| 1004 | TR  | LS   |                   | 60     |     | 12-08 | 1-00 |          | 32/10 | S   | 23-00 |      |      |       | 1  | LD  | 30-00 | 1,394 | CONT AT BOT            |
| 1005 | TR  | LS   |                   | 60     |     | 12-08 | 1-00 |          | 29/9  | S   | 23-00 |      |      |       | 1  | LD  | 30-00 | 1,101 | CONT AT TOP            |
| 1006 | TR  | LS   |                   | 60     |     | 23-00 | 1-00 | 2        | 29/9  | S   | 12-08 |      |      |       | 1  | LD  | 30-00 | 2,080 | TRANS T&B              |
| 1007 | MR  | STND |                   | 60     |     | 23-00 | 4-00 | 5        | 13/4  | H   | 1-02  |      |      |       |    |     |       | 147   | 1' 2" STANDEE          |
| 1008 | TR  | LS   |                   | 60     |     | 23-00 | 4-00 |          | 16/5  | S   | 12-08 |      |      |       | 1  | LD  | 30-00 | 93    | BAR SUPPORT            |
| 1009 | TR  | BF   |                   | 60     |     | G5    | 1-00 |          | 13/4  | H   | 2-06  | G3   | LD   |       |    |     |       | 128   | DWLS TO WALL IF        |
| 1010 | TR  | BF   |                   | 60     |     | G5    | 0-08 |          | 29/9  | H   | 2-06  | G3   | LD   |       |    |     |       | 1,520 | DWLS TO WALL OF        |
| 1011 | TR  | LS   |                   | 60     |     | G5    | 1-00 |          | 13/4  | S   | G4    |      |      |       | 1  | LD  | 30-00 | 253   | VERTS OF               |
| 1012 | TR  | LS   |                   | 60     |     | G5    | 0-08 |          | 29/9  | S   | G4    |      |      |       | 1  | LD  | 30-00 | 1,912 | VERTS IF               |
| 1013 | TR  | LS   |                   | 60     |     | G4    | 1-00 | 2        | 13/4  | S   | G5    |      |      |       | 1  | LD  | 30-00 | 527   | CONT AT WALL           |
| 1014 | TR  | BF   |                   | 60     | 1   |       |      | 4        | 13/4  | H   | S90   | G3   | LD   |       |    |     |       | 13    | DWLS TO WALL AT CORNER |
| 1015 | TR  | LS   |                   | 60     | 1   |       |      | 4        | 13/4  | S   | G4    |      |      |       | 1  | LD  | 30-00 | 35    | VERTS AT CORNER        |
| 1016 | TR  | BF   |                   | 60     |     | G4    | 1-00 | 3X2      | 13/4  | H   | LD    | LD   |      |       |    |     |       | 235   | CB                     |
| 1017 | MT  |      |                   |        |     |       |      |          |       |     |       |      |      |       |    |     |       |       |                        |
| 1018 | MT  |      | 2/S4.02 - 1/S4.01 |        |     |       |      |          |       |     |       |      |      |       |    |     |       |       |                        |
| 1019 | MT  |      | INTERIOR WALL     |        |     |       |      |          |       |     |       |      |      |       |    |     |       |       |                        |
| 1020 | DG  | G001 |                   | TOP    |     |       |      | 183.5    |       |     |       |      |      |       |    |     |       |       |                        |
| 1021 | DG  | G002 |                   | BOF    |     |       |      | 172.5-4  |       |     |       |      |      |       |    |     |       |       |                        |
| 1022 | DG  | G003 |                   | FTG HT |     |       |      | 2        |       |     |       |      |      |       |    |     |       |       |                        |
| 1023 | DG  | G004 |                   | HT     |     |       |      | G1-G2-G3 |       |     |       |      |      |       |    |     |       |       |                        |
| 1024 | DG  | G005 |                   | LONG   |     |       |      | 28       |       |     |       |      |      |       |    |     |       |       |                        |
| 1025 | TR  | BF   |                   | 60     |     | G5    | 1-00 | 2        | 19/6  | H   | 2-06  | G3   | 4-06 |       |    |     |       | 789   | DWLS TO WALL           |
| 1026 | TR  | LS   |                   | 60     |     | G5    | 1-00 |          | 13/4  | S   | G4    |      |      |       | 1  | LD  | 30-00 | 253   | VERT OF                |
| 1027 | TR  | LS   |                   | 60     |     | G5    | 1-00 |          | 19/6  | S   | G4    |      |      |       | 1  | LD  | 30-00 | 570   | VERT IF                |
| 1028 | TR  | LS   |                   | 60     |     | G4    | 1-00 | 2        | 13/4  | S   | G4    |      |      |       | 1  | LD  | 30-00 | 245   | CONT AT WALL EF        |
| 1029 | TR  | BF   |                   | 60     |     | G5    | 1-00 |          | 16/5  | H   | 2-06  | 1-00 |      |       |    |     |       | 107   | DWLS TO DECK           |
| 1030 | TR  | BF   |                   | 60     | 3   |       |      | 2        | 22/7  | S   | LD    | 7-00 | LD   |       |    |     |       | 197   | ADDL AT BEAM           |

## REG191030K - Chestnut Hill Realty - Residen

| Line | Mat | Func | Placing | Grd | Qty | Span  | Spcg | Mult | Size  | Cls | L1    | L2   | L3   | L4    | L5 | Lap | Stock | Lbs   | Notes                  |
|------|-----|------|---------|-----|-----|-------|------|------|-------|-----|-------|------|------|-------|----|-----|-------|-------|------------------------|
| 1031 | TR  | TA   |         | 60  |     | 7-00  | 1-06 | 2    | 13/4  | H   | 3-00  | 1-00 |      | 0-012 | 0  |     |       | 67    | TIES                   |
| 1032 | TR  | LS   |         | 60  | 1   |       |      |      | 16/5  | S   | G5    |      |      |       | 1  | LD  | 30-00 | 29    | CONT AT SLAB           |
| 1033 | MT  |      |         |     |     |       |      |      |       |     |       |      |      |       |    |     |       |       |                        |
| 1034 | MT  |      |         |     |     |       |      |      |       |     |       |      |      |       |    |     |       |       |                        |
| 1035 | MT  |      |         |     |     |       |      |      |       |     |       |      |      |       |    |     |       |       |                        |
| 1036 | MT  |      |         |     |     |       |      |      |       |     |       |      |      |       |    |     |       |       |                        |
| 1037 | DG  | G001 |         |     |     |       |      |      |       |     |       |      |      |       |    |     |       |       |                        |
| 1038 | DG  | G002 |         |     |     |       |      |      |       |     |       |      |      |       |    |     |       |       |                        |
| 1039 | DG  | G003 |         |     |     |       |      |      |       |     |       |      |      |       |    |     |       |       |                        |
| 1040 | DG  | G004 |         |     |     |       |      |      |       |     |       |      |      |       |    |     |       |       |                        |
| 1041 | DG  | G005 |         |     |     |       |      |      |       |     |       |      |      |       |    |     |       |       |                        |
| 1042 | TR  | LS   |         | 60  |     | 12-08 | 1-00 |      | 32/10 | S   | 32-00 |      |      |       | 1  | LD  | 30-00 | 2,338 | CONT AT BOT            |
| 1043 | TR  | LS   |         | 60  |     | 12-08 | 1-00 |      | 29/9  | S   | 32-00 |      |      |       | 1  | LD  | 30-00 | 1,812 | CONT AT TOP            |
| 1044 | TR  | LS   |         | 60  |     | 32-00 | 1-00 | 2    | 29/9  | S   | 12-08 |      |      |       | 1  | LD  | 30-00 | 2,860 | TRANS T&B              |
| 1045 | MR  | STND |         | 60  |     | 32-00 | 4-00 | 5    | 13/4  | H   | 1-02  |      |      |       |    |     |       | 189   | 1' 2" STANDEE          |
| 1046 | TR  | LS   |         | 60  |     | 32-00 | 4-00 |      | 16/5  | S   | 12-08 |      |      |       | 1  | LD  | 30-00 | 120   | BAR SUPPORT            |
| 1047 | TR  | BF   |         | 60  |     | G5    | 1-00 |      | 13/4  | H   | 2-06  | G3   | LD   |       |    |     |       | 190   | DWLS TO WALL IF        |
| 1048 | TR  | BF   |         | 60  |     | G5    | 0-08 |      | 29/9  | H   | 2-06  | G3   | LD   |       |    |     |       | 2,262 | DWLS TO WALL OF        |
| 1049 | TR  | LS   |         | 60  |     | G5    | 1-00 |      | 13/4  | S   | G4    |      |      |       | 1  | LD  | 30-00 | 376   | VERTS OF               |
| 1050 | TR  | LS   |         | 60  |     | G5    | 0-08 |      | 29/9  | S   | G4    |      |      |       | 1  | LD  | 30-00 | 2,845 | VERTS IF               |
| 1051 | TR  | LS   |         | 60  |     | G4    | 1-00 | 2    | 13/4  | S   | G5    |      |      |       | 1  | LD  | 30-00 | 830   | CONT AT WALL           |
| 1052 | TR  | BF   |         | 60  | 1   |       |      | 4    | 13/4  | H   | S90   | G3   | LD   |       |    |     |       | 13    | DWLS TO WALL AT CORNER |
| 1053 | TR  | LS   |         | 60  | 1   |       |      | 4    | 13/4  | S   | G4    |      |      |       | 1  | LD  | 30-00 | 35    | VERTS AT CORNER        |
| 1054 | TR  | BF   |         | 60  |     | G4    | 1-00 | 3X2  | 13/4  | H   | LD    | LD   |      |       |    |     |       | 235   | CB                     |
| 1055 | MT  |      |         |     |     |       |      |      |       |     |       |      |      |       |    |     |       |       |                        |
| 1056 | MT  |      |         |     |     |       |      |      |       |     |       |      |      |       |    |     |       |       |                        |
| 1057 | MT  |      |         |     |     |       |      |      |       |     |       |      |      |       |    |     |       |       |                        |
| 1058 | DG  | G001 |         |     |     |       |      |      |       |     |       |      |      |       |    |     |       |       |                        |
| 1059 | DG  | G002 |         |     |     |       |      |      |       |     |       |      |      |       |    |     |       |       |                        |
| 1060 | DG  | G003 |         |     |     |       |      |      |       |     |       |      |      |       |    |     |       |       |                        |
| 1061 | DG  | G004 |         |     |     |       |      |      |       |     |       |      |      |       |    |     |       |       |                        |
| 1062 | DG  | G005 |         |     |     |       |      |      |       |     |       |      |      |       |    |     |       |       |                        |
| 1063 | TR  | BF   |         | 60  |     | G5    | 1-00 | 2    | 19/6  | H   | 2-06  | G3   | 4-06 |       |    |     |       | 897   | DWLS TO WALL           |
| 1064 | TR  | LS   |         | 60  |     | G5    | 1-00 |      | 13/4  | S   | G4    |      |      |       | 1  | LD  | 30-00 | 288   | VERT OF                |
| 1065 | TR  | LS   |         | 60  |     | G5    | 1-00 |      | 19/6  | S   | G4    |      |      |       | 1  | LD  | 30-00 | 648   | VERT IF                |
| 1066 | TR  | LS   |         | 60  |     | G4    | 1-00 | 2    | 13/4  | S   | G4    |      |      |       | 1  | LD  | 30-00 | 245   | CONT AT WALL EF        |
| 1067 | TR  | BF   |         | 60  |     | G5    | 1-00 |      | 16/5  | H   | 2-06  | 1-00 |      |       |    |     |       | 121   | DWLS TO DECK           |
| 1068 | TR  | BF   |         | 60  | 3   |       |      | 2    | 22/7  | S   | LD    | 7-00 | LD   |       |    |     |       | 197   | ADDL AT BEAM           |
| 1069 | TR  | TA   |         | 60  |     | 7-00  | 1-06 | 2    | 13/4  | H   | 3-00  | 1-00 |      | 0-012 | 0  |     |       | 67    | TIES                   |
| 1070 | TR  | LS   |         | 60  | 1   |       |      |      | 16/5  | S   | G5    |      |      |       | 1  | LD  | 30-00 | 36    | CONT AT SLAB           |
| 1071 | TR  | BF   |         | 60  |     | G4    | 1-00 | 3X1  | 13/4  | H   | LD    | LD   |      |       |    |     |       | 118   | CB                     |
| 1072 | MT  |      |         |     |     |       |      |      |       |     |       |      |      |       |    |     |       |       |                        |
| 1073 | MT  |      |         |     |     |       |      |      |       |     |       |      |      |       |    |     |       |       |                        |

Total for Segment: BUILDING #12, Sub-Segment: AREAWAY SHAFT

\*\*\*\* Rebar Weight Summary (Lbs) \*\*\*\*

| Size  | Total  | Straight | HEAVY  | LIGHT | Stock Wgt |
|-------|--------|----------|--------|-------|-----------|
| 13/4  | 10,285 | 6,591    | 3,694  | 0     | 1,692     |
| 16/5  | 1,006  | 576      | 430    | 0     | 62        |
| 19/6  | 5,480  | 2,298    | 3,182  | 0     | 0         |
| 22/7  | 739    | 739      | 0      | 0     | 0         |
| 29/9  | 35,328 | 26,916   | 8,412  | 0     | 2,874     |
| 32/10 | 7,711  | 7,711    | 0      | 0     | 3,636     |
|       | 60,549 | 44,831   | 15,718 | 0     | 8,264     |

\*\* Grade 60, Black \*\*

# REG191030K - Chestnut Hill Realty - Residen

| Line | Mat | Func | Placing | Grd | Qty | Span | Spcg | Mult | Size | Cls | L1 | L2 | L3 | L4 | L5 | Lap | Stock | Lbs | Notes |
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|

Segment: BUILDING #12

Sub-Segment: ELEVATOR SHAFT

|      |    |   |        |    |     |       |      |     |      |   |       |       |      |      |      |    |       |       |                        |  |  |  |
|------|----|---|--------|----|-----|-------|------|-----|------|---|-------|-------|------|------|------|----|-------|-------|------------------------|--|--|--|
| 1074 | GI | Segment: BUILDING #12 Sub-Segment: ELEVATOR SHAFT |        |    |     |       |      |     |      |   |       |       |      |      |      |    |       |       |                        |  |  |  |
| 1075 | MT |   |        |    |     |       |      |     |      |   |       |       |      |      |      |    |       |       |                        |  |  |  |
| 1076 | MT | S1.00A  |        |    |     |       |      |     |      |   |       |       |      |      |      |    |       |       |                        |  |  |  |
| 1077 | MT |   |        |    |     |       |      |     |      |   |       |       |      |      |      |    |       |       |                        |  |  |  |
| 1078 | MT | ELEVATOR SHAFT 2-0                                |        |    |     |       |      |     |      |   |       |       |      |      |      |    |       |       |                        |  |  |  |
| 1079 | MT | 1/S4.03   |        |    |     |       |      |     |      |   |       |       |      |      |      |    |       |       |                        |  |  |  |
| 1080 | MT | ELEVATIONS @ BB/A6.32                             |        |    |     |       |      |     |      |   |       |       |      |      |      |    |       |       |                        |  |  |  |
| 1081 | DG | G001  | TOP    |    |     |       |      |     |      |   |       |       |      |      |      |    |       |       | 194.5                  |  |  |  |
| 1082 | DG | G002  | BOF    |    |     |       |      |     |      |   |       |       |      |      |      |    |       |       | 172.5-8.25             |  |  |  |
| 1083 | DG | G003  | FTG HT |    |     |       |      |     |      |   |       |       |      |      |      |    |       |       | 2.66                   |  |  |  |
| 1084 | DG | G004  | HT     |    |     |       |      |     |      |   |       |       |      |      |      |    |       |       | G1-G2-G3               |  |  |  |
| 1085 | DG | G005  | LONG   |    |     |       |      |     |      |   |       |       |      |      |      |    |       |       | 36                     |  |  |  |
| 1086 | TR | RA  |        | 60 |     | 1-00  | 1-00 |     | 19/6 | S | 14-08 | 13-00 |      |      |      | LD | 30-00 | 624   | MAT BOT                |  |  |  |
| 1087 | TR | LS  |        | 60 |     | 13-00 | 1-00 |     | 16/5 | S | 14-08 |       |      |      | 1    | LD | 30-00 | 215   | CONT AT TOP            |  |  |  |
| 1088 | TR | LS  |        | 60 |     | 14-08 | 1-00 |     | 25/8 | H | 13-00 | S90   | S90  |      | 1    | LD | 30-00 | 673   | TRANS AT TOP           |  |  |  |
| 1089 | MR | STND  |        | 60 |     | 14-08 | 4-00 | 5   | 16/5 | H | 1-08  |       |      |      |      |    |       | 191   | 1' 8" STANDEE          |  |  |  |
| 1090 | TR | LS  |        | 60 |     | 14-08 | 4-00 |     | 16/5 | S | 13-00 |       |      |      | 1    | LD | 30-00 | 68    | BAR SUPPORT            |  |  |  |
| 1091 | TR | BF  |        | 60 | 5X2 |       |      | 2   | 19/6 | H | 2-00  | 2-00  | 2-00 | 2-00 | 2-00 |    |       | 302   | SUMP PIT               |  |  |  |
| 1092 | TR | BF  |        | 60 |     | G5    | 1-00 | 2   | 16/5 | H | 2-00  | G3    | 3-00 |      |      |    |       | 595   | DWLS TO WALL           |  |  |  |
| 1093 | TR | LS  |        | 60 |     | G5    | 1-00 | 2   | 16/5 | S | G4    |       |      |      | 1    | LD | 30-00 | 2,142 | VERTS EF               |  |  |  |
| 1094 | TR | LS  |        | 60 |     | G4    | 1-00 | 2   | 13/4 | H | G5    |       |      |      | 1    | LD | 30-00 | 1,484 | HOR BAR EF             |  |  |  |
| 1095 | TR | BF  |        | 60 | 4   |       |      | 2   | 16/5 | H | 2-00  | G3    | 3-00 |      |      |    |       | 64    | DWLS AT JAMB           |  |  |  |
| 1096 | TR | LS  |        | 60 | 4   |       |      | 2   | 16/5 | S | G4    |       |      |      | 1    | LD | 30-00 | 232   | ADDL AT JAMBS          |  |  |  |
| 1097 | TR | BF  |        | 60 | 2   |       |      | 2   | 19/6 | S | 6-00  |       |      |      |      |    |       | 36    | ADDL ON TIE            |  |  |  |
| 1098 | TR | BF  |        | 60 |     | 4-00  | 1-00 |     | 13/4 | H | LD    | LD    |      |      |      |    |       | 14    | DWLS TO SLAB LEVEL 1   |  |  |  |
| 1099 | TR | BF  |        | 60 |     | G5    | 1-00 |     | 16/5 | H | 1-00  | 2-06  |      |      |      |    |       | 136   | DWLS TO SLAB LEVEL 3   |  |  |  |
| 1100 | TR | LS  |        | 60 | 1   |       |      |     | 16/5 | S | G5    |       |      |      | 1    | LD | 30-00 | 40    | CONT AT PERIMETER      |  |  |  |
| 1101 | TR | BF  |        | 60 | 1   |       |      | 4   | 13/4 | H | S90   | G3    | LD   |      |      |    |       | 15    | DWLS TO WALL AT CORNER |  |  |  |
| 1102 | TR | LS  |        | 60 | 1   |       |      | 4   | 13/4 | S | G4    |       |      |      | 1    | LD | 30-00 | 74    | VERTS AT CORNER        |  |  |  |
| 1103 | TR | BF  |        | 60 |     | G4    | 1-00 | 3X4 | 13/4 | H | LD    | LD    |      |      |      |    |       | 974   | CB                     |  |  |  |
| 1104 | TR | BF  |        | 60 |     | G5    | 2-08 |     | 16/5 | S | 5-00  |       |      |      |      |    |       | 79    | DWLS TO CMU            |  |  |  |
| 1105 | TR | BF  |        | 60 | 3   |       |      | 4   | 16/5 | S | 5-00  |       |      |      |      |    |       | 63    | DWLS TO CMU AT CORNER  |  |  |  |
| 1106 | TR | BF  |        | 60 | 3   |       |      | 2   | 16/5 | S | 5-00  |       |      |      |      |    |       | 31    | DWLS TO CMU AT JAMBS   |  |  |  |
| 1107 | MT |   |        |    |     |       |      |     |      |   |       |       |      |      |      |    |       |       |                        |  |  |  |
| 1108 | MT | ELEVATOR SHAFT 1.0                                |        |    |     |       |      |     |      |   |       |       |      |      |      |    |       |       |                        |  |  |  |
| 1109 | MT | 1/S4.03   |        |    |     |       |      |     |      |   |       |       |      |      |      |    |       |       |                        |  |  |  |
| 1110 | MT | ELEVATIONS @ A6.01                                |        |    |     |       |      |     |      |   |       |       |      |      |      |    |       |       |                        |  |  |  |
| 1111 | DG | G001  | TOP    |    |     |       |      |     |      |   |       |       |      |      |      |    |       |       | 194.5                  |  |  |  |
| 1112 | DG | G002  | BOF    |    |     |       |      |     |      |   |       |       |      |      |      |    |       |       | 172.5-8.25             |  |  |  |
| 1113 | DG | G003  | FTG HT |    |     |       |      |     |      |   |       |       |      |      |      |    |       |       | 2.66                   |  |  |  |
| 1114 | DG | G004  | HT     |    |     |       |      |     |      |   |       |       |      |      |      |    |       |       | G1-G2-G3               |  |  |  |
| 1115 | DG | G005  | LONG   |    |     |       |      |     |      |   |       |       |      |      |      |    |       |       | 35                     |  |  |  |
| 1116 | TR | RA  |        | 60 |     | 1-00  | 1-00 |     | 19/6 | S | 12-08 | 13-09 |      |      |      | LD | 30-00 | 578   | MAT BOT                |  |  |  |
| 1117 | TR | LS  |        | 60 |     | 13-00 | 1-00 |     | 16/5 | S | 13-09 |       |      |      | 1    | LD | 30-00 | 202   | CONT AT TOP            |  |  |  |
| 1118 | TR | LS  |        | 60 |     | 14-08 | 1-00 |     | 25/8 | H | 12-08 | S90   | S90  |      | 1    | LD | 30-00 | 659   | TRANS AT TOP           |  |  |  |
| 1119 | MR | STND  |        | 60 |     | 13-09 | 4-00 | 5   | 16/5 | H | 1-08  |       |      |      |      |    |       | 191   | 1' 8" STANDEE          |  |  |  |
| 1120 | TR | LS  |        | 60 |     | 12-08 | 4-00 |     | 16/5 | S | 13-09 |       |      |      | 1    | LD | 30-00 | 72    | BAR SUPPORT            |  |  |  |
| 1121 | TR | BF  |        | 60 | 5X2 |       |      | 2   | 19/6 | H | 2-00  | 2-00  | 2-00 | 2-00 | 2-00 |    |       | 302   | SUMP PIT               |  |  |  |
| 1122 | TR | BF  |        | 60 |     | G5    | 1-00 | 2   | 16/5 | H | 2-00  | G3    | 3-00 |      |      |    |       | 578   | DWLS TO WALL           |  |  |  |
| 1123 | TR | LS  |        | 60 |     | G5    | 1-00 | 2   | 16/5 | S | G4    |       |      |      | 1    | LD | 30-00 | 2,084 | VERTS EF               |  |  |  |
| 1124 | TR | LS  |        | 60 |     | G4    | 1-00 | 2   | 13/4 | H | G5    |       |      |      | 1    | LD | 30-00 | 1,445 | HOR BAR EF             |  |  |  |
| 1125 | TR | BF  |        | 60 | 4   |       |      | 2   | 16/5 | H | 2-00  | G3    | 3-00 |      |      |    |       | 64    | DWLS AT JAMB           |  |  |  |
| 1126 | TR | LS  |        | 60 | 4   |       |      | 2   | 16/5 | S | G4    |       |      |      | 1    | LD | 30-00 | 232   | ADDL AT JAMBS          |  |  |  |
| 1127 | TR | BF  |        | 60 | 2   |       |      | 2   | 19/6 | S | 6-00  |       |      |      |      |    |       | 36    | ADDL ON TIE            |  |  |  |
| 1128 | TR | BF  |        | 60 |     | 4-00  | 1-00 |     | 13/4 | H | LD    | LD    |      |      |      |    |       | 14    | DWLS TO SLAB LEVEL 1   |  |  |  |
| 1129 | TR | BF  |        | 60 |     | G5    | 1-00 |     | 16/5 | H | 1-00  | 2-06  |      |      |      |    |       | 132   | DWLS TO SLAB LEVEL 3   |  |  |  |
| 1130 | TR | LS  |        | 60 | 1   |       |      |     | 16/5 | S | G5    |       |      |      | 1    | LD | 30-00 | 39    | CONT AT PERIMETER      |  |  |  |
| 1131 | TR | BF  |        | 60 | 1   |       |      | 4   | 13/4 | H | S90   | G3    | LD   |      |      |    |       | 15    | DWLS TO WALL AT CORNER |  |  |  |

## REG191030K - Chestnut Hill Realty - Residen

| Line | Mat | Func | Placing               | Grd    | Qty | Span  | Spcg | Mult       | Size | Cls | L1    | L2    | L3   | L4   | L5   | Lap | Stock | Lbs   | Notes             |                        |
|------|-----|------|-----------------------|--------|-----|-------|------|------------|------|-----|-------|-------|------|------|------|-----|-------|-------|-------------------|------------------------|
| 1132 | TR  | LS   |                       | 60     | 1   |       |      | 4          | 13/4 | S   | G4    |       |      |      | 1    | LD  | 30-00 | 74    | VERTS AT CORNER   |                        |
| 1133 | TR  | BF   |                       | 60     |     | G4    | 1-00 | 3X4        | 13/4 | H   | LD    | LD    |      |      |      |     |       | 974   | CB                |                        |
| 1134 | TR  | BF   |                       | 60     |     | G5    | 2-08 |            | 16/5 | S   | 5-00  |       |      |      |      |     |       |       | 79                | DWLS TO CMU            |
| 1135 | TR  | BF   |                       | 60     | 3   |       |      | 4          | 16/5 | S   | 5-00  |       |      |      |      |     |       |       | 63                | DWLS TO CMU AT CORNER  |
| 1136 | TR  | BF   |                       | 60     | 3   |       |      | 2          | 16/5 | S   | 5-00  |       |      |      |      |     |       |       | 31                | DWLS TO CMU AT JAMBS   |
| 1137 | MT  |      |                       |        |     |       |      |            |      |     |       |       |      |      |      |     |       |       |                   |                        |
| 1138 | MT  |      | S1.00B                |        |     |       |      |            |      |     |       |       |      |      |      |     |       |       |                   |                        |
| 1139 | MT  |      |                       |        |     |       |      |            |      |     |       |       |      |      |      |     |       |       |                   |                        |
| 1140 | MT  |      | ELEVATOR SHAFT 3-0    |        |     |       |      |            |      |     |       |       |      |      |      |     |       |       |                   |                        |
| 1141 | MT  |      | 1/S4.03               |        |     |       |      |            |      |     |       |       |      |      |      |     |       |       |                   |                        |
| 1142 | MT  |      | ELEVATIONS @ BB/A6.33 |        |     |       |      |            |      |     |       |       |      |      |      |     |       |       |                   |                        |
| 1143 | DG  | G001 |                       | TOP    |     |       |      | 194.5      |      |     |       |       |      |      |      |     |       |       |                   |                        |
| 1144 | DG  | G002 |                       | BOF    |     |       |      | 172.5-8.25 |      |     |       |       |      |      |      |     |       |       |                   |                        |
| 1145 | DG  | G003 |                       | FTG HT |     |       |      | 2.66       |      |     |       |       |      |      |      |     |       |       |                   |                        |
| 1146 | DG  | G004 |                       | HT     |     |       |      | G1-G2-G3   |      |     |       |       |      |      |      |     |       |       |                   |                        |
| 1147 | DG  | G005 |                       | LONG   |     |       |      | 35         |      |     |       |       |      |      |      |     |       |       |                   |                        |
| 1148 | TR  | RA   |                       | 60     |     | 1-00  | 1-00 |            | 19/6 | S   | 14-06 | 12-08 |      |      |      | LD  | 30-00 | 613   | MAT BOT           |                        |
| 1149 | TR  | LS   |                       | 60     |     | 12-08 | 1-00 |            | 16/5 | S   | 12-08 |       |      |      | 1    | LD  | 30-00 | 186   | CONT AT TOP       |                        |
| 1150 | TR  | LS   |                       | 60     |     | 14-05 | 1-00 |            | 25/8 | H   | 12-08 | S90   | S90  |      | 1    | LD  | 30-00 | 659   | TRANS AT TOP      |                        |
| 1151 | MR  | STND |                       | 60     |     | 14-05 | 4-00 | 5          | 16/5 | H   | 1-08  |       |      |      |      |     |       |       | 191               | 1' 8" STANDEE          |
| 1152 | TR  | LS   |                       | 60     |     | 14-05 | 4-00 |            | 16/5 | S   | 12-08 |       |      |      | 1    | LD  | 30-00 | 66    | BAR SUPPORT       |                        |
| 1153 | TR  | BF   |                       | 60     | 5X2 |       |      | 2          | 19/6 | H   | 2-00  | 2-00  | 2-00 | 2-00 | 2-00 |     |       |       | 302               | SUMP PIT               |
| 1154 | TR  | BF   |                       | 60     |     | G5    | 1-00 | 2          | 16/5 | H   | 2-00  | G3    | 3-00 |      |      |     |       |       | 578               | DWLS TO WALL           |
| 1155 | TR  | LS   |                       | 60     |     | G5    | 1-00 | 2          | 16/5 | S   | G4    |       |      |      | 1    | LD  | 30-00 | 2,084 | VERTS EF          |                        |
| 1156 | TR  | LS   |                       | 60     |     | G4    | 1-00 | 2          | 13/4 | H   | G5    |       |      |      | 1    | LD  | 30-00 | 1,445 | HOR BAR EF        |                        |
| 1157 | TR  | BF   |                       | 60     | 4   |       |      | 2          | 16/5 | H   | 2-00  | G3    | 3-00 |      |      |     |       |       | 64                | DWLS AT JAMB           |
| 1158 | TR  | LS   |                       | 60     | 4   |       |      | 2          | 16/5 | S   | G4    |       |      |      | 1    | LD  | 30-00 | 232   | ADDL AT JAMBS     |                        |
| 1159 | TR  | BF   |                       | 60     | 2   |       |      | 2          | 19/6 | S   | 14-08 |       |      |      |      |     |       |       | 89                | ADDL ON TIE            |
| 1160 | TR  | BF   |                       | 60     |     | 4-00  | 1-00 |            | 13/4 | H   | LD    | LD    |      |      |      |     |       |       | 14                | DWLS TO SLAB LEVEL 1   |
| 1161 | TR  | BF   |                       | 60     |     | G5    | 1-00 |            | 16/5 | H   | 1-00  | 2-06  |      |      |      |     |       |       | 132               | DWLS TO SLAB LEVEL 3   |
| 1162 | TR  | LS   |                       | 60     | 1   |       |      |            | 16/5 | S   | G5    |       |      |      | 1    | LD  | 30-00 | 39    | CONT AT PERIMETER |                        |
| 1163 | TR  | BF   |                       | 60     | 1   |       |      | 4          | 13/4 | H   | S90   | G3    | LD   |      |      |     |       |       | 15                | DWLS TO WALL AT CORNER |
| 1164 | TR  | LS   |                       | 60     | 1   |       |      | 4          | 13/4 | S   | G4    |       |      |      | 1    | LD  | 30-00 | 74    | VERTS AT CORNER   |                        |
| 1165 | TR  | BF   |                       | 60     |     | G4    | 1-00 | 3X4        | 13/4 | H   | LD    | LD    |      |      |      |     |       |       | 974               | CB                     |
| 1166 | TR  | BF   |                       | 60     |     | G5    | 2-08 |            | 16/5 | S   | 5-00  |       |      |      |      |     |       |       | 79                | DWLS TO CMU            |
| 1167 | TR  | BF   |                       | 60     | 3   |       |      | 4          | 16/5 | S   | 5-00  |       |      |      |      |     |       |       | 63                | DWLS TO CMU AT CORNER  |
| 1168 | TR  | BF   |                       | 60     | 3   |       |      | 2          | 16/5 | S   | 5-00  |       |      |      |      |     |       |       | 31                | DWLS TO CMU AT JAMBS   |
| 1169 | MT  |      |                       |        |     |       |      |            |      |     |       |       |      |      |      |     |       |       |                   |                        |
| 1170 | MT  |      |                       |        |     |       |      |            |      |     |       |       |      |      |      |     |       |       |                   |                        |
| 1171 | MT  |      |                       |        |     |       |      |            |      |     |       |       |      |      |      |     |       |       |                   |                        |

Total for Segment: BUILDING #12, Sub-Segment: ELEVATOR SHAFT

\*\*\*\* Rebar Weight Summary (Lbs) \*\*\*\*

| Size | Total  | Straight | HEAVY  | LIGHT | Stock Wgt |
|------|--------|----------|--------|-------|-----------|
| 13/4 | 7,605  | 222      | 7,383  | 0     | 3,507     |
| 16/5 | 11,370 | 8,452    | 2,918  | 0     | 93        |
| 19/6 | 2,882  | 1,976    | 906    | 0     | 0         |
| 25/8 | 1,991  | 0        | 1,991  | 0     | 0         |
|      | 23,848 | 10,650   | 13,198 | 0     | 3,600     |

\*\* Grade 60, Black \*\*

## REG191030K - Chestnut Hill Realty - Residen

| Line                      | Mat | Func  | Placing         | Grd | Qty | Span  | Spcg | Mult       | Size | Cls | L1    | L2    | L3   | L4 | L5 | Lap | Stock | Lbs   | Notes        |                        |
|---------------------------|-----|---|-----------------|-----|-----|-------|------|------------|------|-----|-------|-------|------|----|----|-----|-------|-------|--------------|------------------------|
| Segment: BUILDING #12     |     |   |                 |     |     |       |      |            |      |     |       |       |      |    |    |     |       |       |              |                        |
| Sub-Segment: STAIRS SHAFT |     |   |                 |     |     |       |      |            |      |     |       |       |      |    |    |     |       |       |              |                        |
| 1172                      | GI  | Segment: BUILDING #12 Sub-Segment: STAIRS SHAFT |                 |     |     |       |      |            |      |     |       |       |      |    |    |     |       |       |              |                        |
| 1173                      | MT  |   |                 |     |     |       |      |            |      |     |       |       |      |    |    |     |       |       |              |                        |
| 1174                      | MT  | S1.00A  |                 |     |     |       |      |            |      |     |       |       |      |    |    |     |       |       |              |                        |
| 1175                      | MT  |   |                 |     |     |       |      |            |      |     |       |       |      |    |    |     |       |       |              |                        |
| 1176                      | MT  | STAIRS 2  |                 |     |     |       |      |            |      |     |       |       |      |    |    |     |       |       |              |                        |
| 1177                      | MT  | 1/S4.02   |                 |     |     |       |      |            |      |     |       |       |      |    |    |     |       |       |              |                        |
| 1178                      | MT  | ELEVATIONS @ BB/A6.02, BUT TAKEN FOR STRUCTURAL |                 |     |     |       |      |            |      |     |       |       |      |    |    |     |       |       |              |                        |
| 1179                      | MT  | EXTERIOR WALL                                   |                 |     |     |       |      |            |      |     |       |       |      |    |    |     |       |       |              |                        |
| 1180                      | DG  | G001  | TOP             |     |     |       |      | 194.5      |      |     |       |       |      |    |    |     |       |       |              |                        |
| 1181                      | DG  | G002  | BOF             |     |     |       |      | 172.5-6.16 |      |     |       |       |      |    |    |     |       |       |              |                        |
| 1182                      | DG  | G003  | FTG HT          |     |     |       |      | 2.16       |      |     |       |       |      |    |    |     |       |       |              |                        |
| 1183                      | DG  | G004  | HT              |     |     |       |      | G1-G2-G3   |      |     |       |       |      |    |    |     |       |       |              |                        |
| 1184                      | DG  | G005  | LONG            |     |     |       |      | 9          |      |     |       |       |      |    |    |     |       |       |              |                        |
| 1185                      | DG  | G007  | TOP GRADE       |     |     |       |      | 183.47     |      |     |       |       |      |    |    |     |       |       |              |                        |
| 1186                      | DG  | G008  | TOW UP TO GRADE |     |     |       |      | G7-G2-G3   |      |     |       |       |      |    |    |     |       |       |              |                        |
| 1187                      | TR  | LS  |                 | 60  |     | 11-08 | 1-00 |            | 19/6 | S   | 22-09 |       |      |    |    | 1   | LD    | 30-00 | 447          | CONT AT BOT            |
| 1188                      | TR  | LS  |                 | 60  |     | 22-09 | 1-00 |            | 25/8 | S   | 11-08 |       |      |    |    | 1   | LD    | 30-00 | 752          | TRANS                  |
| 1189                      | TR  | RA  |                 | 60  |     | 1-00  | 1-00 |            | 19/6 | S   | 22-09 | 11-08 |      |    |    |     | LD    | 30-00 | 870          | MAT TOP                |
| 1190                      | MR  | STND  |                 | 60  |     | 22-09 | 4-00 | 4          | 13/4 | H   | 1-05  |       |      |    |    |     |       |       | 127          | 1' 5" STANDEE          |
| 1191                      | TR  | LS  |                 | 60  |     | 11-08 | 4-00 |            | 16/5 | S   | 22-09 |       |      |    |    | 1   | LD    | 30-00 | 95           | BAR SUPPORT            |
| 1192                      | TR  | BF  |                 | 60  |     | G5    | 1-00 | 2          | 19/6 | H   | 3-00  | G3    | 3-00 |    |    |     |       |       | 246          | DWLS TO WALL           |
| 1193                      | TR  | LS  |                 | 60  |     | G5    | 1-00 | 2          | 16/5 | S   | G4    |       |      |    |    | 1   | LD    | 30-00 | 546          | VERTS                  |
| 1194                      | TR  | LS  |                 | 60  |     | G8    | 1-00 | 2          | 19/6 | S   | G5    |       |      |    |    | 1   | LD    | 30-00 | 435          | CONT AT WALL UP TO EXT |
| 1195                      | TR  | LS  |                 | 60  |     | 11-00 | 1-00 | 2          | 13/4 | S   | G5    |       |      |    |    | 1   | LD    | 30-00 | 145          | CONT AT WALL           |
| 1196                      | TR  | BF  |                 | 60  | 1   |       |      | 2          | 13/4 | H   | S90   | G3    | LD   |    |    |     |       |       | 7            | DWLS TO WALL AT CORNER |
| 1197                      | TR  | LS  |                 | 60  | 1   |       |      | 2          | 13/4 | S   | G4    |       |      |    |    | 1   | LD    | 30-00 | 35           | VERTS AT CORNER        |
| 1198                      | TR  | BF  |                 | 60  |     | G8    | 1-00 | 2X2        | 19/6 | H   | LD    | LD    |      |    |    |     |       |       | 596          | CB UP TO GRADE         |
| 1199                      | TR  | BF  |                 | 60  |     | 11-00 | 1-00 | 3X2        | 13/4 | H   | LD    | LD    |      |    |    |     |       |       | 202          | CB                     |
| 1200                      | TR  | BF  |                 | 60  |     | G5    | 2-08 |            | 16/5 | S   | 5-00  |       |      |    |    |     |       |       | 26           | DWLS TO CMU            |
| 1201                      | TR  | BF  |                 | 60  | 3   |       |      | 2          | 16/5 | S   | 5-00  |       |      |    |    |     |       |       | 31           | DWLS TO CMU AT CORNER  |
| 1202                      | MT  |   |                 |     |     |       |      |            |      |     |       |       |      |    |    |     |       |       |              |                        |
| 1203                      | MT  | INTERIOR WALL                                   |                 |     |     |       |      |            |      |     |       |       |      |    |    |     |       |       |              |                        |
| 1204                      | DG  | G001  | TOP             |     |     |       |      | 194.5      |      |     |       |       |      |    |    |     |       |       |              |                        |
| 1205                      | DG  | G002  | BOF             |     |     |       |      | 172.5-6.16 |      |     |       |       |      |    |    |     |       |       |              |                        |
| 1206                      | DG  | G003  | FTG HT          |     |     |       |      | 2.16       |      |     |       |       |      |    |    |     |       |       |              |                        |
| 1207                      | DG  | G004  | HT              |     |     |       |      | G1-G2-G3   |      |     |       |       |      |    |    |     |       |       |              |                        |
| 1208                      | DG  | G005  | LONG            |     |     |       |      | 48         |      |     |       |       |      |    |    |     |       |       |              |                        |
| 1209                      | TR  | BF  |                 | 60  |     | G5    | 1-00 | 2          | 19/6 | H   | 3-00  | G3    | 3-00 |    |    |     |       | 1,208 | DWLS TO WALL |                        |
| 1210                      | TR  | LS  |                 | 60  |     | G5    | 1-00 | 2          | 16/5 | S   | G4    |       |      |    |    | 1   | LD    | 30-00 | 2,674        | VERTS                  |
| 1211                      | TR  | LS  |                 | 60  |     | G4    | 1-00 | 2          | 13/4 | S   | G5    |       |      |    |    | 1   | LD    | 30-00 | 1,817        | CONT AT WALL           |
| 1212                      | TR  | BF  |                 | 60  | 1   |       |      | 2          | 13/4 | H   | S90   | G3    | LD   |    |    |     |       |       | 7            | DWLS TO WALL AT CORNER |
| 1213                      | TR  | LS  |                 | 60  | 1   |       |      | 1          | 13/4 | S   | G4    |       |      |    |    | 1   | LD    | 30-00 | 17           | VERTS AT CORNER        |
| 1214                      | TR  | BF  |                 | 60  |     | G4    | 1-00 | 3X2        | 13/4 | H   | LD    | LD    |      |    |    |     |       |       | 454          | CB                     |
| 1215                      | TR  | LS  |                 | 60  | 4   |       |      | 2          | 16/5 | S   | G4    |       |      |    |    | 1   | LD    | 30-00 | 218          | ADDL AT JAMBS          |
| 1216                      | TR  | LS  |                 | 60  | 2   |       |      | 2          | 13/4 | S   | 11-08 |       |      |    |    | 1   | LD    | 30-00 | 31           | CONT ADDL AT JAMBS     |
| 1217                      | TR  | BF  |                 | 60  |     | G5    | 2-08 |            | 16/5 | S   | 5-00  |       |      |    |    |     |       |       | 100          | DWLS TO CMU            |
| 1218                      | TR  | BF  |                 | 60  | 3   |       |      | 2          | 16/5 | S   | 5-00  |       |      |    |    |     |       |       | 31           | DWLS TO CMU AT CORNER  |
| 1219                      | TR  | BF  |                 | 60  | 3   |       |      | 2          | 16/5 | S   | 5-00  |       |      |    |    |     |       |       | 31           | DWLS TO CMU AT JAMBS   |
| 1220                      | MT  |   |                 |     |     |       |      |            |      |     |       |       |      |    |    |     |       |       |              |                        |
| 1221                      | MT  | STAIRS 1  |                 |     |     |       |      |            |      |     |       |       |      |    |    |     |       |       |              |                        |
| 1222                      | MT  | 1/S4.02   |                 |     |     |       |      |            |      |     |       |       |      |    |    |     |       |       |              |                        |
| 1223                      | MT  | ELEVATIONS @ A6.01                              |                 |     |     |       |      |            |      |     |       |       |      |    |    |     |       |       |              |                        |
| 1224                      | DG  | G001  | TOP             |     |     |       |      | 194.5      |      |     |       |       |      |    |    |     |       |       |              |                        |
| 1225                      | DG  | G002  | BOF             |     |     |       |      | 172.5-6.16 |      |     |       |       |      |    |    |     |       |       |              |                        |
| 1226                      | DG  | G003  | FTG HT          |     |     |       |      | 2.16       |      |     |       |       |      |    |    |     |       |       |              |                        |
| 1227                      | DG  | G004  | HT              |     |     |       |      | G1-G2-G3   |      |     |       |       |      |    |    |     |       |       |              |                        |
| 1228                      | DG  | G005  | LONG            |     |     |       |      | 46         |      |     |       |       |      |    |    |     |       |       |              |                        |
| 1229                      | TR  | LS  |                 | 60  |     | 14-08 | 1-00 |            | 19/6 | S   | 22-00 |       |      |    |    | 1   | LD    | 30-00 | 532          | CONT AT BOT            |

## REG191030K - Chestnut Hill Realty - Residen

| Line | Mat | Func               | Placing         | Grd | Qty | Span  | Spcg | Mult       | Size | Cls | L1    | L2    | L3   | L4 | L5 | Lap | Stock | Lbs   | Notes                  |  |
|------|-----|--------------------|-----------------|-----|-----|-------|------|------------|------|-----|-------|-------|------|----|----|-----|-------|-------|------------------------|--|
| 1230 | TR  | LS                 |                 | 60  |     | 22-00 | 1-00 |            | 25/8 | S   | 14-08 |       |      |    | 1  | LD  | 30-00 | 906   | TRANS                  |  |
| 1231 | TR  | RA                 |                 | 60  |     | 1-00  | 1-00 |            | 19/6 | S   | 22-00 | 14-08 |      |    |    | LD  | 30-00 | 1,042 | MAT TOP                |  |
| 1232 | MR  | STND               |                 | 60  |     | 22-00 | 4-00 | 5          | 13/4 | H   | 1-05  |       |      |    |    |     |       | 159   | 1' 5" STANDEE          |  |
| 1233 | TR  | LS                 |                 | 60  |     | 14-08 | 4-00 |            | 16/5 | S   | 22-00 |       |      |    | 1  | LD  | 30-00 | 115   | BAR SUPPORT            |  |
| 1234 | TR  | BF                 |                 | 60  |     | G5    | 1-00 | 2          | 19/6 | H   | 3-00  | G3    | 3-00 |    |    |     |       | 1,158 | DWLS TO WALL           |  |
| 1235 | TR  | LS                 |                 | 60  |     | G5    | 1-00 | 2          | 16/5 | S   | G4    |       |      |    | 1  | LD  | 30-00 | 2,564 | VERTS                  |  |
| 1236 | TR  | LS                 |                 | 60  |     | G4    | 1-00 | 2          | 13/4 | S   | G5    |       |      |    | 1  | LD  | 30-00 | 1,745 | CONT AT WALL           |  |
| 1237 | TR  | BF                 |                 | 60  | 1   |       |      | 3          | 13/4 | H   | S90   | G3    | LD   |    |    |     |       | 10    | DWLS TO WALL AT CORNER |  |
| 1238 | TR  | LS                 |                 | 60  | 1   |       |      | 3          | 13/4 | S   | G4    |       |      |    | 1  | LD  | 30-00 | 52    | VERTS AT CORNER        |  |
| 1239 | TR  | BF                 |                 | 60  |     | G4    | 1-00 | 3X3        | 13/4 | H   | LD    | LD    |      |    |    |     |       | 680   | CB                     |  |
| 1240 | TR  | LS                 |                 | 60  | 4   |       |      | 2          | 16/5 | S   | G4    |       |      |    | 1  | LD  | 30-00 | 218   | ADDL AT JAMBS          |  |
| 1241 | TR  | LS                 |                 | 60  | 2   |       |      | 2          | 13/4 | S   | 14-08 |       |      |    | 1  | LD  | 30-00 | 39    | CONT ADDL AT JAMBS     |  |
| 1242 | TR  | BF                 |                 | 60  |     | G5    | 2-08 |            | 16/5 | S   | 5-00  |       |      |    |    |     |       | 100   | DWLS TO CMU            |  |
| 1243 | TR  | BF                 |                 | 60  | 3   |       |      | 2          | 16/5 | S   | 5-00  |       |      |    |    |     |       | 31    | DWLS TO CMU AT CORNER  |  |
| 1244 | TR  | BF                 |                 | 60  | 3   |       |      | 2          | 16/5 | S   | 5-00  |       |      |    |    |     |       | 31    | DWLS TO CMU AT JAMBS   |  |
| 1245 | MT  |                    |                 |     |     |       |      |            |      |     |       |       |      |    |    |     |       |       |                        |  |
| 1246 | MT  | S1.00B             |                 |     |     |       |      |            |      |     |       |       |      |    |    |     |       |       |                        |  |
| 1247 | MT  |                    |                 |     |     |       |      |            |      |     |       |       |      |    |    |     |       |       |                        |  |
| 1248 | MT  | STAIRS 3           |                 |     |     |       |      |            |      |     |       |       |      |    |    |     |       |       |                        |  |
| 1249 | MT  | 1/S4.02            |                 |     |     |       |      |            |      |     |       |       |      |    |    |     |       |       |                        |  |
| 1250 | MT  | ELEVATIONS @ A6.03 |                 |     |     |       |      |            |      |     |       |       |      |    |    |     |       |       |                        |  |
| 1251 | MT  | EXTERIOR WALL      |                 |     |     |       |      |            |      |     |       |       |      |    |    |     |       |       |                        |  |
| 1252 | DG  | G001               | TOP             |     |     |       |      | 194.5      |      |     |       |       |      |    |    |     |       |       |                        |  |
| 1253 | DG  | G002               | BOF             |     |     |       |      | 172.5-6.16 |      |     |       |       |      |    |    |     |       |       |                        |  |
| 1254 | DG  | G003               | FTG HT          |     |     |       |      | 2.16       |      |     |       |       |      |    |    |     |       |       |                        |  |
| 1255 | DG  | G004               | HT              |     |     |       |      | G1-G2-G3   |      |     |       |       |      |    |    |     |       |       |                        |  |
| 1256 | DG  | G005               | LONG            |     |     |       |      | 10         |      |     |       |       |      |    |    |     |       |       |                        |  |
| 1257 | DG  | G007               | TOP GRADE       |     |     |       |      | 183.47     |      |     |       |       |      |    |    |     |       |       |                        |  |
| 1258 | DG  | G008               | TOW UP TO GRADE |     |     |       |      | G7-G2-G3   |      |     |       |       |      |    |    |     |       |       |                        |  |
| 1259 | TR  | LS                 |                 | 60  |     | 11-08 | 1-00 |            | 19/6 | S   | 22-09 |       |      |    | 1  | LD  | 30-00 | 447   | CONT AT BOT            |  |
| 1260 | TR  | LS                 |                 | 60  |     | 22-09 | 1-00 |            | 25/8 | S   | 11-08 |       |      |    | 1  | LD  | 30-00 | 752   | TRANS                  |  |
| 1261 | TR  | RA                 |                 | 60  |     | 1-00  | 1-00 |            | 19/6 | S   | 22-09 | 11-08 |      |    |    | LD  | 30-00 | 870   | MAT TOP                |  |
| 1262 | MR  | STND               |                 | 60  |     | 22-09 | 4-00 | 4          | 13/4 | H   | 1-05  |       |      |    |    |     |       | 127   | 1' 5" STANDEE          |  |
| 1263 | TR  | LS                 |                 | 60  |     | 11-08 | 4-00 |            | 16/5 | S   | 22-09 |       |      |    | 1  | LD  | 30-00 | 95    | BAR SUPPORT            |  |
| 1264 | TR  | BF                 |                 | 60  |     | G5    | 1-00 | 2          | 19/6 | H   | 3-00  | G3    | 3-00 |    |    |     |       | 271   | DWLS TO WALL           |  |
| 1265 | TR  | LS                 |                 | 60  |     | G5    | 1-00 | 2          | 16/5 | S   | G4    |       |      |    | 1  | LD  | 30-00 | 600   | VERTS                  |  |
| 1266 | TR  | LS                 |                 | 60  |     | G8    | 1-00 | 2          | 19/6 | S   | G5    |       |      |    | 1  | LD  | 30-00 | 484   | CONT AT WALL UP TO EXT |  |
| 1267 | TR  | LS                 |                 | 60  |     | 11-00 | 1-00 | 2          | 13/4 | S   | G5    |       |      |    | 1  | LD  | 30-00 | 161   | CONT AT WALL           |  |
| 1268 | TR  | BF                 |                 | 60  | 1   |       |      | 2          | 13/4 | H   | S90   | G3    | LD   |    |    |     |       | 7     | DWLS TO WALL AT CORNER |  |
| 1269 | TR  | LS                 |                 | 60  | 1   |       |      | 2          | 13/4 | S   | G4    |       |      |    | 1  | LD  | 30-00 | 35    | VERTS AT CORNER        |  |
| 1270 | TR  | BF                 |                 | 60  |     | G8    | 1-00 | 2X2        | 19/6 | H   | LD    | LD    |      |    |    |     |       | 596   | CB UP TO GRADE         |  |
| 1271 | TR  | BF                 |                 | 60  |     | 11-00 | 1-00 | 3X2        | 13/4 | H   | LD    | LD    |      |    |    |     |       | 202   | CB                     |  |
| 1272 | TR  | BF                 |                 | 60  |     | G5    | 2-08 |            | 16/5 | S   | 5-00  |       |      |    |    |     |       | 26    | DWLS TO CMU            |  |
| 1273 | TR  | BF                 |                 | 60  | 3   |       |      | 2          | 16/5 | S   | 5-00  |       |      |    |    |     |       | 31    | DWLS TO CMU AT CORNER  |  |
| 1274 | MT  |                    |                 |     |     |       |      |            |      |     |       |       |      |    |    |     |       |       |                        |  |
| 1275 | MT  | INTERIOR WALL      |                 |     |     |       |      |            |      |     |       |       |      |    |    |     |       |       |                        |  |
| 1276 | DG  | G001               | TOP             |     |     |       |      | 194.5      |      |     |       |       |      |    |    |     |       |       |                        |  |
| 1277 | DG  | G002               | BOF             |     |     |       |      | 172.5-6.16 |      |     |       |       |      |    |    |     |       |       |                        |  |
| 1278 | DG  | G003               | FTG HT          |     |     |       |      | 2.16       |      |     |       |       |      |    |    |     |       |       |                        |  |
| 1279 | DG  | G004               | HT              |     |     |       |      | G1-G2-G3   |      |     |       |       |      |    |    |     |       |       |                        |  |
| 1280 | DG  | G005               | LONG            |     |     |       |      | 50         |      |     |       |       |      |    |    |     |       |       |                        |  |
| 1281 | TR  | BF                 |                 | 60  |     | G5    | 1-00 | 2          | 19/6 | H   | 3-00  | G3    | 3-00 |    |    |     |       | 1,257 | DWLS TO WALL           |  |
| 1282 | TR  | LS                 |                 | 60  |     | G5    | 1-00 | 2          | 16/5 | S   | G4    |       |      |    | 1  | LD  | 30-00 | 2,783 | VERTS                  |  |
| 1283 | TR  | LS                 |                 | 60  |     | G4    | 1-00 | 2          | 13/4 | S   | G5    |       |      |    | 1  | LD  | 30-00 | 1,890 | CONT AT WALL           |  |
| 1284 | TR  | BF                 |                 | 60  | 1   |       |      | 2          | 13/4 | H   | S90   | G3    | LD   |    |    |     |       | 7     | DWLS TO WALL AT CORNER |  |
| 1285 | TR  | LS                 |                 | 60  | 1   |       |      | 1          | 13/4 | S   | G4    |       |      |    | 1  | LD  | 30-00 | 17    | VERTS AT CORNER        |  |
| 1286 | TR  | BF                 |                 | 60  |     | G4    | 1-00 | 3X2        | 13/4 | H   | LD    | LD    |      |    |    |     |       | 454   | CB                     |  |
| 1287 | TR  | LS                 |                 | 60  | 4   |       |      | 2          | 16/5 | S   | G4    |       |      |    | 1  | LD  | 30-00 | 218   | ADDL AT JAMBS          |  |
| 1288 | TR  | LS                 |                 | 60  | 2   |       |      | 2          | 13/4 | S   | 11-08 |       |      |    | 1  | LD  | 30-00 | 31    | CONT ADDL AT JAMBS     |  |
| 1289 | TR  | BF                 |                 | 60  |     | G5    | 2-08 |            | 16/5 | S   | 5-00  |       |      |    |    |     |       | 105   | DWLS TO CMU            |  |
| 1290 | TR  | BF                 |                 | 60  | 3   |       |      | 2          | 16/5 | S   | 5-00  |       |      |    |    |     |       | 31    | DWLS TO CMU AT CORNER  |  |

**REG191030K - Chestnut Hill Realty - Residen**

| Line | Mat | Func | Placing | Grd | Qty | Span | Spcg | Mult | Size | Cls | L1   | L2 | L3 | L4 | L5 | Lap | Stock | Lbs | Notes                |  |
|------|-----|------|---------|-----|-----|------|------|------|------|-----|------|----|----|----|----|-----|-------|-----|----------------------|--|
| 1291 | TR  | BF   |         | 60  | 3   |      |      | 2    | 16/5 | S   | 5-00 |    |    |    |    |     |       | 31  | DWLS TO CMU AT JAMBS |  |
| 1292 | MT  |      |         |     |     |      |      |      |      |     |      |    |    |    |    |     |       |     |                      |  |
| 1293 | MT  |      |         |     |     |      |      |      |      |     |      |    |    |    |    |     |       |     |                      |  |
| 1294 | MT  |      |         |     |     |      |      |      |      |     |      |    |    |    |    |     |       |     |                      |  |

**Total for Segment: BUILDING #12, Sub-Segment: STAIRS SHAFT**

**\*\*\*\* Rebar Weight Summary (Lbs) \*\*\*\***

| Size                         | Total         | Straight      | HEAVY        | LIGHT    | Stock Wgt    |
|------------------------------|---------------|---------------|--------------|----------|--------------|
| <b>** Grade 60, Black **</b> |               |               |              |          |              |
| 13/4                         | 8,459         | 6,016         | 2,443        | 0        | 3,267        |
| 16/5                         | 10,731        | 10,731        | 0            | 0        | 0            |
| 19/6                         | 10,459        | 5,127         | 5,332        | 0        | 0            |
| 25/8                         | 2,410         | 2,410         | 0            | 0        | 0            |
|                              | <u>32,059</u> | <u>24,284</u> | <u>7,775</u> | <u>0</u> | <u>3,267</u> |



## REG191030K - Chestnut Hill Realty - Residen

| Line | Mat | Func | Placing | Grd | Qty | Span | Spcg | Mult | Size | Cls | L1 | L2 | L3 | L4 | L5 | Lap | Stock | Lbs | Notes |
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|

Segment: BUILDING #12

Sub-Segment: MASONRY

|      |    |  |      |     |    |      |     |      |   |    |    |  |  |  |   |    |       |     |                 |  |  |  |
|------|----|--|------|-----|----|------|-----|------|---|----|----|--|--|--|---|----|-------|-----|-----------------|--|--|--|
| 1295 | GI | Segment: BUILDING #12 Sub-Segment: MASONRY |      |     |    |      |     |      |   |    |    |  |  |  |   |    |       |     |                 |  |  |  |
| 1296 | MT |  |      |     |    |      |     |      |   |    |    |  |  |  |   |    |       |     |                 |  |  |  |
| 1297 | MT | S1.00A                                     |      |     |    |      |     |      |   |    |    |  |  |  |   |    |       |     |                 |  |  |  |
| 1298 | MT |  |      |     |    |      |     |      |   |    |    |  |  |  |   |    |       |     |                 |  |  |  |
| 1299 | MT | AT ELEVATOR 1.0                            |      |     |    |      |     |      |   |    |    |  |  |  |   |    |       |     |                 |  |  |  |
| 1300 | MT | ELEVATIONS @ A6.01                         |      |     |    |      |     |      |   |    |    |  |  |  |   |    |       |     |                 |  |  |  |
| 1301 | DG | G004                                       | HT   |     |    |      |     |      |   |    |    |  |  |  |   |    |       |     | 47.66           |  |  |  |
| 1302 | DG | G005                                       | LONG |     |    |      |     |      |   |    |    |  |  |  |   |    |       |     | 35              |  |  |  |
| 1303 | TR | LS   | 60   |     | G5 | 4-00 |     | 16/5 | S | G4 |    |  |  |  | 1 | LD | 6-06  | 771 | VERTS           |  |  |  |
| 1304 | TR | LS   | 60   | 3   |    |      | 4   | 16/5 | S | G4 |    |  |  |  | 1 | LD | 6-06  | 925 | VERTS AT CORNER |  |  |  |
| 1305 | TR | LS   | 60   | 3   |    |      | 2   | 16/5 | S | G4 |    |  |  |  | 1 | LD | 6-06  | 463 | VERTS AT JAMBS  |  |  |  |
| 1306 | TR | LS   | 60   | 2   |    |      | 5   | 19/6 | S | G5 |    |  |  |  | 1 | LD | 30-00 | 575 | BOND BEAM       |  |  |  |
| 1307 | TR | BF   | 60   | 2X4 |    |      | 5   | 19/6 | H | LD | LD |  |  |  |   |    |       | 373 | CB AT BOND BEAM |  |  |  |
| 1308 | MT |  |      |     |    |      |     |      |   |    |    |  |  |  |   |    |       |     |                 |  |  |  |
| 1309 | MT | AT STAIR 1.0                               |      |     |    |      |     |      |   |    |    |  |  |  |   |    |       |     |                 |  |  |  |
| 1310 | MT | ELEVATIONS @ A6.01                         |      |     |    |      |     |      |   |    |    |  |  |  |   |    |       |     |                 |  |  |  |
| 1311 | DG | G004                                       | HT   |     |    |      |     |      |   |    |    |  |  |  |   |    |       |     | 10.8            |  |  |  |
| 1312 | DG | G005                                       | LONG |     |    |      |     |      |   |    |    |  |  |  |   |    |       |     | 46              |  |  |  |
| 1313 | TR | LS   | 60   |     | G5 | 4-00 |     | 13/4 | S | G4 |    |  |  |  | 1 | LD | 6-00  | 112 | VERTS           |  |  |  |
| 1314 | TR | LS   | 60   | 3   |    |      | 3   | 13/4 | S | G4 |    |  |  |  | 1 | LD | 6-00  | 78  | VERTS AT CORNER |  |  |  |
| 1315 | TR | LS   | 60   | 3   |    |      | 2   | 13/4 | S | G4 |    |  |  |  | 1 | LD | 6-00  | 52  | VERTS AT JAMBS  |  |  |  |
| 1316 | TR | LS   | 60   | 2   |    |      | 1   | 19/6 | S | G5 |    |  |  |  | 1 | LD | 30-00 | 148 | BOND BEAM       |  |  |  |
| 1317 | TR | BF   | 60   | 2X3 |    |      | 1   | 19/6 | H | LD | LD |  |  |  |   |    |       | 56  | CB AT BOND BEAM |  |  |  |
| 1318 | MT |  |      |     |    |      |     |      |   |    |    |  |  |  |   |    |       |     |                 |  |  |  |
| 1319 | MT | AT ELEVATOR 2.0                            |      |     |    |      |     |      |   |    |    |  |  |  |   |    |       |     |                 |  |  |  |
| 1320 | MT | ELEVATIONS @ A6.32                         |      |     |    |      |     |      |   |    |    |  |  |  |   |    |       |     |                 |  |  |  |
| 1321 | DG | G004                                       | HT   |     |    |      |     |      |   |    |    |  |  |  |   |    |       |     | 47.66           |  |  |  |
| 1322 | DG | G005                                       | LONG |     |    |      |     |      |   |    |    |  |  |  |   |    |       |     | 36              |  |  |  |
| 1323 | TR | LS   | 60   |     | G5 | 4-00 |     | 16/5 | S | G4 |    |  |  |  | 1 | LD | 6-06  | 771 | VERTS           |  |  |  |
| 1324 | TR | LS   | 60   | 3   |    |      | 4   | 16/5 | S | G4 |    |  |  |  | 1 | LD | 6-06  | 925 | VERTS AT CORNER |  |  |  |
| 1325 | TR | LS   | 60   | 3   |    |      | 2   | 16/5 | S | G4 |    |  |  |  | 1 | LD | 6-06  | 463 | VERTS AT JAMBS  |  |  |  |
| 1326 | TR | LS   | 60   | 2   |    |      | 5   | 19/6 | S | G5 |    |  |  |  | 1 | LD | 30-00 | 591 | BOND BEAM       |  |  |  |
| 1327 | TR | BF   | 60   | 2X4 |    |      | 5   | 19/6 | H | LD | LD |  |  |  |   |    |       | 373 | CB AT BOND BEAM |  |  |  |
| 1328 | MT |  |      |     |    |      |     |      |   |    |    |  |  |  |   |    |       |     |                 |  |  |  |
| 1329 | MT | AT INTERIOR CMU                            |      |     |    |      |     |      |   |    |    |  |  |  |   |    |       |     |                 |  |  |  |
| 1330 | MT | ELEVATIONS @ A5.00                         |      |     |    |      |     |      |   |    |    |  |  |  |   |    |       |     |                 |  |  |  |
| 1331 | DG | G004                                       | HT   |     |    |      |     |      |   |    |    |  |  |  |   |    |       |     | 11              |  |  |  |
| 1332 | DG | G005                                       | LONG |     |    |      |     |      |   |    |    |  |  |  |   |    |       |     | 154             |  |  |  |
| 1333 | TR | LS   | 60   |     | G5 | 4-00 |     | 13/4 | S | G4 |    |  |  |  | 1 | LD | 6-00  | 352 | VERTS           |  |  |  |
| 1334 | TR | LS   | 60   | 3   |    |      | 6   | 13/4 | S | G4 |    |  |  |  | 1 | LD | 6-00  | 158 | VERTS AT CORNER |  |  |  |
| 1335 | TR | LS   | 60   | 3   |    |      | 4X2 | 13/4 | S | G4 |    |  |  |  | 1 | LD | 6-00  | 211 | VERTS AT JAMBS  |  |  |  |
| 1336 | TR | LS   | 60   | 2   |    |      | 1   | 19/6 | S | G5 |    |  |  |  | 1 | LD | 30-00 | 512 | BOND BEAM       |  |  |  |
| 1337 | TR | BF   | 60   | 2X1 |    |      | 6   | 19/6 | H | LD | LD |  |  |  |   |    |       | 112 | CB AT BOND BEAM |  |  |  |
| 1338 | MT |  |      |     |    |      |     |      |   |    |    |  |  |  |   |    |       |     |                 |  |  |  |
| 1339 | MT | S1.00B                                     |      |     |    |      |     |      |   |    |    |  |  |  |   |    |       |     |                 |  |  |  |
| 1340 | MT |  |      |     |    |      |     |      |   |    |    |  |  |  |   |    |       |     |                 |  |  |  |
| 1341 | MT | AT ELEVATOR 3                              |      |     |    |      |     |      |   |    |    |  |  |  |   |    |       |     |                 |  |  |  |
| 1342 | MT | ELEVATIONS @ A6.33                         |      |     |    |      |     |      |   |    |    |  |  |  |   |    |       |     |                 |  |  |  |
| 1343 | DG | G004                                       | HT   |     |    |      |     |      |   |    |    |  |  |  |   |    |       |     | 47.66           |  |  |  |
| 1344 | DG | G005                                       | LONG |     |    |      |     |      |   |    |    |  |  |  |   |    |       |     | 35              |  |  |  |
| 1345 | TR | LS   | 60   |     | G5 | 4-00 |     | 16/5 | S | G4 |    |  |  |  | 1 | LD | 6-06  | 771 | VERTS           |  |  |  |
| 1346 | TR | LS   | 60   | 3   |    |      | 4   | 16/5 | S | G4 |    |  |  |  | 1 | LD | 6-06  | 925 | VERTS AT CORNER |  |  |  |
| 1347 | TR | LS   | 60   | 3   |    |      | 2   | 16/5 | S | G4 |    |  |  |  | 1 | LD | 6-06  | 463 | VERTS AT JAMBS  |  |  |  |
| 1348 | TR | LS   | 60   | 2   |    |      | 5   | 19/6 | S | G5 |    |  |  |  | 1 | LD | 30-00 | 575 | BOND BEAM       |  |  |  |
| 1349 | TR | BF   | 60   | 2X4 |    |      | 5   | 19/6 | H | LD | LD |  |  |  |   |    |       | 373 | CB AT BOND BEAM |  |  |  |
| 1350 | MT |  |      |     |    |      |     |      |   |    |    |  |  |  |   |    |       |     |                 |  |  |  |
| 1351 | MT | AT INTERIOR CMU                            |      |     |    |      |     |      |   |    |    |  |  |  |   |    |       |     |                 |  |  |  |
| 1352 | MT | ELEVATIONS @ A5.00                         |      |     |    |      |     |      |   |    |    |  |  |  |   |    |       |     |                 |  |  |  |

**REG191030K - Chestnut Hill Realty - Residen**

| Line | Mat | Func | Placing | Grd  | Qty | Span | Spcg | Mult | Size | Cls | L1 | L2 | L3 | L4 | L5 | Lap | Stock | Lbs   | Notes |                 |
|------|-----|------|---------|------|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-------|-------|-----------------|
| 1353 | DG  | G004 |         | HT   |     |      |      | 11   |      |     |    |    |    |    |    |     |       |       |       |                 |
| 1354 | DG  | G005 |         | LONG |     |      |      | 320  |      |     |    |    |    |    |    |     |       |       |       |                 |
| 1355 | TR  | LS   |         | 60   |     | G5   | 4-00 |      | 13/4 | S   | G4 |    |    |    |    | 1   | LD    | 6-00  | 712   | VERTS           |
| 1356 | TR  | LS   |         | 60   | 3   |      |      | 12   | 13/4 | S   | G4 |    |    |    |    | 1   | LD    | 6-00  | 317   | VERTS AT CORNER |
| 1357 | TR  | LS   |         | 60   | 3   |      |      | 10X2 | 13/4 | S   | G4 |    |    |    |    | 1   | LD    | 6-00  | 528   | VERTS AT JAMBS  |
| 1358 | TR  | LS   |         | 60   | 2   |      |      | 1    | 19/6 | S   | G5 |    |    |    |    | 1   | LD    | 30-00 | 1,070 | BOND BEAM       |
| 1359 | TR  | BF   |         | 60   | 2X1 |      |      | 12   | 19/6 | H   | LD | LD |    |    |    |     |       |       | 224   | CB AT BOND BEAM |
| 1360 | MT  |      |         |      |     |      |      |      |      |     |    |    |    |    |    |     |       |       |       |                 |
| 1361 | MT  |      |         |      |     |      |      |      |      |     |    |    |    |    |    |     |       |       |       |                 |
| 1362 | MT  |      |         |      |     |      |      |      |      |     |    |    |    |    |    |     |       |       |       |                 |

**Total for Segment: BUILDING #12, Sub-Segment: MASONRY**

**\*\*\*\* Rebar Weight Summary (Lbs) \*\*\*\***

| Size                         | Total         | Straight      | HEAVY        | LIGHT    | Stock Wgt    |
|------------------------------|---------------|---------------|--------------|----------|--------------|
| <b>** Grade 60, Black **</b> |               |               |              |          |              |
| 13/4                         | 2,520         | 2,520         | 0            | 0        | 1,157        |
| 16/5                         | 6,477         | 6,477         | 0            | 0        | 5,727        |
| 19/6                         | 4,981         | 3,470         | 1,511        | 0        | 2,900        |
|                              | <u>13,978</u> | <u>12,467</u> | <u>1,511</u> | <u>0</u> | <u>9,784</u> |

**REG191030K - Chestnut Hill Realty - Residen**

| Line                           | Mat | Func   | Placing | Grd | Qty   | Span     | Spcg | Mult | Size | Cls | L1 | L2 | L3 | L4 | L5 | Lap | Stock                     | Lbs | Notes |
|--------------------------------|-----|--|---------|-----|-------|----------|------|------|------|-----|----|----|----|----|----|-----|---------------------------|-----|-------|
| Segment: BUILDING #12          |     |  |         |     |       |          |      |      |      |     |    |    |    |    |    |     |                           |     |       |
| Sub-Segment: COLUMN ENCASEMENT |     |  |         |     |       |          |      |      |      |     |    |    |    |    |    |     |                           |     |       |
| 1363                           | GI  | Segment: BUILDING #12 Sub-Segment: COLUMN ENCASEMENT |         |     |       |          |      |      |      |     |    |    |    |    |    |     |                           |     |       |
| 1364                           | MT  |  |         |     |       |          |      |      |      |     |    |    |    |    |    |     |                           |     |       |
| 1365                           | MT  | S1.00A   |         |     |       |          |      |      |      |     |    |    |    |    |    |     |                           |     |       |
| 1366                           | MT  |  |         |     |       |          |      |      |      |     |    |    |    |    |    |     |                           |     |       |
| 1367                           | MT  | ELEVATIONS @A5.00                                    |         |     |       |          |      |      |      |     |    |    |    |    |    |     |                           |     |       |
| 1368                           | MT  | 5/S4.01 DETAILS A                                    |         |     |       |          |      |      |      |     |    |    |    |    |    |     |                           |     |       |
| 1369                           | DG  | G006   | MULT    |     | 22+32 |          |      |      |      |     |    |    |    |    |    |     |                           |     |       |
| 1370                           | TI  | SqFt   |         | 100 | G6    | MS665X10 |      |      |      |     |    |    |    |    |    | 0   | 18"X18" COL 6X6-W2.9XW2.9 |     |       |
| 1371                           | MT  |  |         |     |       |          |      |      |      |     |    |    |    |    |    |     |                           |     |       |
| 1372                           | MT  |  |         |     |       |          |      |      |      |     |    |    |    |    |    |     |                           |     |       |
| 1373                           | MT  |  |         |     |       |          |      |      |      |     |    |    |    |    |    |     |                           |     |       |
| 1374                           | MT  | S1.00B   |         |     |       |          |      |      |      |     |    |    |    |    |    |     |                           |     |       |
| 1375                           | MT  |  |         |     |       |          |      |      |      |     |    |    |    |    |    |     |                           |     |       |
| 1376                           | MT  | ELEVATIONS @A5.00                                    |         |     |       |          |      |      |      |     |    |    |    |    |    |     |                           |     |       |
| 1377                           | MT  | 5/S4.01 DETAILS A                                    |         |     |       |          |      |      |      |     |    |    |    |    |    |     |                           |     |       |
| 1378                           | DG  | G006   | MULT    |     | 20+28 |          |      |      |      |     |    |    |    |    |    |     |                           |     |       |
| 1379                           | TI  | SqFt   |         | 100 | G6    | MS665X10 |      |      |      |     |    |    |    |    |    | 0   | 18"X18" COL 6X6-W2.9XW2.9 |     |       |
| 1380                           | MT  |  |         |     |       |          |      |      |      |     |    |    |    |    |    |     |                           |     |       |
| 1381                           | MT  |  |         |     |       |          |      |      |      |     |    |    |    |    |    |     |                           |     |       |
| 1382                           | MT  |  |         |     |       |          |      |      |      |     |    |    |    |    |    |     |                           |     |       |
| 1383                           | MT  | S1.01B   |         |     |       |          |      |      |      |     |    |    |    |    |    |     |                           |     |       |
| 1384                           | MT  |  |         |     |       |          |      |      |      |     |    |    |    |    |    |     |                           |     |       |
| 1385                           | MT  | ELEVATIONS @A5.00                                    |         |     |       |          |      |      |      |     |    |    |    |    |    |     |                           |     |       |
| 1386                           | MT  | 5/S4.01 DETAILS A                                    |         |     |       |          |      |      |      |     |    |    |    |    |    |     |                           |     |       |
| 1387                           | DG  | G006   | MULT    |     | 48    |          |      |      |      |     |    |    |    |    |    |     |                           |     |       |
| 1388                           | TI  | SqFt   |         | 100 | G6    | MS665X10 |      |      |      |     |    |    |    |    |    | 0   | 18"X18" COL 6X6-W2.9XW2.9 |     |       |
| 1389                           | MT  |  |         |     |       |          |      |      |      |     |    |    |    |    |    |     |                           |     |       |
| 1390                           | MT  |  |         |     |       |          |      |      |      |     |    |    |    |    |    |     |                           |     |       |
| 1391                           | MT  |  |         |     |       |          |      |      |      |     |    |    |    |    |    |     |                           |     |       |

**Total for Segment: BUILDING #12, Sub-Segment: COLUMN ENCASEMENT**

**\*\*\*\* Miscellaneous Item Summary \*\*\*\***

**\*\* Undefined Item Class - 'MESH SHEETS' \*\***

|                    |                           |            |      |   |         |        |   |       |   |        |      |      |   |     |
|--------------------|---------------------------|------------|------|---|---------|--------|---|-------|---|--------|------|------|---|-----|
| MS665X10           | 6X6 6/6 5X10 SHEETS PLAIN | 15,090.000 | SqFt | = | 303.000 | Sheets | @ | 0.000 | / | Sheets | = \$ | 0.00 | 0 | Lbs |
| <b>Subtotal</b>    |                           |            |      |   |         |        |   |       |   |        | = \$ | 0.00 | 0 | Lbs |
| <b>Grand Total</b> |                           |            |      |   |         |        |   |       |   |        | = \$ | 0.00 | 0 | Lbs |

**REG191030K - Chestnut Hill Realty - Residen**

| Line | Mat | Func | Placing | Grd | Qty | Span | Spcg | Mult | Size | Cls | L1 | L2 | L3 | L4 | L5 | Lap | Stock | Lbs | Notes |
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|

Segment: BUILDING #12

Sub-Segment: 5" SOG

|      |    |   |  |  |       |  |  |  |          |  |  |  |  |  |  |         |  |   |                      |
|------|----|---|--|--|-------|--|--|--|----------|--|--|--|--|--|--|---------|--|---|----------------------|
| 1392 | GI | Segment: BUILDING #12 Sub-Segment: 5" SOG |  |  |       |  |  |  |          |  |  |  |  |  |  |         |  |   |                      |
| 1393 | MT |   |  |  |       |  |  |  |          |  |  |  |  |  |  |         |  |   |                      |
| 1394 | MT | S1.00A                                    |  |  |       |  |  |  |          |  |  |  |  |  |  |         |  |   |                      |
| 1395 | MT |   |  |  |       |  |  |  |          |  |  |  |  |  |  |         |  |   |                      |
| 1396 | MT | WWF                                       |  |  |       |  |  |  |          |  |  |  |  |  |  |         |  |   |                      |
| 1397 | MT | 5" SOG                                    |  |  |       |  |  |  |          |  |  |  |  |  |  |         |  |   |                      |
| 1398 | TI | SqFt                                      |  |  | 16689 |  |  |  | MS665X10 |  |  |  |  |  |  | 25.000% |  | 0 | 5" SOG 6X6-W2.9XW2.9 |
| 1399 | MT | 4" SOG                                    |  |  |       |  |  |  |          |  |  |  |  |  |  |         |  |   |                      |
| 1400 | TI | SqFt                                      |  |  | 68    |  |  |  | MS665X10 |  |  |  |  |  |  | 25.000% |  | 0 | 4" SOG 6X6-W2.9XW2.9 |
| 1401 | MT |   |  |  |       |  |  |  |          |  |  |  |  |  |  |         |  |   |                      |
| 1402 | MT | S1.00B                                    |  |  |       |  |  |  |          |  |  |  |  |  |  |         |  |   |                      |
| 1403 | MT |   |  |  |       |  |  |  |          |  |  |  |  |  |  |         |  |   |                      |
| 1404 | MT | WWF                                       |  |  |       |  |  |  |          |  |  |  |  |  |  |         |  |   |                      |
| 1405 | TI | SqFt                                      |  |  | 16265 |  |  |  | MS665X10 |  |  |  |  |  |  | 25.000% |  | 0 | 5" SOG 6X6-W2.9XW2.9 |
| 1406 | MT | 4" SOG                                    |  |  |       |  |  |  |          |  |  |  |  |  |  |         |  |   |                      |
| 1407 | TI | SqFt                                      |  |  | 460   |  |  |  | MS665X10 |  |  |  |  |  |  | 25.000% |  | 0 | 4" SOG 6X6-W2.9XW2.9 |
| 1408 | MT |   |  |  |       |  |  |  |          |  |  |  |  |  |  |         |  |   |                      |
| 1409 | MT |   |  |  |       |  |  |  |          |  |  |  |  |  |  |         |  |   |                      |
| 1410 | MT |   |  |  |       |  |  |  |          |  |  |  |  |  |  |         |  |   |                      |

**Total for Segment: BUILDING #12, Sub-Segment: 5" SOG**

**\*\*\*\* Miscellaneous Item Summary \*\*\*\***

**\*\* Undefined Item Class - 'MESH SHEETS' \*\***

|                    |                           |                 |   |                  |                |      |      |       |
|--------------------|---------------------------|-----------------|---|------------------|----------------|------|------|-------|
| MS665X10           | 6X6 6/6 5X10 SHEETS PLAIN | 42,103.615 SqFt | = | 844.000 Sheets @ | 0.000 / Sheets | = \$ | 0.00 | 0 Lbs |
| <b>Subtotal</b>    |                           |                 |   |                  |                | = \$ | 0.00 | 0 Lbs |
| <b>Grand Total</b> |                           |                 |   |                  |                | = \$ | 0.00 | 0 Lbs |

## REG191030K - Chestnut Hill Realty - Residen

| Line | Mat | Func | Placing | Grd | Qty | Span | Spcg | Mult | Size | Cls | L1 | L2 | L3 | L4 | L5 | Lap | Stock | Lbs | Notes |
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|

Segment: BUILDING #12

Sub-Segment: SLAB ON DECK

|      |    |   |  |      |       |        |      |     |          |   |        |      |  |  |   |    |         |        |                          |
|------|----|---|--|------|-------|--------|------|-----|----------|---|--------|------|--|--|---|----|---------|--------|--------------------------|
| 1411 | GI | Segment: BUILDING #12 Sub-Segment: SLAB ON DECK |  |      |       |        |      |     |          |   |        |      |  |  |   |    |         |        |                          |
| 1412 | MT |   |  |      |       |        |      |     |          |   |        |      |  |  |   |    |         |        |                          |
| 1413 | MT | LEVEL 1   |  |      |       |        |      |     |          |   |        |      |  |  |   |    |         |        |                          |
| 1414 | MT | S1.01A  |  |      |       |        |      |     |          |   |        |      |  |  |   |    |         |        |                          |
| 1415 | MT |   |  |      |       |        |      |     |          |   |        |      |  |  |   |    |         |        |                          |
| 1416 | TI | SqFt  |  |      | 18274 |        |      |     | MS665X10 |   |        |      |  |  |   |    | 25.000% | 0      | 4 1/2" SOD 6X6-W2.9XW2.9 |
| 1417 | TI | If  |  |      | 6092  |        |      |     | 2.5"SBU  |   |        |      |  |  |   |    | 10.000% | 0      | 2.5" SBU                 |
| 1418 | MT |   |  |      |       |        |      |     |          |   |        |      |  |  |   |    |         |        |                          |
| 1419 | MT | 2/S5.01   |  |      |       |        |      |     |          |   |        |      |  |  |   |    |         |        |                          |
| 1420 | DG | G005  |  | LONG |       |        |      | 659 |          |   |        |      |  |  |   |    |         |        |                          |
| 1421 | TR | LS  |  | 60   | 1     |        |      |     | 13/4     | S | G5     |      |  |  | 1 | LD | 30-00   | 475    | CONT AT EDGE             |
| 1422 | TR | BF  |  | 60   | 1     |        |      | 44  | 13/4     | H | LD     | LD   |  |  |   |    |         | 123    | CB                       |
| 1423 | TR | BF  |  | 60   |       | G5     | 1-00 |     | 16/5     | H | S180   | 6-00 |  |  |   |    |         | 4,560  | CANDY CANE               |
| 1424 | MT |   |  |      |       |        |      |     |          |   |        |      |  |  |   |    |         |        |                          |
| 1425 | MT | S1.01B  |  |      |       |        |      |     |          |   |        |      |  |  |   |    |         |        |                          |
| 1426 | MT |   |  |      |       |        |      |     |          |   |        |      |  |  |   |    |         |        |                          |
| 1427 | TI | SqFt  |  |      | 18394 |        |      |     | MS665X10 |   |        |      |  |  |   |    | 25.000% | 0      | 4 1/2" SOD 6X6-W2.9XW2.9 |
| 1428 | TI | If  |  |      | 6132  |        |      |     | 2.5"SBU  |   |        |      |  |  |   |    | 10.000% | 0      | 2.5" SBU                 |
| 1429 | MT |   |  |      |       |        |      |     |          |   |        |      |  |  |   |    |         |        |                          |
| 1430 | MT | ADDL PER SECTION 6/S5.01                        |  |      |       |        |      |     |          |   |        |      |  |  |   |    |         |        |                          |
| 1431 | TR | LS  |  | E60  |       | 266-06 | 1-00 |     | 19/6     | S | G5     |      |  |  | 1 | LD | 30-00   | 30,439 | ADDL #6                  |
| 1432 | TR | LS  |  | E60  |       | 69-00  | 4-00 |     | 16/5     | S | 266-06 |      |  |  | 1 | LD | 30-00   | 5,776  | ADDL #5                  |
| 1433 | TI | Pcs   |  |      | 267   |        | 24   |     | 0.75"BC  |   |        |      |  |  |   |    |         | 0      | 0.75" BC                 |
| 1434 | MT |   |  |      |       |        |      |     |          |   |        |      |  |  |   |    |         |        |                          |
| 1435 | MT | 2/S5.01   |  |      |       |        |      |     |          |   |        |      |  |  |   |    |         |        |                          |
| 1436 | DG | G005  |  | LONG |       |        |      | 662 |          |   |        |      |  |  |   |    |         |        |                          |
| 1437 | TR | LS  |  | 60   | 1     |        |      |     | 13/4     | S | G5     |      |  |  | 1 | LD | 30-00   | 477    | CONT AT EDGE             |
| 1438 | TR | BF  |  | 60   | 1     |        |      | 38  | 13/4     | H | LD     | LD   |  |  |   |    |         | 106    | CB                       |
| 1439 | TR | BF  |  | 60   |       | G5     | 1-00 |     | 16/5     | H | S180   | 6-00 |  |  |   |    |         | 4,581  | CANDY CANE               |
| 1440 | MT |   |  |      |       |        |      |     |          |   |        |      |  |  |   |    |         |        |                          |
| 1441 | MT | LEVEL 2   |  |      |       |        |      |     |          |   |        |      |  |  |   |    |         |        |                          |
| 1442 | MT | S1.02A  |  |      |       |        |      |     |          |   |        |      |  |  |   |    |         |        |                          |
| 1443 | MT |   |  |      |       |        |      |     |          |   |        |      |  |  |   |    |         |        |                          |
| 1444 | TI | SqFt  |  |      | 17486 |        |      |     | MS665X10 |   |        |      |  |  |   |    | 25.000% | 0      | 5 1/4" SOD 6X6-W2.9XW2.9 |
| 1445 | TI | If  |  |      | 5829  |        |      |     | 4"CHCU   |   |        |      |  |  |   |    | 10.000% | 0      | 4" CHCU                  |
| 1446 | MT |   |  |      |       |        |      |     |          |   |        |      |  |  |   |    |         |        |                          |
| 1447 | MT | 2/S5.01   |  |      |       |        |      |     |          |   |        |      |  |  |   |    |         |        |                          |
| 1448 | DG | G005  |  | LONG |       |        |      | 659 |          |   |        |      |  |  |   |    |         |        |                          |
| 1449 | TR | LS  |  | 60   | 1     |        |      |     | 13/4     | S | G5     |      |  |  | 1 | LD | 30-00   | 475    | CONT AT EDGE             |
| 1450 | TR | BF  |  | 60   |       | G5     | 1-00 |     | 16/5     | H | S180   | 6-00 |  |  |   |    |         | 4,560  | CANDY CANE               |
| 1451 | MT |   |  |      |       |        |      |     |          |   |        |      |  |  |   |    |         |        |                          |
| 1452 | MT | 5/S5.01   |  |      |       |        |      |     |          |   |        |      |  |  |   |    |         |        |                          |
| 1453 | TR | LS  |  | 60   | 3     |        |      |     | 19/6     | S | 390-00 |      |  |  | 1 | LD | 30-00   | 1,964  | CONT AT FLUTES           |
| 1454 | TR | BF  |  | 60   |       | 390-00 | 4-00 |     | 16/5     | S | 6-00   |      |  |  |   |    |         | 623    | TRANS                    |
| 1455 | TI | Pcs   |  |      | 130   |        | 3    |     | 0.75"BC  |   |        |      |  |  |   |    |         | 0      | 0.75" BC                 |
| 1456 | MT |   |  |      |       |        |      |     |          |   |        |      |  |  |   |    |         |        |                          |
| 1457 | MT | S1.02B  |  |      |       |        |      |     |          |   |        |      |  |  |   |    |         |        |                          |
| 1458 | MT |   |  |      |       |        |      |     |          |   |        |      |  |  |   |    |         |        |                          |
| 1459 | TI | SqFt  |  |      | 17032 |        |      |     | MS665X10 |   |        |      |  |  |   |    | 25.000% | 0      | 5 1/4" SOD 6X6-W2.9XW2.9 |
| 1460 | TI | If  |  |      | 5678  |        |      |     | 4"CHCU   |   |        |      |  |  |   |    | 10.000% | 0      | 4" CHCU                  |
| 1461 | MT |   |  |      |       |        |      |     |          |   |        |      |  |  |   |    |         |        |                          |
| 1462 | MT | 2/S5.01   |  |      |       |        |      |     |          |   |        |      |  |  |   |    |         |        |                          |
| 1463 | DG | G005  |  | LONG |       |        |      | 627 |          |   |        |      |  |  |   |    |         |        |                          |
| 1464 | TR | LS  |  | 60   | 1     |        |      |     | 13/4     | S | G5     |      |  |  | 1 | LD | 30-00   | 452    | CONT AT EDGE             |
| 1465 | TR | BF  |  | 60   |       | G5     | 1-00 |     | 16/5     | H | S180   | 6-00 |  |  |   |    |         | 4,339  | CANDY CANE               |
| 1466 | MT |   |  |      |       |        |      |     |          |   |        |      |  |  |   |    |         |        |                          |
| 1467 | MT | 5/S5.01   |  |      |       |        |      |     |          |   |        |      |  |  |   |    |         |        |                          |
| 1468 | TR | LS  |  | 60   | 3     |        |      |     | 19/6     | S | 390-00 |      |  |  | 1 | LD | 30-00   | 1,964  | CONT AT FLUTES           |

**REG191030K - Chestnut Hill Realty - Residen**

| Line | Mat | Func | Placing | Grd | Qty | Span   | Spcg | Mult | Size    | Cls | L1   | L2 | L3 | L4 | L5 | Lap | Stock | Lbs | Notes    |
|------|-----|------|---------|-----|-----|--------|------|------|---------|-----|------|----|----|----|----|-----|-------|-----|----------|
| 1469 | TI  | Pcs  |         |     | 130 |        | 3    |      | 0.75"BC |     |      |    |    |    |    |     |       | 0   | 0.75" BC |
| 1470 | TR  | BF   |         | 60  |     | 390-00 | 4-00 |      | 16/5    | S   | 6-00 |    |    |    |    |     |       | 623 | TRANS    |
| 1471 | MT  |      |         |     |     |        |      |      |         |     |      |    |    |    |    |     |       |     |          |
| 1472 | MT  |      |         |     |     |        |      |      |         |     |      |    |    |    |    |     |       |     |          |
| 1473 | MT  |      |         |     |     |        |      |      |         |     |      |    |    |    |    |     |       |     |          |

**Total for Segment: BUILDING #12, Sub-Segment: SLAB ON DECK**

**\*\*\*\* Rebar Weight Summary (Lbs) \*\*\*\***

| Size                         | Total         | Straight      | HEAVY         | LIGHT    | Stock Wgt     |
|------------------------------|---------------|---------------|---------------|----------|---------------|
| <b>** Grade 60, Black **</b> |               |               |               |          |               |
| 13/4                         | 2,109         | 1,880         | 229           | 0        | 1,836         |
| 16/5                         | 19,286        | 1,246         | 18,040        | 0        | 0             |
| 19/6                         | 3,928         | 3,928         | 0             | 0        | 3,808         |
|                              | <u>25,323</u> | <u>7,054</u>  | <u>18,269</u> | <u>0</u> | <u>5,644</u>  |
| <b>** Grade 60, Epoxy **</b> |               |               |               |          |               |
| 16/5                         | 5,777         | 5,777         | 0             | 0        | 5,383         |
| 19/6                         | 30,439        | 30,439        | 0             | 0        | 24,297        |
|                              | <u>36,216</u> | <u>36,216</u> | <u>0</u>      | <u>0</u> | <u>29,680</u> |
| <b>** Grand Totals **</b>    |               |               |               |          |               |
| 13/4                         | 2,109         | 1,880         | 229           | 0        | 1,836         |
| 16/5                         | 25,063        | 7,023         | 18,040        | 0        | 5,383         |
| 19/6                         | 34,367        | 34,367        | 0             | 0        | 28,105        |
|                              | <u>61,539</u> | <u>43,270</u> | <u>18,269</u> | <u>0</u> | <u>35,324</u> |

**\*\*\*\* Miscellaneous Item Summary \*\*\*\***

**\*\* Undefined Item Class - 'MESH SHEETS' \*\***

|          |                           |                 |   |                    |                |          |      |       |       |
|----------|---------------------------|-----------------|---|--------------------|----------------|----------|------|-------|-------|
| MS665X10 | 6X6 6/6 5X10 SHEETS PLAIN | 89,516.395 SqFt | = | 1,792.000 Sheets @ | 0.000 / Sheets | = \$     | 0.00 | 0 Lbs |       |
|          |                           |                 |   |                    |                | Subtotal | = \$ | 0.00  | 0 Lbs |

**\*\* Undefined Item Class - 'SUPPORTS-EA' \*\***

|           |                      |               |   |                 |             |          |      |       |       |
|-----------|----------------------|---------------|---|-----------------|-------------|----------|------|-------|-------|
| 0.75"BC   | 3/4" BAR CHAIR PLAIN | 784.680 Pcs   | = | 786.000 Pcs @   | 0.000 / Pcs | = \$     | 0.00 | 0 Lbs |       |
| 0.75"BCEP | 3/4" BAR CHAIR EPOXY | 6,446.448 Pcs | = | 6,447.000 Pcs @ | 0.000 / Pcs | = \$     | 0.00 | 0 Lbs |       |
|           |                      |               |   |                 |             | Subtotal | = \$ | 0.00  | 0 Lbs |

**Supports LF**

|         |                                 |               |   |                 |            |          |      |       |       |
|---------|---------------------------------|---------------|---|-----------------|------------|----------|------|-------|-------|
| 2.5"SBU | 2 1/2" SLAB BOLSTER UPPER PLAIN | 13,527.078 lf | = | 13,528.000 lf @ | 0.000 / lf | = \$     | 0.00 | 0 Lbs |       |
| 4"CHCU  | 4" CONT. HIGH CHAIR UPPER PLAIN | 12,733.646 lf | = | 12,735.000 lf @ | 0.000 / lf | = \$     | 0.00 | 0 Lbs |       |
|         |                                 |               |   |                 |            | Subtotal | = \$ | 0.00  | 0 Lbs |

|  |  |  |  |  |  |             |      |      |       |
|--|--|--|--|--|--|-------------|------|------|-------|
|  |  |  |  |  |  | Grand Total | = \$ | 0.00 | 0 Lbs |
|--|--|--|--|--|--|-------------|------|------|-------|

Total for Segment: BUILDING #12

\*\*\*\* Rebar Weight Summary (Lbs) \*\*\*\*

| Size | Total | Straight | HEAVY | LIGHT | Stock Wgt |
|------|-------|----------|-------|-------|-----------|
|------|-------|----------|-------|-------|-----------|

\*\* Grade 60, Black \*\*

|       |                |                |               |          |               |
|-------|----------------|----------------|---------------|----------|---------------|
| 13/4  | 79,299         | 44,384         | 34,915        | 0        | 25,611        |
| 16/5  | 68,494         | 44,530         | 23,964        | 0        | 5,882         |
| 19/6  | 70,253         | 45,734         | 24,519        | 0        | 6,708         |
| 22/7  | 1,726          | 1,726          | 0             | 0        | 0             |
| 25/8  | 18,595         | 16,604         | 1,991         | 0        | 0             |
| 29/9  | 35,328         | 26,916         | 8,412         | 0        | 2,874         |
| 32/10 | 7,711          | 7,711          | 0             | 0        | 3,636         |
|       | <u>281,406</u> | <u>187,605</u> | <u>93,801</u> | <u>0</u> | <u>44,711</u> |

\*\* Grade 60, Epoxy \*\*

|      |               |               |          |          |               |
|------|---------------|---------------|----------|----------|---------------|
| 16/5 | 5,777         | 5,777         | 0        | 0        | 5,383         |
| 19/6 | 30,439        | 30,439        | 0        | 0        | 24,297        |
|      | <u>36,216</u> | <u>36,216</u> | <u>0</u> | <u>0</u> | <u>29,680</u> |

\*\* Grand Totals \*\*

|       |                |                |               |          |               |
|-------|----------------|----------------|---------------|----------|---------------|
| 13/4  | 79,299         | 44,384         | 34,915        | 0        | 25,611        |
| 16/5  | 74,271         | 50,307         | 23,964        | 0        | 11,265        |
| 19/6  | 100,692        | 76,173         | 24,519        | 0        | 31,005        |
| 22/7  | 1,726          | 1,726          | 0             | 0        | 0             |
| 25/8  | 18,595         | 16,604         | 1,991         | 0        | 0             |
| 29/9  | 35,328         | 26,916         | 8,412         | 0        | 2,874         |
| 32/10 | 7,711          | 7,711          | 0             | 0        | 3,636         |
|       | <u>317,622</u> | <u>223,821</u> | <u>93,801</u> | <u>0</u> | <u>74,391</u> |

\*\*\*\* Miscellaneous Item Summary \*\*\*\*

\*\* Undefined Item Class - 'MESH SHEETS' \*\*

|          |                           |                  |   |                    |                |      |      |       |
|----------|---------------------------|------------------|---|--------------------|----------------|------|------|-------|
| MS665X10 | 6X6 6/6 5X10 SHEETS PLAIN | 146,710.010 SqFt | = | 2,939.000 Sheets @ | 0.000 / Sheets | = \$ | 0.00 | 0 Lbs |
|----------|---------------------------|------------------|---|--------------------|----------------|------|------|-------|

|  |  |  |  |  |  |      |      |       |
|--|--|--|--|--|--|------|------|-------|
|  |  |  |  |  |  | = \$ | 0.00 | 0 Lbs |
|--|--|--|--|--|--|------|------|-------|

\*\* Undefined Item Class - 'SUPPORTS-EA' \*\*

|         |                      |             |   |               |             |      |      |       |
|---------|----------------------|-------------|---|---------------|-------------|------|------|-------|
| 0.75"BC | 3/4" BAR CHAIR PLAIN | 784.680 Pcs | = | 786.000 Pcs @ | 0.000 / Pcs | = \$ | 0.00 | 0 Lbs |
|---------|----------------------|-------------|---|---------------|-------------|------|------|-------|

|           |                      |               |   |                 |             |      |      |       |
|-----------|----------------------|---------------|---|-----------------|-------------|------|------|-------|
| 0.75"BCEP | 3/4" BAR CHAIR EPOXY | 6,446.448 Pcs | = | 6,447.000 Pcs @ | 0.000 / Pcs | = \$ | 0.00 | 0 Lbs |
|-----------|----------------------|---------------|---|-----------------|-------------|------|------|-------|

|  |  |  |  |  |  |      |      |       |
|--|--|--|--|--|--|------|------|-------|
|  |  |  |  |  |  | = \$ | 0.00 | 0 Lbs |
|--|--|--|--|--|--|------|------|-------|

Supports LF

|         |                                 |               |   |                 |            |      |      |       |
|---------|---------------------------------|---------------|---|-----------------|------------|------|------|-------|
| 2.5"SBU | 2 1/2" SLAB BOLSTER UPPER PLAIN | 13,527.078 lf | = | 13,528.000 lf @ | 0.000 / lf | = \$ | 0.00 | 0 Lbs |
|---------|---------------------------------|---------------|---|-----------------|------------|------|------|-------|

|        |                                 |               |   |                 |            |      |      |       |
|--------|---------------------------------|---------------|---|-----------------|------------|------|------|-------|
| 4"CHCU | 4" CONT. HIGH CHAIR UPPER PLAIN | 12,733.646 lf | = | 12,735.000 lf @ | 0.000 / lf | = \$ | 0.00 | 0 Lbs |
|--------|---------------------------------|---------------|---|-----------------|------------|------|------|-------|

|  |  |  |  |  |  |      |      |       |
|--|--|--|--|--|--|------|------|-------|
|  |  |  |  |  |  | = \$ | 0.00 | 0 Lbs |
|--|--|--|--|--|--|------|------|-------|

|                    |  |  |  |  |  |             |             |              |
|--------------------|--|--|--|--|--|-------------|-------------|--------------|
| <b>Grand Total</b> |  |  |  |  |  | <b>= \$</b> | <b>0.00</b> | <b>0 Lbs</b> |
|--------------------|--|--|--|--|--|-------------|-------------|--------------|

## REG191030K - Chestnut Hill Realty - Residen

| Line | Mat | Func | Placing | Grd | Qty | Span | Spcg | Mult | Size | Cls | L1 | L2 | L3 | L4 | L5 | Lap | Stock | Lbs | Notes |
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|

Segment: SITE WORKS

Sub-Segment: RETAINING WALLS

|      |    |  |        |    |   |       |      |     |          |   |       |    |    |  |   |         |       |          |                        |
|------|----|--|--------|----|---|-------|------|-----|----------|---|-------|----|----|--|---|---------|-------|----------|------------------------|
| 1474 | GI | Segment: SITE WORKS Sub-Segment: RETAINING WALLS |        |    |   |       |      |     |          |   |       |    |    |  |   |         |       |          |                        |
| 1475 | MT |  |        |    |   |       |      |     |          |   |       |    |    |  |   |         |       |          |                        |
| 1476 | MT | S1.00C   |        |    |   |       |      |     |          |   |       |    |    |  |   |         |       |          |                        |
| 1477 | MT |  |        |    |   |       |      |     |          |   |       |    |    |  |   |         |       |          |                        |
| 1478 | MT | 1/S1.00C   |        |    |   |       |      |     |          |   |       |    |    |  |   |         |       |          |                        |
| 1479 | MT | ELEVATIONS @ 10/A4.13 - L-405                    |        |    |   |       |      |     |          |   |       |    |    |  |   |         |       |          |                        |
| 1480 | MT | SECTION DETAILS @ 6/S4.01                        |        |    |   |       |      |     |          |   |       |    |    |  |   |         |       |          |                        |
| 1481 | DG | G001   | TOP    |    |   |       |      |     |          |   |       |    |    |  |   |         |       | 183.23   |                        |
| 1482 | DG | G002   | BOF    |    |   |       |      |     |          |   |       |    |    |  |   |         |       | 170-4    |                        |
| 1483 | DG | G003   | FTG HT |    |   |       |      |     |          |   |       |    |    |  |   |         |       | 2        |                        |
| 1484 | DG | G004   | HT     |    |   |       |      |     |          |   |       |    |    |  |   |         |       | G1-G2-G3 |                        |
| 1485 | DG | G005   | LONG   |    |   |       |      |     |          |   |       |    |    |  |   |         |       | 60       |                        |
| 1486 | TR | LS   |        | 60 |   | 11-00 | 1-00 | 2   | 16/5     | S | G5    |    |    |  | 1 | LD      | 30-00 | 1,641    | CONT AT T&B            |
| 1487 | MR | STND   |        | 60 |   | G5    | 4-00 | 4   | 13/4     | S | 1-05  |    |    |  |   |         |       | 291      | 1' 5" STANDEE          |
| 1488 | TR | LS   |        | 60 |   | G5    | 4-00 |     | 16/5     | S | 11-00 |    |    |  | 1 | LD      | 30-00 | 185      | BAR SUPPORT            |
| 1489 | TR | LS   |        | 60 |   | G5    | 0-08 |     | 19/6     | S | 11-00 |    |    |  | 1 | LD      | 30-00 | 1,513    | TRANS BOT              |
| 1490 | TR | LS   |        | 60 |   | G5    | 0-08 |     | 22/7     | S | 11-00 |    |    |  | 1 | LD      | 30-00 | 2,058    | TRANS TOP              |
| 1491 | TR | BF   |        | 60 |   | G5    | 0-08 |     | 16/5     | H | 2-00  | G3 | LD |  |   |         |       | 628      | DWLS TO WALL OF        |
| 1492 | TR | BF   |        | 60 |   | G5    | 0-08 |     | 22/7     | H | 2-06  | G3 | LD |  |   |         |       | 1,684    | DWLS TO WALL IF        |
| 1493 | TR | LS   |        | 60 |   | G5    | 0-08 |     | 16/5     | S | G4    |    |    |  | 1 | LD      | 30-00 | 1,454    | VERTS OF               |
| 1494 | TR | LS   |        | 60 |   | G5    | 0-08 |     | 22/7     | S | G4    |    |    |  | 1 | LD      | 30-00 | 2,850    | VERTS IF               |
| 1495 | TR | LS   |        | 60 |   | G4    | 1-00 | 2   | 16/5     | S | G5    |    |    |  | 1 | LD      | 30-00 | 2,325    | CONT AT WALL           |
| 1496 | TR | BF   |        | 60 | 1 |       |      | 2   | 13/4     | H | S90   | G3 | LD |  |   |         |       | 6        | DWLS TO WALL AT CORNER |
| 1497 | TR | LS   |        | 60 | 1 |       |      | 2   | 13/4     | S | G4    |    |    |  | 1 | LD      | 30-00 | 20       | VERTS AT CORNER        |
| 1498 | TR | BF   |        | 60 |   | G4    | 1-00 | 2X2 | 16/5     | H | LD    | LD |    |  |   |         |       | 368      | CB                     |
| 1499 | MT |  |        |    |   |       |      |     |          |   |       |    |    |  |   |         |       |          |                        |
| 1500 | MT | SECTION DETAILS @ 7/S4.01                        |        |    |   |       |      |     |          |   |       |    |    |  |   |         |       |          |                        |
| 1501 | DG | G001   | TOP    |    |   |       |      |     |          |   |       |    |    |  |   |         |       | 177.33   |                        |
| 1502 | DG | G002   | BOF    |    |   |       |      |     |          |   |       |    |    |  |   |         |       | 168-4    |                        |
| 1503 | DG | G003   | FTG HT |    |   |       |      |     |          |   |       |    |    |  |   |         |       | 1.16     |                        |
| 1504 | DG | G004   | HT     |    |   |       |      |     |          |   |       |    |    |  |   |         |       | G1-G2-G3 |                        |
| 1505 | DG | G005   | LONG   |    |   |       |      |     |          |   |       |    |    |  |   |         |       | 51       |                        |
| 1506 | TR | RA   |        | 60 |   | 1-00  | 1-00 | 2   | 16/5     | S | 8-00  | G5 |    |  |   | LD      | 30-00 | 1,885    | MAT T&B                |
| 1507 | TI | If   |        | 14 |   |       | 8    |     | 6.5"CHCU |   |       |    |    |  |   | 10.000% |       | 0        | 6.5" CHCU              |
| 1508 | TR | BF   |        | 60 |   | G5    | 0-08 |     | 16/5     | H | 2-00  | G3 | LD |  |   |         |       | 470      | DWLS TO WALL OF        |
| 1509 | TR | BF   |        | 60 |   | G5    | 0-08 |     | 22/7     | H | 2-06  | G3 | LD |  |   |         |       | 1,309    | DWLS TO WALL IF        |
| 1510 | TR | LS   |        | 60 |   | G5    | 0-08 |     | 16/5     | S | G4    |    |    |  | 1 | LD      | 30-00 | 996      | VERTS OF               |
| 1511 | TR | LS   |        | 60 |   | G5    | 0-08 |     | 22/7     | S | G4    |    |    |  | 1 | LD      | 30-00 | 1,951    | VERTS IF               |
| 1512 | TR | LS   |        | 60 |   | G4    | 1-00 | 2   | 16/5     | S | G5    |    |    |  | 1 | LD      | 30-00 | 1,574    | CONT AT WALL           |
| 1513 | TR | BF   |        | 60 | 1 |       |      | 1   | 13/4     | H | S90   | G3 | LD |  |   |         |       | 3        | DWLS TO WALL AT CORNER |
| 1514 | TR | LS   |        | 60 | 1 |       |      | 1   | 13/4     | S | G4    |    |    |  | 1 | LD      | 30-00 | 8        | VERTS AT CORNER        |
| 1515 | TR | BF   |        | 60 |   | G4    | 1-00 | 2X1 | 16/5     | H | LD    | LD |    |  |   |         |       | 152      | CB                     |
| 1516 | MT |  |        |    |   |       |      |     |          |   |       |    |    |  |   |         |       |          |                        |
| 1517 | MT | 2/S1.00C   |        |    |   |       |      |     |          |   |       |    |    |  |   |         |       |          |                        |
| 1518 | MT | ELEVATIONS @ L-406                               |        |    |   |       |      |     |          |   |       |    |    |  |   |         |       |          |                        |
| 1519 | MT | SECTION DETAILS @ 6/S4.01                        |        |    |   |       |      |     |          |   |       |    |    |  |   |         |       |          |                        |
| 1520 | DG | G001   | TOP    |    |   |       |      |     |          |   |       |    |    |  |   |         |       | 183.47   |                        |
| 1521 | DG | G002   | BOF    |    |   |       |      |     |          |   |       |    |    |  |   |         |       | 173-4    |                        |
| 1522 | DG | G003   | FTG HT |    |   |       |      |     |          |   |       |    |    |  |   |         |       | 2        |                        |
| 1523 | DG | G004   | HT     |    |   |       |      |     |          |   |       |    |    |  |   |         |       | G1-G2-G3 |                        |
| 1524 | DG | G005   | LONG   |    |   |       |      |     |          |   |       |    |    |  |   |         |       | 35       |                        |
| 1525 | TR | LS   |        | 60 |   | 11-00 | 1-00 | 2   | 16/5     | S | G5    |    |    |  | 1 | LD      | 30-00 | 946      | CONT AT T&B            |
| 1526 | MR | STND   |        | 60 |   | G5    | 4-00 | 4   | 13/4     | S | 1-05  |    |    |  |   |         |       | 182      | 1' 5" STANDEE          |
| 1527 | TR | LS   |        | 60 |   | G5    | 4-00 |     | 16/5     | S | 11-00 |    |    |  | 1 | LD      | 30-00 | 115      | BAR SUPPORT            |
| 1528 | TR | LS   |        | 60 |   | G5    | 0-08 |     | 19/6     | S | 11-00 |    |    |  | 1 | LD      | 30-00 | 898      | TRANS BOT              |
| 1529 | TR | LS   |        | 60 |   | G5    | 0-08 |     | 22/7     | S | 11-00 |    |    |  | 1 | LD      | 30-00 | 1,221    | TRANS TOP              |
| 1530 | TR | BF   |        | 60 |   | G5    | 0-08 |     | 16/5     | H | 2-00  | G3 | LD |  |   |         |       | 373      | DWLS TO WALL OF        |
| 1531 | TR | BF   |        | 60 |   | G5    | 0-08 |     | 22/7     | H | 2-06  | G3 | LD |  |   |         |       | 999      | DWLS TO WALL IF        |



**REG191030K - Chestnut Hill Realty - Residen**

| Line | Mat | Func                      | Placing | Grd    | Qty | Span  | Spcg | Mult     | Size     | Cls | L1    | L2 | L3 | L4 | L5 | Lap | Stock | Lbs     | Notes                  |   |           |
|------|-----|---------------------------|---------|--------|-----|-------|------|----------|----------|-----|-------|----|----|----|----|-----|-------|---------|------------------------|---|-----------|
| 1532 | TR  | LS                        |         | 60     |     | G5    | 0-08 |          | 16/5     | S   | G4    |    |    |    | 1  | LD  | 30-00 | 706     | VERTS OF               |   |           |
| 1533 | TR  | LS                        |         | 60     |     | G5    | 0-08 |          | 22/7     | S   | G4    |    |    |    | 1  | LD  | 30-00 | 1,383   | VERTS IF               |   |           |
| 1534 | TR  | LS                        |         | 60     |     | G4    | 1-00 | 2        | 16/5     | S   | G5    |    |    |    | 1  | LD  | 30-00 | 1,104   | CONT AT WALL           |   |           |
| 1535 | DG  | G001                      |         | TOP    |     |       |      | 182.23   |          |     |       |    |    |    |    |     |       |         |                        |   |           |
| 1536 | DG  | G002                      |         | BOF    |     |       |      | 173-4    |          |     |       |    |    |    |    |     |       |         |                        |   |           |
| 1537 | DG  | G003                      |         | FTG HT |     |       |      | 2        |          |     |       |    |    |    |    |     |       |         |                        |   |           |
| 1538 | DG  | G004                      |         | HT     |     |       |      | G1-G2-G3 |          |     |       |    |    |    |    |     |       |         |                        |   |           |
| 1539 | DG  | G005                      |         | LONG   |     |       |      | 92       |          |     |       |    |    |    |    |     |       |         |                        |   |           |
| 1540 | TR  | LS                        |         | 60     |     | 11-00 | 1-00 | 2        | 16/5     | S   | G5    |    |    |    | 1  | LD  | 30-00 | 2,512   | CONT AT T&B            |   |           |
| 1541 | MR  | STND                      |         | 60     |     | G5    | 4-00 | 4        | 13/4     | S   | 1-05  |    |    |    |    |     |       | 436     | 1' 5" STANDEE          |   |           |
| 1542 | TR  | LS                        |         | 60     |     | G5    | 4-00 |          | 16/5     | S   | 11-00 |    |    |    | 1  | LD  | 30-00 | 277     | BAR SUPPORT            |   |           |
| 1543 | TR  | LS                        |         | 60     |     | G5    | 0-08 |          | 19/6     | S   | 11-00 |    |    |    | 1  | LD  | 30-00 | 2,310   | TRANS BOT              |   |           |
| 1544 | TR  | LS                        |         | 60     |     | G5    | 0-08 |          | 22/7     | S   | 11-00 |    |    |    | 1  | LD  | 30-00 | 3,144   | TRANS TOP              |   |           |
| 1545 | TR  | BF                        |         | 60     |     | G5    | 0-08 |          | 16/5     | H   | 2-00  | G3 | LD |    |    |     |       | 960     | DWLS TO WALL OF        |   |           |
| 1546 | TR  | BF                        |         | 60     |     | G5    | 0-08 |          | 22/7     | H   | 2-06  | G3 | LD |    |    |     |       | 2,572   | DWLS TO WALL IF        |   |           |
| 1547 | TR  | LS                        |         | 60     |     | G5    | 0-08 |          | 16/5     | S   | G4    |    |    |    | 1  | LD  | 30-00 | 1,638   | VERTS OF               |   |           |
| 1548 | TR  | LS                        |         | 60     |     | G5    | 0-08 |          | 22/7     | S   | G4    |    |    |    | 1  | LD  | 30-00 | 3,210   | VERTS IF               |   |           |
| 1549 | TR  | LS                        |         | 60     |     | G4    | 1-00 | 2        | 16/5     | S   | G5    |    |    |    | 1  | LD  | 30-00 | 2,721   | CONT AT WALL           |   |           |
| 1550 | TR  | BF                        |         | 60     | 1   |       |      | 1        | 13/4     | H   | S90   | G3 | LD |    |    |     |       | 3       | DWLS TO WALL AT CORNER |   |           |
| 1551 | TR  | LS                        |         | 60     | 1   |       |      | 1        | 13/4     | S   | G4    |    |    |    | 1  | LD  | 30-00 | 8       | VERTS AT CORNER        |   |           |
| 1552 | TR  | BF                        |         | 60     |     | G4    | 1-00 | 2X1      | 16/5     | H   | LD    | LD |    |    |    |     |       | 141     | CB                     |   |           |
| 1553 | DG  | G001                      |         | TOP    |     |       |      | 183.47   |          |     |       |    |    |    |    |     |       |         |                        |   |           |
| 1554 | DG  | G002                      |         | BOF    |     |       |      | 171-4    |          |     |       |    |    |    |    |     |       |         |                        |   |           |
| 1555 | DG  | G003                      |         | FTG HT |     |       |      | 2        |          |     |       |    |    |    |    |     |       |         |                        |   |           |
| 1556 | DG  | G004                      |         | HT     |     |       |      | G1-G2-G3 |          |     |       |    |    |    |    |     |       |         |                        |   |           |
| 1557 | DG  | G005                      |         | LONG   |     |       |      | 32       |          |     |       |    |    |    |    |     |       |         |                        |   |           |
| 1558 | TR  | LS                        |         | 60     |     | 11-00 | 1-00 | 2        | 16/5     | S   | G5    |    |    |    | 1  | LD  | 30-00 | 871     | CONT AT T&B            |   |           |
| 1559 | MR  | STND                      |         | 60     |     | G5    | 4-00 | 4        | 13/4     | S   | 1-05  |    |    |    |    |     |       | 164     | 1' 5" STANDEE          |   |           |
| 1560 | TR  | LS                        |         | 60     |     | G5    | 4-00 |          | 16/5     | S   | 11-00 |    |    |    | 1  | LD  | 30-00 | 104     | BAR SUPPORT            |   |           |
| 1561 | TR  | LS                        |         | 60     |     | G5    | 0-08 |          | 19/6     | S   | 11-00 |    |    |    | 1  | LD  | 30-00 | 814     | TRANS BOT              |   |           |
| 1562 | TR  | LS                        |         | 60     |     | G5    | 0-08 |          | 22/7     | S   | 11-00 |    |    |    | 1  | LD  | 30-00 | 1,108   | TRANS TOP              |   |           |
| 1563 | TR  | BF                        |         | 60     |     | G5    | 0-08 |          | 16/5     | H   | 2-00  | G3 | LD |    |    |     |       | 338     | DWLS TO WALL OF        |   |           |
| 1564 | TR  | BF                        |         | 60     |     | G5    | 0-08 |          | 22/7     | H   | 2-06  | G3 | LD |    |    |     |       | 907     | DWLS TO WALL IF        |   |           |
| 1565 | TR  | LS                        |         | 60     |     | G5    | 0-08 |          | 16/5     | S   | G4    |    |    |    | 1  | LD  | 30-00 | 743     | VERTS OF               |   |           |
| 1566 | TR  | LS                        |         | 60     |     | G5    | 0-08 |          | 22/7     | S   | G4    |    |    |    | 1  | LD  | 30-00 | 1,457   | VERTS IF               |   |           |
| 1567 | TR  | LS                        |         | 60     |     | G4    | 1-00 | 2        | 16/5     | S   | G5    |    |    |    | 1  | LD  | 30-00 | 1,161   | CONT AT WALL           |   |           |
| 1568 | TR  | BF                        |         | 60     | 1   |       |      | 1        | 13/4     | H   | S90   | G3 | LD |    |    |     |       | 3       | DWLS TO WALL AT CORNER |   |           |
| 1569 | TR  | LS                        |         | 60     | 1   |       |      | 1        | 13/4     | S   | G4    |    |    |    | 1  | LD  | 30-00 | 10      | VERTS AT CORNER        |   |           |
| 1570 | TR  | BF                        |         | 60     |     | G4    | 1-00 | 2X1      | 16/5     | H   | LD    | LD |    |    |    |     |       | 173     | CB                     |   |           |
| 1571 | MT  |                           |         |        |     |       |      |          |          |     |       |    |    |    |    |     |       |         |                        |   |           |
| 1572 | MT  | SECTION DETAILS @ 7/S4.01 |         |        |     |       |      |          |          |     |       |    |    |    |    |     |       |         |                        |   |           |
| 1573 | DG  | G001                      |         | TOP    |     |       |      | 181.11   |          |     |       |    |    |    |    |     |       |         |                        |   |           |
| 1574 | DG  | G002                      |         | BOF    |     |       |      | 170-4    |          |     |       |    |    |    |    |     |       |         |                        |   |           |
| 1575 | DG  | G003                      |         | FTG HT |     |       |      | 1.16     |          |     |       |    |    |    |    |     |       |         |                        |   |           |
| 1576 | DG  | G004                      |         | HT     |     |       |      | G1-G2-G3 |          |     |       |    |    |    |    |     |       |         |                        |   |           |
| 1577 | DG  | G005                      |         | LONG   |     |       |      | 40       |          |     |       |    |    |    |    |     |       |         |                        |   |           |
| 1578 | TR  | RA                        |         | 60     |     | 1-00  | 1-00 | 2        | 16/5     | S   | 8-00  | G5 |    |    |    | LD  | 30-00 | 1,492   | MAT T&B                |   |           |
| 1579 | TI  | If                        |         | 11     |     |       | 8    |          | 6.5"CHCU |     |       |    |    |    |    |     |       | 10.000% |                        | 0 | 6.5" CHCU |
| 1580 | TR  | BF                        |         | 60     |     | G5    | 0-08 |          | 16/5     | H   | 2-00  | G3 | LD |    |    |     |       | 367     | DWLS TO WALL OF        |   |           |
| 1581 | TR  | BF                        |         | 60     |     | G5    | 0-08 |          | 22/7     | H   | 2-06  | G3 | LD |    |    |     |       | 1,023   | DWLS TO WALL IF        |   |           |
| 1582 | TR  | LS                        |         | 60     |     | G5    | 0-08 |          | 16/5     | S   | G4    |    |    |    | 1  | LD  | 30-00 | 892     | VERTS OF               |   |           |
| 1583 | TR  | LS                        |         | 60     |     | G5    | 0-08 |          | 22/7     | S   | G4    |    |    |    | 1  | LD  | 30-00 | 1,748   | VERTS IF               |   |           |
| 1584 | TR  | LS                        |         | 60     |     | G4    | 1-00 | 2        | 16/5     | S   | G5    |    |    |    | 1  | LD  | 30-00 | 1,340   | CONT AT WALL           |   |           |
| 1585 | TR  | BF                        |         | 60     | 1   |       |      | 1        | 13/4     | H   | S90   | G3 | LD |    |    |     |       | 3       | DWLS TO WALL AT CORNER |   |           |
| 1586 | TR  | LS                        |         | 60     | 1   |       |      | 1        | 13/4     | S   | G4    |    |    |    | 1  | LD  | 30-00 | 9       | VERTS AT CORNER        |   |           |
| 1587 | TR  | BF                        |         | 60     |     | G4    | 1-00 | 2X1      | 16/5     | H   | LD    | LD |    |    |    |     |       | 163     | CB                     |   |           |
| 1588 | DG  | G001                      |         | TOP    |     |       |      | 176.6    |          |     |       |    |    |    |    |     |       |         |                        |   |           |
| 1589 | DG  | G002                      |         | BOF    |     |       |      | 172.25-4 |          |     |       |    |    |    |    |     |       |         |                        |   |           |
| 1590 | DG  | G003                      |         | FTG HT |     |       |      | 1.16     |          |     |       |    |    |    |    |     |       |         |                        |   |           |
| 1591 | DG  | G004                      |         | HT     |     |       |      | G1-G2-G3 |          |     |       |    |    |    |    |     |       |         |                        |   |           |
| 1592 | DG  | G005                      |         | LONG   |     |       |      | 73       |          |     |       |    |    |    |    |     |       |         |                        |   |           |

**REG191030K - Chestnut Hill Realty - Residen**

| Line | Mat | Func                          | Placing | Grd | Qty | Span  | Spcg | Mult     | Size     | Cls | L1    | L2 | L3 | L4 | L5 | Lap     | Stock | Lbs   | Notes                  |  |
|------|-----|-------------------------------|---------|-----|-----|-------|------|----------|----------|-----|-------|----|----|----|----|---------|-------|-------|------------------------|--|
| 1593 | TR  | RA                            |         | 60  |     | 1-00  | 1-00 | 2        | 16/5     | S   | 8-00  | G5 |    |    |    | LD      | 30-00 | 2,718 | MAT T&B                |  |
| 1594 | TI  | lf                            |         |     | 20  |       |      |          | 6.5"CHCU |     |       |    |    |    |    | 10.000% |       | 0     | 6.5" CHCU              |  |
| 1595 | TR  | BF                            |         | 60  |     | G5    | 0-08 |          | 16/5     | H   | 2-00  | G3 | LD |    |    |         |       | 669   | DWLS TO WALL OF        |  |
| 1596 | TR  | BF                            |         | 60  |     | G5    | 0-08 |          | 22/7     | H   | 2-06  | G3 | LD |    |    |         |       | 1,862 | DWLS TO WALL IF        |  |
| 1597 | TR  | LS                            |         | 60  |     | G5    | 0-08 |          | 16/5     | S   | G4    |    |    |    | 1  | LD      | 30-00 | 837   | VERTS OF               |  |
| 1598 | TR  | LS                            |         | 60  |     | G5    | 0-08 |          | 22/7     | S   | G4    |    |    |    | 1  | LD      | 30-00 | 1,641 | VERTS IF               |  |
| 1599 | TR  | LS                            |         | 60  |     | G4    | 1-00 | 2        | 16/5     | S   | G5    |    |    |    | 1  | LD      | 30-00 | 1,476 | CONT AT WALL           |  |
| 1600 | TR  | BF                            |         | 60  | 1   |       |      | 1        | 13/4     | H   | S90   | G3 | LD |    |    |         |       | 3     | DWLS TO WALL AT CORNER |  |
| 1601 | TR  | LS                            |         | 60  | 1   |       |      | 1        | 13/4     | S   | G4    |    |    |    | 1  | LD      | 30-00 | 5     | VERTS AT CORNER        |  |
| 1602 | TR  | BF                            |         | 60  |     | G4    | 1-00 | 2X1      | 16/5     | H   | LD    | LD |    |    |    |         |       | 98    | CB                     |  |
| 1603 | MT  |                               |         |     |     |       |      |          |          |     |       |    |    |    |    |         |       |       |                        |  |
| 1604 | MT  | 3/S1.00C                      |         |     |     |       |      |          |          |     |       |    |    |    |    |         |       |       |                        |  |
| 1605 | MT  | ELEVATIONS @ 10/A4.13 - L-405 |         |     |     |       |      |          |          |     |       |    |    |    |    |         |       |       |                        |  |
| 1606 | MT  | SECTION DETAILS @ 6/S4.01     |         |     |     |       |      |          |          |     |       |    |    |    |    |         |       |       |                        |  |
| 1607 | DG  | G001                          | TOP     |     |     |       |      | 183.47   |          |     |       |    |    |    |    |         |       |       |                        |  |
| 1608 | DG  | G002                          | BOF     |     |     |       |      | 172.5-4  |          |     |       |    |    |    |    |         |       |       |                        |  |
| 1609 | DG  | G003                          | FTG HT  |     |     |       |      | 2        |          |     |       |    |    |    |    |         |       |       |                        |  |
| 1610 | DG  | G004                          | HT      |     |     |       |      | G1-G2-G3 |          |     |       |    |    |    |    |         |       |       |                        |  |
| 1611 | DG  | G005                          | LONG    |     |     |       |      | 51       |          |     |       |    |    |    |    |         |       |       |                        |  |
| 1612 | TR  | LS                            |         | 60  |     | 11-00 | 1-00 | 2        | 16/5     | S   | G5    |    |    |    | 1  | LD      | 30-00 | 1,349 | CONT AT T&B            |  |
| 1613 | MR  | STND                          |         | 60  |     | G5    | 4-00 | 4        | 13/4     | S   | 1-05  |    |    |    |    |         |       | 254   | 1' 5" STANDEE          |  |
| 1614 | TR  | LS                            |         | 60  |     | G5    | 4-00 |          | 16/5     | S   | 11-00 |    |    |    | 1  | LD      | 30-00 | 162   | BAR SUPPORT            |  |
| 1615 | TR  | LS                            |         | 60  |     | G5    | 0-08 |          | 19/6     | S   | 11-00 |    |    |    | 1  | LD      | 30-00 | 1,297 | TRANS BOT              |  |
| 1616 | TR  | LS                            |         | 60  |     | G5    | 0-08 |          | 22/7     | S   | 11-00 |    |    |    | 1  | LD      | 30-00 | 1,764 | TRANS TOP              |  |
| 1617 | TR  | BF                            |         | 60  |     | G5    | 0-08 |          | 16/5     | H   | 2-00  | G3 | LD |    |    |         |       | 539   | DWLS TO WALL OF        |  |
| 1618 | TR  | BF                            |         | 60  |     | G5    | 0-08 |          | 22/7     | H   | 2-06  | G3 | LD |    |    |         |       | 1,443 | DWLS TO WALL IF        |  |
| 1619 | TR  | LS                            |         | 60  |     | G5    | 0-08 |          | 16/5     | S   | G4    |    |    |    | 1  | LD      | 30-00 | 1,062 | VERTS OF               |  |
| 1620 | TR  | LS                            |         | 60  |     | G5    | 0-08 |          | 22/7     | S   | G4    |    |    |    | 1  | LD      | 30-00 | 2,082 | VERTS IF               |  |
| 1621 | TR  | LS                            |         | 60  |     | G4    | 1-00 | 2        | 16/5     | S   | G5    |    |    |    | 1  | LD      | 30-00 | 1,574 | CONT AT WALL           |  |
| 1622 | TR  | BF                            |         | 60  |     | G4    | 1-00 | 2X2      | 16/5     | H   | LD    | LD |    |    |    |         |       | 303   | CB                     |  |
| 1623 | MT  |                               |         |     |     |       |      |          |          |     |       |    |    |    |    |         |       |       |                        |  |
| 1624 | MT  |                               |         |     |     |       |      |          |          |     |       |    |    |    |    |         |       |       |                        |  |
| 1625 | MT  |                               |         |     |     |       |      |          |          |     |       |    |    |    |    |         |       |       |                        |  |

**Total for Segment: SITE WORKS, Sub-Segment: RETAINING WALLS**

**\*\*\*\* Rebar Weight Summary (Lbs) \*\*\*\***

| Size                  | Total         | Straight      | HEAVY         | LIGHT    | Stock Wgt     |
|-----------------------|---------------|---------------|---------------|----------|---------------|
| ** Grade 60, Black ** |               |               |               |          |               |
| 13/4                  | 1,408         | 1,387         | 21            | 0        | 0             |
| 16/5                  | 41,601        | 35,859        | 5,742         | 0        | 18,631        |
| 19/6                  | 6,832         | 6,832         | 0             | 0        | 0             |
| 22/7                  | 37,416        | 25,617        | 11,799        | 0        | 0             |
|                       | <u>87,257</u> | <u>69,695</u> | <u>17,562</u> | <u>0</u> | <u>18,631</u> |

**\*\*\*\* Miscellaneous Item Summary \*\*\*\***

**Supports LF**

|                    |                                     |            |   |            |   |            |      |      |       |
|--------------------|-------------------------------------|------------|---|------------|---|------------|------|------|-------|
| 6.5"CHCU           | 6 1/2" CONT. HIGH CHAIR UPPER PLAIN | 398.376 lf | = | 400.000 lf | @ | 0.000 / lf | = \$ | 0.00 | 0 Lbs |
| <b>Subtotal</b>    |                                     |            |   |            |   |            | = \$ | 0.00 | 0 Lbs |
| <b>Grand Total</b> |                                     |            |   |            |   |            | = \$ | 0.00 | 0 Lbs |

**REG191030K - Chestnut Hill Realty - Residen**

| Line                         | Mat | Func   | Placing | Grd | Qty | Span | Spcg | Mult | Size | Cls | L1   | L2   | L3   | L4 | L5 | Lap | Stock | Lbs | Notes          |
|------------------------------|-----|--|---------|-----|-----|------|------|------|------|-----|------|------|------|----|----|-----|-------|-----|----------------|
| Segment: SITE WORKS          |     |  |         |     |     |      |      |      |      |     |      |      |      |    |    |     |       |     |                |
| Sub-Segment: CONCRETE STAIRS |     |  |         |     |     |      |      |      |      |     |      |      |      |    |    |     |       |     |                |
| 1626                         | GI  | Segment: SITE WORKS Sub-Segment: CONCRETE STAIRS |         |     |     |      |      |      |      |     |      |      |      |    |    |     |       |     |                |
| 1627                         | MT  |  |         |     |     |      |      |      |      |     |      |      |      |    |    |     |       |     |                |
| 1628                         | MT  | L-300  |         |     |     |      |      |      |      |     |      |      |      |    |    |     |       |     |                |
| 1629                         | MT  |  |         |     |     |      |      |      |      |     |      |      |      |    |    |     |       |     |                |
| 1630                         | MT  | 2/L-702 - C/S2.02                                |         |     |     |      |      |      |      |     |      |      |      |    |    |     |       |     |                |
| 1631                         | TR  | LS   |         | 60  | 3   |      |      | 2    | 13/4 | S   | 5-00 |      |      |    | 1  | LD  | 30-00 | 20  | CONT AT BOT    |
| 1632                         | TR  | BF   |         | 60  |     | 5-00 | 1-00 | 2    | 13/4 | H   | S90  | 1-00 | 3-00 |    |    |     |       | 38  | DWLS TO WALL   |
| 1633                         | TR  | LS   |         | 60  |     | 3-00 | 1-00 | 2    | 13/4 | S   | 5-00 |      |      |    | 1  | LD  | 30-00 | 27  | CONT AT WALL   |
| 1634                         | TR  | BF   |         | 60  |     | 5-00 | 1-00 | 2    | 13/4 | H   | LD   | LD   |      |    |    |     |       | 34  | DWLS TO STAIRS |
| 1635                         | TR  | LS   |         | 60  | 1   |      |      | 2    | 19/6 | S   | 5-00 |      |      |    | 1  | LD  | 30-00 | 15  | ADDL TOP       |
| 1636                         | TR  | RA   |         | 60  |     | 1-00 | 1-00 |      | 13/4 | S   | 5-00 | 3-04 |      |    |    | LD  | 30-00 | 30  | MAT AT STAIR   |
| 1637                         | MT  |  |         |     |     |      |      |      |      |     |      |      |      |    |    |     |       |     |                |
| 1638                         | MT  | L-302  |         |     |     |      |      |      |      |     |      |      |      |    |    |     |       |     |                |
| 1639                         | MT  |  |         |     |     |      |      |      |      |     |      |      |      |    |    |     |       |     |                |
| 1640                         | MT  | 2/L-702  |         |     |     |      |      |      |      |     |      |      |      |    |    |     |       |     |                |
| 1641                         | TR  | LS   |         | 60  | 3   |      |      | 2    | 13/4 | S   | 6-00 |      |      |    | 1  | LD  | 30-00 | 24  | CONT AT BOT    |
| 1642                         | TR  | BF   |         | 60  |     | 6-00 | 1-00 | 2    | 13/4 | H   | S90  | 1-00 | 3-00 |    |    |     |       | 44  | DWLS TO WALL   |
| 1643                         | TR  | LS   |         | 60  |     | 3-00 | 1-00 | 2    | 13/4 | S   | 6-00 |      |      |    | 1  | LD  | 30-00 | 32  | CONT AT WALL   |
| 1644                         | TR  | BF   |         | 60  |     | 6-00 | 1-00 | 2    | 13/4 | H   | LD   | LD   |      |    |    |     |       | 39  | DWLS TO STAIRS |
| 1645                         | TR  | LS   |         | 60  | 1   |      |      | 2    | 19/6 | S   | 6-00 |      |      |    | 1  | LD  | 30-00 | 18  | ADDL TOP       |
| 1646                         | TR  | RA   |         | 60  |     | 1-00 | 1-00 |      | 13/4 | S   | 6-00 | 6-00 |      |    |    | LD  | 30-00 | 56  | MAT AT STAIR   |
| 1647                         | MT  |  |         |     |     |      |      |      |      |     |      |      |      |    |    |     |       |     |                |
| 1648                         | MT  |  |         |     |     |      |      |      |      |     |      |      |      |    |    |     |       |     |                |
| 1649                         | MT  |  |         |     |     |      |      |      |      |     |      |      |      |    |    |     |       |     |                |

**Total for Segment: SITE WORKS, Sub-Segment: CONCRETE STAIRS**

**\*\*\*\* Rebar Weight Summary (Lbs) \*\*\*\***

| Size                  | Total      | Straight   | HEAVY      | LIGHT    | Stock Wgt |
|-----------------------|------------|------------|------------|----------|-----------|
| ** Grade 60, Black ** |            |            |            |          |           |
| 13/4                  | 344        | 189        | 155        | 0        | 0         |
| 19/6                  | 33         | 33         | 0          | 0        | 0         |
|                       | <u>377</u> | <u>222</u> | <u>155</u> | <u>0</u> | <u>0</u>  |

**REG191030K - Chestnut Hill Realty - Residen**

| Line | Mat | Func | Placing | Grd | Qty | Span | Spcg | Mult | Size | Cls | L1 | L2 | L3 | L4 | L5 | Lap | Stock | Lbs | Notes |
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|

Segment: SITE WORKS

Sub-Segment: DUMPSTER PAD

|      |    |   |  |    |     |       |      |   |          |   |       |      |  |  |  |         |    |       |                           |               |          |          |
|------|----|---|--|----|-----|-------|------|---|----------|---|-------|------|--|--|--|---------|----|-------|---------------------------|---------------|----------|----------|
| 1650 | GI | Segment: SITE WORKS Sub-Segment: DUMPSTER PAD |  |    |     |       |      |   |          |   |       |      |  |  |  |         |    |       |                           |               |          |          |
| 1651 | MT |   |  |    |     |       |      |   |          |   |       |      |  |  |  |         |    |       |                           |               |          |          |
| 1652 | MT | L-301   |  |    |     |       |      |   |          |   |       |      |  |  |  |         |    |       |                           |               |          |          |
| 1653 | MT |   |  |    |     |       |      |   |          |   |       |      |  |  |  |         |    |       |                           |               |          |          |
| 1654 | MT | 7/L701  |  |    |     |       |      |   |          |   |       |      |  |  |  |         |    |       |                           |               |          |          |
| 1655 | TI | SqFt  |  |    | 18  |       | 16   |   | MS665X10 |   |       |      |  |  |  | 25.000% |    | 0     | 6" CONC PAD 6X6-W2.9XW2.9 |               |          |          |
| 1656 | MT | - M/S2.01                                     |  |    |     |       |      |   |          |   |       |      |  |  |  |         |    |       |                           |               |          |          |
| 1657 | TR | LS  |  | 60 | 2X2 |       |      | 2 | 16/5     | S | 18-00 |      |  |  |  | 1       | LD | 30-00 | 151                       | ADDL CONT T&B |          |          |
| 1658 | TR | LS  |  | 60 | 2X2 |       |      | 2 | 16/5     | S | 16-00 |      |  |  |  | 1       | LD | 30-00 | 134                       | ADDL CONT T&B |          |          |
| 1659 | TR | BF  |  | 60 |     | 16-00 | 1-00 | 2 | 13/4     | H | 3-00  | 1-01 |  |  |  |         |    |       |                           | 93            | BEND BAR |          |
| 1660 | TR | BF  |  | 60 |     | 18-00 | 1-00 | 2 | 13/4     | H | 3-00  | 1-01 |  |  |  |         |    |       |                           |               | 104      | BEND BAR |
| 1661 | MT |   |  |    |     |       |      |   |          |   |       |      |  |  |  |         |    |       |                           |               |          |          |
| 1662 | MT |   |  |    |     |       |      |   |          |   |       |      |  |  |  |         |    |       |                           |               |          |          |
| 1663 | MT |   |  |    |     |       |      |   |          |   |       |      |  |  |  |         |    |       |                           |               |          |          |

**Total for Segment: SITE WORKS, Sub-Segment: DUMPSTER PAD**

**\*\*\*\* Rebar Weight Summary (Lbs) \*\*\*\***

| Size                  | Total      | Straight   | HEAVY      | LIGHT    | Stock Wgt |
|-----------------------|------------|------------|------------|----------|-----------|
| ** Grade 60, Black ** |            |            |            |          |           |
| 13/4                  | 197        | 0          | 197        | 0        | 0         |
| 16/5                  | 285        | 285        | 0          | 0        | 0         |
|                       | <u>482</u> | <u>285</u> | <u>197</u> | <u>0</u> | <u>0</u>  |

**\*\*\*\* Miscellaneous Item Summary \*\*\*\***

\*\* Undefined Item Class - 'MESH SHEETS' \*\*

|                    |                           |              |   |                |                |      |      |       |
|--------------------|---------------------------|--------------|---|----------------|----------------|------|------|-------|
| MS665X10           | 6X6 6/6 5X10 SHEETS PLAIN | 362.160 SqFt | = | 8.000 Sheets @ | 0.000 / Sheets | = \$ | 0.00 | 0 Lbs |
| <b>Subtotal</b>    |                           |              |   |                |                | = \$ | 0.00 | 0 Lbs |
| <b>Grand Total</b> |                           |              |   |                |                | = \$ | 0.00 | 0 Lbs |

**REG191030K - Chestnut Hill Realty - Residen**

| Line | Mat | Func | Placing | Grd | Qty | Span | Spcg | Mult | Size | Cls | L1 | L2 | L3 | L4 | L5 | Lap | Stock | Lbs | Notes |
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|
|------|-----|------|---------|-----|-----|------|------|------|------|-----|----|----|----|----|----|-----|-------|-----|-------|

Segment: SITE WORKS

Sub-Segment: RAMP

|      |    |                                       |  |    |  |      |      |  |      |   |      |       |  |  |  |    |       |    |             |
|------|----|---------------------------------------|--|----|--|------|------|--|------|---|------|-------|--|--|--|----|-------|----|-------------|
| 1664 | GI | Segment: SITE WORKS Sub-Segment: RAMP |  |    |  |      |      |  |      |   |      |       |  |  |  |    |       |    |             |
| 1665 | MT |                                       |  |    |  |      |      |  |      |   |      |       |  |  |  |    |       |    |             |
| 1666 | MT | L-302                                 |  |    |  |      |      |  |      |   |      |       |  |  |  |    |       |    |             |
| 1667 | MT |                                       |  |    |  |      |      |  |      |   |      |       |  |  |  |    |       |    |             |
| 1668 | MT | 3/L702                                |  |    |  |      |      |  |      |   |      |       |  |  |  |    |       |    |             |
| 1669 | TR | RA                                    |  | 60 |  | 1-00 | 1-00 |  | 13/4 | S | 5-00 | 10-00 |  |  |  | LD | 30-00 | 77 | MAT AT RAMP |

**Total for Segment: SITE WORKS, Sub-Segment: RAMP**

**\*\*\*\* Rebar Weight Summary (Lbs) \*\*\*\***

| Size | Total | Straight | HEAVY | LIGHT | Stock Wgt |
|------|-------|----------|-------|-------|-----------|
|------|-------|----------|-------|-------|-----------|

**\*\* Grade 60, Black \*\***

|      |           |           |          |          |          |
|------|-----------|-----------|----------|----------|----------|
| 13/4 | 77        | 77        | 0        | 0        | 0        |
|      | <u>77</u> | <u>77</u> | <u>0</u> | <u>0</u> | <u>0</u> |

## Total for Segment: SITE WORKS

## \*\*\*\* Rebar Weight Summary (Lbs) \*\*\*\*

| Size                  | Total         | Straight      | HEAVY         | LIGHT    | Stock Wgt     |
|-----------------------|---------------|---------------|---------------|----------|---------------|
| ** Grade 60, Black ** |               |               |               |          |               |
| 13/4                  | 2,026         | 1,653         | 373           | 0        | 0             |
| 16/5                  | 41,886        | 36,144        | 5,742         | 0        | 18,631        |
| 19/6                  | 6,865         | 6,865         | 0             | 0        | 0             |
| 22/7                  | 37,416        | 25,617        | 11,799        | 0        | 0             |
|                       | <u>88,193</u> | <u>70,279</u> | <u>17,914</u> | <u>0</u> | <u>18,631</u> |

## \*\*\*\* Miscellaneous Item Summary \*\*\*\*

## \*\* Undefined Item Class - 'MESH SHEETS' \*\*

|             |                                     |              |   |                |                |      |      |       |       |
|-------------|-------------------------------------|--------------|---|----------------|----------------|------|------|-------|-------|
| MS665X10    | 6X6 6/6 5X10 SHEETS PLAIN           | 362.160 SqFt | = | 8.000 Sheets @ | 0.000 / Sheets | = \$ | 0.00 | 0 Lbs |       |
| Subtotal    |                                     |              |   |                |                |      | = \$ | 0.00  | 0 Lbs |
| Supports LF |                                     |              |   |                |                |      |      |       |       |
| 6.5"CHCU    | 6 1/2" CONT. HIGH CHAIR UPPER PLAIN | 398.376 lf   | = | 400.000 lf @   | 0.000 / lf     | = \$ | 0.00 | 0 Lbs |       |
| Subtotal    |                                     |              |   |                |                |      | = \$ | 0.00  | 0 Lbs |
| Grand Total |                                     |              |   |                |                |      | = \$ | 0.00  | 0 Lbs |

## Estimate Totals

## \*\*\*\* Rebar Weight Summary (Lbs) \*\*\*\*

| Size | Total | Straight | HEAVY | LIGHT | Stock Wgt |
|------|-------|----------|-------|-------|-----------|
|------|-------|----------|-------|-------|-----------|

## \*\* Grade 60, Black \*\*

|       |                |                |                |          |               |
|-------|----------------|----------------|----------------|----------|---------------|
| 13/4  | 91,684         | 53,954         | 37,730         | 0        | 31,721        |
| 16/5  | 134,208        | 100,657        | 33,551         | 0        | 43,302        |
| 19/6  | 77,118         | 52,599         | 24,519         | 0        | 6,708         |
| 22/7  | 39,142         | 27,343         | 11,799         | 0        | 0             |
| 25/8  | 18,595         | 16,604         | 1,991          | 0        | 0             |
| 29/9  | 35,328         | 26,916         | 8,412          | 0        | 2,874         |
| 32/10 | 7,711          | 7,711          | 0              | 0        | 3,636         |
|       | <u>403,786</u> | <u>285,784</u> | <u>118,002</u> | <u>0</u> | <u>88,241</u> |

## \*\* Grade 60, Epoxy \*\*

|      |               |               |          |          |               |
|------|---------------|---------------|----------|----------|---------------|
| 16/5 | 5,777         | 5,777         | 0        | 0        | 5,383         |
| 19/6 | 30,439        | 30,439        | 0        | 0        | 24,297        |
|      | <u>36,216</u> | <u>36,216</u> | <u>0</u> | <u>0</u> | <u>29,680</u> |

## \*\* Grand Totals \*\*

|       |                |                |                |          |                |
|-------|----------------|----------------|----------------|----------|----------------|
| 13/4  | 91,684         | 53,954         | 37,730         | 0        | 31,721         |
| 16/5  | 139,985        | 106,434        | 33,551         | 0        | 48,685         |
| 19/6  | 107,557        | 83,038         | 24,519         | 0        | 31,005         |
| 22/7  | 39,142         | 27,343         | 11,799         | 0        | 0              |
| 25/8  | 18,595         | 16,604         | 1,991          | 0        | 0              |
| 29/9  | 35,328         | 26,916         | 8,412          | 0        | 2,874          |
| 32/10 | 7,711          | 7,711          | 0              | 0        | 3,636          |
|       | <u>440,002</u> | <u>322,000</u> | <u>118,002</u> | <u>0</u> | <u>117,921</u> |

## Estimate Totals

## \*\*\*\* Miscellaneous Item Summary \*\*\*\*

## \*\* Undefined Item Class - 'MESH SHEETS' \*\*

|          |                           |             |      |   |           |        |   |       |   |        |      |      |       |
|----------|---------------------------|-------------|------|---|-----------|--------|---|-------|---|--------|------|------|-------|
| MS665X10 | 6X6 6/6 5X10 SHEETS PLAIN | 190,487.911 | SqFt | = | 3,827.000 | Sheets | @ | 0.000 | / | Sheets | = \$ | 0.00 | 0 Lbs |
|----------|---------------------------|-------------|------|---|-----------|--------|---|-------|---|--------|------|------|-------|

|          |  |  |  |  |  |  |  |  |  |  |      |      |       |
|----------|--|--|--|--|--|--|--|--|--|--|------|------|-------|
| Subtotal |  |  |  |  |  |  |  |  |  |  | = \$ | 0.00 | 0 Lbs |
|----------|--|--|--|--|--|--|--|--|--|--|------|------|-------|

## \*\* Undefined Item Class - 'SUPPORTS-EA' \*\*

|         |                      |         |     |   |         |     |   |       |   |     |      |      |       |
|---------|----------------------|---------|-----|---|---------|-----|---|-------|---|-----|------|------|-------|
| 0.75"BC | 3/4" BAR CHAIR PLAIN | 784.680 | Pcs | = | 786.000 | Pcs | @ | 0.000 | / | Pcs | = \$ | 0.00 | 0 Lbs |
|---------|----------------------|---------|-----|---|---------|-----|---|-------|---|-----|------|------|-------|

|           |                      |           |     |   |           |     |   |       |   |     |      |      |       |
|-----------|----------------------|-----------|-----|---|-----------|-----|---|-------|---|-----|------|------|-------|
| 0.75"BCEP | 3/4" BAR CHAIR EPOXY | 6,446.448 | Pcs | = | 6,447.000 | Pcs | @ | 0.000 | / | Pcs | = \$ | 0.00 | 0 Lbs |
|-----------|----------------------|-----------|-----|---|-----------|-----|---|-------|---|-----|------|------|-------|

|          |  |  |  |  |  |  |  |  |  |  |      |      |       |
|----------|--|--|--|--|--|--|--|--|--|--|------|------|-------|
| Subtotal |  |  |  |  |  |  |  |  |  |  | = \$ | 0.00 | 0 Lbs |
|----------|--|--|--|--|--|--|--|--|--|--|------|------|-------|

## Supports LF

|         |                                    |            |    |   |            |    |   |       |   |    |      |      |       |
|---------|------------------------------------|------------|----|---|------------|----|---|-------|---|----|------|------|-------|
| 2.5"SBU | 2 1/2" SLAB BOLSTER UPPER<br>PLAIN | 13,527.078 | lf | = | 13,528.000 | lf | @ | 0.000 | / | lf | = \$ | 0.00 | 0 Lbs |
|---------|------------------------------------|------------|----|---|------------|----|---|-------|---|----|------|------|-------|

|        |                                    |            |    |   |            |    |   |       |   |    |      |      |       |
|--------|------------------------------------|------------|----|---|------------|----|---|-------|---|----|------|------|-------|
| 4"CHCU | 4" CONT. HIGH CHAIR UPPER<br>PLAIN | 12,733.646 | lf | = | 12,735.000 | lf | @ | 0.000 | / | lf | = \$ | 0.00 | 0 Lbs |
|--------|------------------------------------|------------|----|---|------------|----|---|-------|---|----|------|------|-------|

|          |  |         |    |   |         |    |   |       |   |    |      |      |       |
|----------|--|---------|----|---|---------|----|---|-------|---|----|------|------|-------|
| 5.5"CHCU | 5 1/2" CONT. HIGH CHAIR UPPER<br>PLAIN | 893.026 | lf | = | 896.000 | lf | @ | 0.000 | / | lf | = \$ | 0.00 | 0 Lbs |
|----------|--|---------|----|---|---------|----|---|-------|---|----|------|------|-------|

|          |  |         |    |   |         |    |   |       |   |    |      |      |       |
|----------|--|---------|----|---|---------|----|---|-------|---|----|------|------|-------|
| 6.5"CHCU | 6 1/2" CONT. HIGH CHAIR UPPER<br>PLAIN | 398.376 | lf | = | 400.000 | lf | @ | 0.000 | / | lf | = \$ | 0.00 | 0 Lbs |
|----------|--|---------|----|---|---------|----|---|-------|---|----|------|------|-------|

|          |  |  |  |  |  |  |  |  |  |  |      |      |       |
|----------|--|--|--|--|--|--|--|--|--|--|------|------|-------|
| Subtotal |  |  |  |  |  |  |  |  |  |  | = \$ | 0.00 | 0 Lbs |
|----------|--|--|--|--|--|--|--|--|--|--|------|------|-------|

|             |  |  |  |  |  |  |  |  |  |  |      |      |       |
|-------------|--|--|--|--|--|--|--|--|--|--|------|------|-------|
| Grand Total |  |  |  |  |  |  |  |  |  |  | = \$ | 0.00 | 0 Lbs |
|-------------|--|--|--|--|--|--|--|--|--|--|------|------|-------|